



2023 Annual Groundwater Monitoring and Corrective Action Report

Ash Disposal Area

Big Stone Plant

Big Stone City, South Dakota

Prepared for
Otter Tail Power Company

January 2024

2023 Annual Groundwater Monitoring and Corrective Action Report

Ash Disposal Area

Big Stone Plant Big Stone City, South Dakota

January 2024

Contents

Executive Summary.....	iv
1.0 Introduction	1
1.1 Purpose.....	1
1.2 Status of the Groundwater Monitoring and Corrective Action Program	1
1.3 CCR Rule Requirements	1
2.0 Groundwater Monitoring and Corrective Action Program	3
2.1 Groundwater Monitoring System.....	3
2.1.1 Documentation	3
2.1.2 Changes to Monitoring System.....	3
2.2 Monitoring and Analytical Results.....	3
2.3 Key Actions Completed/Problems Encountered.....	4
2.4 Key Activities for Upcoming Year.....	4
3.0 References	5

List of Tables

Table 1	CCR Rule Requirements
Table 2	Detection Monitoring Wells Groundwater Analytical Data Summary
Table 3	New Well Groundwater Analytical Data Summary

List of Figures

Figure 1	Ash Disposal Area Location
Figure 2	Spring 2023 Groundwater Contours
Figure 3	July 2023 Groundwater Contours
Figure 4	Fall 2023 Groundwater Contours

List of Appendices

Appendix A	2023 Well Boring Logs
Appendix B	Laboratory Reports and Field Sheets
Appendix C	Groundwater Flow Calculations
Appendix D	Additional Groundwater Elevations

Acronyms

Acronym	Description
ADA	Ash Disposal Area
CCR	Coal Combustion Residuals
CFR	Code of Federal Regulations
EPA	Environmental Protection Agency
OTP	Otter Tail Power Company
SSI	Statistically Significant Increase

Executive Summary

This summary provides an overview of the Groundwater Monitoring & Corrective Action Program status as required by §257.90(e)(6). The CCR unit operated under the detection monitoring program described in §257.94 at the start and at the end of the 2023 annual reporting period. The current status of the facility is detection monitoring.

The monitoring program did not identify any statistically significant increases (SSIs) over background for any of the constituents listed in Appendix III to the CCR Rule; therefore, assessment monitoring of the constituents listed in Appendix IV to the CCR Rule were not monitored. Corrective action provisions of the CCR Rule were not required.

The monitoring network continues to be refined and augmented to adjust to data collected. Recent changes to the monitoring network include the installation and baseline monitoring of new upgradient and downgradient wells to adjust to changes in the interpretation groundwater flow direction.

1.0 Introduction

Otter Tail Power Company (OTP) operates the Big Stone Plant (Big Stone), located near Big Stone City, South Dakota. Big Stone is a coal-fired electrical generating plant, the operation of which results in coal combustion residuals (CCR) as a by-product. Management of CCR from plant operations includes placing CCR in an on-site landfill, referred to as the Ash Disposal Area (ADA). The ADA is required to comply with the provisions of the US Environmental Protection Agency (EPA) CCR Rule (40 CFR Parts 257 and 261, Disposal of Coal Combustion Residuals from Electric Utilities) for existing CCR landfills. The location of the ADA is shown on Figure 1.

This 2023 Annual Groundwater Monitoring and Corrective Action Report (Annual Report) describes the monitoring program and results for the ADA at Big Stone. The ADA is currently in detection monitoring, as described by §257.94 of the CCR Rule.

1.1 Purpose

As stated in Section §257.90(e), the purpose of the Annual Report is to:

- Document the status of monitoring and corrective action program for the CCR unit
- Summarize key actions completed
- Describe any problems encountered
- Discuss actions to resolve the problems
- Highlight key activities for the upcoming year

1.2 Status of the Groundwater Monitoring and Corrective Action Program

Except for recently installed wells H10, H11, and H12, baseline monitoring for the network was completed in 2017, as documented in the 2017 Annual Groundwater Monitoring and Corrective Action Report, Ash Disposal Area (Barr, 2018). Wells H10, H11, and H12 data collection efforts are subsequently described in Section 2.1.2.

Statistical evaluation of detection monitoring results began on October 17, 2017, and continued through 2023. In 2023, the monitoring program did not identify any statistically significant increases (SSIs) over background for any of the constituents listed in Appendix III to the CCR Rule; therefore, constituents listed in Appendix IV to the CCR Rule were not monitored. Corrective action provisions of the CCR Rule were not required.

1.3 CCR Rule Requirements

This Annual Report has been prepared in accordance with the requirements of §257.90(e) of the CCR Rule, as outlined in the following Table 1.

Table 1 CCR Rule Requirements

CCR Rule Reference	Content Required in Report	Location
§257.90(e)(1)	Map showing the CCR unit and all monitoring wells that are part of the groundwater monitoring system	Section 2.1.1 Documentation; see Figure 1
§257.90(e)(2)	Discuss any new or decommissioned monitoring wells	Section 2.1.2 Changes to Monitoring System; Appendix A
§257.90(e)(3)	All monitoring data obtained under §257.90 through §257.98; provide the number and date groundwater samples were collected, and the monitoring (i.e., detection or assessment)	Section 2.2 Monitoring and Analytical Results; Table 2, Figure 2, Figure 4, Appendix B, Appendix C
§257.90(e)(4)	Discuss any transition between monitoring programs	Not applicable – no transition between monitoring programs was necessary
§257.90(e)(5)	Other information specified in §257.90 through §257.98	Throughout report
§257.90(e)(6)	Overview at beginning of annual report	Executive Summary

2.0 Groundwater Monitoring and Corrective Action Program

This section documents the status of the groundwater monitoring and corrective action program for the ADA for 2023. The groundwater monitoring system is described in Section 2.1, the monitoring and analytical results are described in Section 2.2, key actions completed and problems encountered are described in Section 2.3, and key activities planned for 2024 are described in Section 2.4.

2.1 Groundwater Monitoring System

2.1.1 Documentation

Figure 1 shows an aerial image of the ADA and all upgradient (background) and downgradient monitoring wells, including the well identification numbers, that are part of the groundwater monitoring system, as required by §257.90(e)(1). Further details on the monitoring system and the ADA monitoring wells can be found in the Groundwater Monitoring System Report, Big Stone Plant Ash Disposal Area (Barr, 2016).

2.1.2 Changes to Monitoring System

One upgradient monitoring well H12 was installed east of the cooling pond on September 14, 2023 to provide a representative upgradient well for the area upgradient of H6 and H8 based on recent groundwater flow interpretations (Figure 1; Appendix A). Baseline sample collection began on October 17, 2023 and will continue in spring 2024.

In 2022, two downgradient monitoring wells were installed (H10 and H11). Baseline sample collection for these wells began on May 15, 2023. Additional baseline samples were collected on June 12, August 21, and October 17, 2023. Baseline samples were also collected on December 11, 2023; however, the lab results from that event are not available at this time. Baseline sample collection will continue in spring 2024.

2.2 Monitoring and Analytical Results

Groundwater samples were collected from monitoring wells H2OX, H3OX, H4OX, H6, H8, and H9 during two semiannual sampling events and from H8 for one verification resampling event. A total of 12 groundwater samples (six monitoring wells and two sampling events) were collected and analyzed for the constituents listed in Appendix III (Part 257) in 2023 under the detection monitoring program, consistent with the requirements of §257.94(c). An elevated total dissolved solids (TDS) concentration was observed in the sample collected from monitoring well H8 during the spring 2023 detection monitoring event. Monitoring well H8 was subsequently resampled for TDS on July 21, 2023. The resampled results indicated that TDS concentrations were not statistically significantly higher than background. Dates of sampling are reported on the field data sheets, and analytical laboratory reports are presented in Appendix B. Results are summarized in Table 2 from samples collected at monitoring wells previously included in the detection monitoring program. Results from samples collected at newly-installed monitoring wells are

summarized in Table 3. Groundwater flow data, as required by §257.93(c), are presented in Figure 2, Figure 4, and Appendix C.

2.3 Key Actions Completed/Problems Encountered

The following key actions were completed for the groundwater monitoring program during 2023:

- Completed semiannual groundwater sampling under the detection monitoring program.
- Statistical analysis was conducted according to the Statistical Analysis Plan, Appendix B of the CCR Groundwater Sampling and Analysis Plan (Carlson McCain, 2017).
- Determined, pursuant to §257.93(h), that no statistically significant increase over background levels occurred for any of the constituents listed in Appendix III at any downgradient monitoring well during the 2023 detection monitoring sampling events.
- A partial closure of approximately 7.7 acres of the landfill was completed in 2023.

2.4 Key Activities for Upcoming Year

The following key groundwater monitoring program activities are planned for 2024:

- Continue the detection monitoring program in accordance with the CCR Rule.
- Evaluate analytical results from the 2024 semiannual detection monitoring events for SSIs according to the Statistical Analysis Plan (Carlson McCain, 2017).
- Continue collection of background water samples from monitoring wells H10, H11, and H12. Appendix III and Appendix IV parameters will be analyzed.
- Update the Groundwater Monitoring Network to include monitoring wells H10, H11, and H12.

3.0 References

Barr, 2018. 2017 Annual Groundwater Monitoring and Corrective Action Report, Big Stone Plant Ash Disposal Area. Prepared for Otter Tail Power Company. January 2018.

Barr, 2016. Groundwater Monitoring System Report, Big Stone Plant Ash Disposal Area. Prepared for Otter Tail Power Company. December 2016.

Carlson McCain, 2017. CCR Groundwater Sampling and Analysis Plan (Including Statistical Method Selection and Certification), Big Stone Plant Ash Disposal Area. Prepared for Otter Tail Power Company. October 2017.

Tables

Table 2
Detection Monitoring Well Groundwater Analytical Data Summary
Big Stone Plant
Otter Tail Power Company

Location			H2OX	H2OX	H3OX	H3OX	H4OX	H4OX	H6	H6	H8	H8	H8	H9	H9
Date			5/15/2023	10/17/2023	5/15/2023	10/17/2023	5/15/2023	10/17/2023	5/15/2023	10/17/2023	5/15/2023	7/21/2023	10/17/2023	5/15/2023	10/17/2023
Sample Type			N	N	N	N	N	N	N	N	N	Resample	N	N	N
Parameter	Analysis Location	Units													
Appendix III Parameters															
Boron, total	Lab	mg/l	0.251	0.258	6.540	7.310	0.518	0.564	3.260	2.350	3.020	--	3.360	1,100	1,230
Calcium, total	Lab	mg/l	229.0	521.0	364.0	405.0	330.0	321.0	36.60	64.70	125.0	--	128.0	488.0	640.0
Chloride	Lab	mg/l	4.1	3.5	66.0	65.3	42.8	41.7	3.2	< 3 U	4.3	--	3.4	40.9	81.6
Fluoride	Lab	mg/l	0.350	0.320	0.430	0.370	0.530	0.480	0.500	0.430	0.550	--	0.510	0.360	0.310
pH	Lab	pH units	7.3	7.2	7.2	7.2	7.1	7.2	7.7	7.6	7.4	--	7.5	6.9	7.0
pH	Field	pH units	6.74	6.52	6.62	6.43	6.61	6.52	7.54	7.56	7.24	--	7.22	6.71	6.62
Solids, total dissolved	Lab	mg/l	3850	3610	3160	2880	2140	2160	536	558	5270 R 951 H 964 H	1050	973	2580	2900
Sulfate, as SO4	Lab	mg/l	1950	1720	1490	1340	1050	987	93.0	80.6	359	--	321	1510	1620
Groundwater elevation	Field	ft amsl	1097.68	1096.64	1088.36	1087.26	1091.98	1091.17	1089.94	1082	1077.03	1071.48	1074.63	1079.46	1074.64

-- Not analyzed/Not available.

N Sample Type: Normal Detection Monitoring

H Recommended sample preservation, extraction or analysis holding time was exceeded.

R The data are unusable. The samples results are rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample.

U The analyte was analyzed for, but was not detected.

Table 3
New Well Groundwater Analytical Data Summary
Big Stone Plant
Otter Tail Power Company

Location		H10	H10	H10	H10	H11	H11	H11	H11	H12
Date		5/15/2023	6/12/2023	8/21/2023	10/17/2023	5/15/2023	6/12/2023	8/21/2023	10/17/2023	10/17/2023
Sample Type		N	N	N	N	N	N	N	N	N
Parameter	Units									
Appendix III										
Boron, Total	mg/l	0.292	0.284	0.298	0.358	0.232	0.247	0.245	0.271	0.402
Calcium, Total	mg/l	284.0	489.0	492.0	509.0	217.0	547.0	543.0	573.0	25.60
Chloride	mg/l	7.1	6.6	6.3	6.3	4.7	3.9	3.5	3.6	< 3 U
Fluoride	mg/l	0.200	0.180	0.180	0.190	0.140	0.130	0.140	0.140	0.290
pH	pH units	7.0	7.1	7.0	7.2	7.0	7.0	6.9	6.9	8.2
pH, Field	pH units	6.34	7.00	6.88	6.51	6.37	6.80	6.70	6.59	7.99
Solids, total dissolved	mg/l	4810	4820	4840	4840	4270	4230	4220	4220	197
Sulfate, as SO4	mg/l	2590	2650	2270	2590	2640	2170	2440	2580	20.8
Appendix IV										
Antimony, Total	mg/l	< 0.0025 U	< 0.001 U	< 0.001 U	< 0.0025 U	< 0.0005 U	< 0.0005 U	< 0.001 U	< 0.0025 U	< 0.0005 U
Arsenic, Total	mg/l	< 0.0025 U	< 0.001 U	< 0.001 U	< 0.0025 U	< 0.0025 U	< 0.001 U	< 0.001 U	< 0.0025 U	0.00274
Barium, Total	mg/l	0.026	0.026	0.023	0.027	0.036	0.035	0.034	0.030	0.058
Beryllium, Total	mg/l	< 0.005 U	< 0.005 U	< 0.00005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.0001 U	< 0.005 U	< 0.005 U
Cadmium, Total	mg/l	< 0.0005 U	0.00025	< 0.0002 U	< 0.0005 U	0.00038	0.00035	0.00027	< 0.0005 U	< 0.0001 U
Chromium, Total	mg/l	< 0.01 U	< 0.01 U	< 0.0005 U	< 0.0025 U	< 0.01 U	< 0.01 U	< 0.001 U	< 0.0025 U	0.00371
Cobalt, Total	mg/l	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.008	0.009	0.008	< 0.005 U	< 0.005 U
Lead, Total	mg/l	< 0.0025 U	< 0.001 U	< 0.0025 U	< 0.0025 U	< 0.0025 U	< 0.001 U	< 0.001 U	< 0.0025 U	0.00153
Lithium, Total	mg/l	0.226	0.235	0.271	0.298	0.223	0.251	0.303	0.332	< 0.02 U
Mercury, Total	mg/l	< 0.000005 U	< 0.000005 U	< 0.000005 U	< 0.000005 U	< 0.000005 U	< 0.000005 U	< 0.000005 U	< 0.000005 U	0.000012
Molybdenum, Total	mg/l	0.017	< 0.015 U	0.00865	0.0123	< 0.015 U	< 0.015 U	0.00490	0.00303	0.0342
Selenium, Total	mg/l	0.00495	0.00474	0.00454	0.00379 J+	< 0.0025 U	0.00172 J+	< 0.002 U	< 0.0025 U	< 0.0005 U
Thallium, Total	mg/l	< 0.0005 U	< 0.0002 U	< 0.0005 U	< 0.0005 U	< 0.0005 U	< 0.0002 U	< 0.0002 U	< 0.0005 U	< 0.0001 U
Radium 226	pCi/l	4.42 +/- 0.989	0.390 +/- 0.250	0.290 +/- 0.217	0.0723 +/- 0.186 ND	1.27 +/- 0.422	0.171 +/- 0.205 ND	1.83 +/- 0.496	0.0392 +/- 0.107 ND	0.182 +/- 0.170 ND
Radium 228	pCi/l	0.726 +/- 0.251	0.402 +/- 0.331 ND	0.465 +/- 0.265 ND	0.238 +/- 0.287 ND	0.875 +/- 0.201	0.772 +/- 0.328	0.798 +/- 0.293 UB	0.538 +/- 0.242	0.465 +/- 0.228
Radium, combined (226+228) [Barr Calculation]	pCi/l	5.15 +/- 1.02	0.792 +/- 0.415 q	0.755 +/- 0.340 q	0.310 +/- 0.342 ND	2.15 +/- 0.467	0.943 +/- 0.387 q	1.83 +/- 0.496	0.577 +/- 0.265 q	0.647 +/- 0.284 q
Other										
Groundwater elevation, Field	ft amsl	1079.81	1078.28	1075.36	1073.73	1082.58	1082.19	1079.29	1078.43	1109.26

N Sample Type: Normal Detection Monitoring

J+ The result is an estimated quantity and may be biased high.


ND the analyte was analyzed for, but was not detected.


q The combined radium result includes both detected and not detected values.


U The analyte was analyzed for, but was not detected.

UB The analyte was detected in one of the associated laboratory, equipment, field or trip blank samples and is considered non-detect at the concentration reported by the laboratory.

Figures







- Upgradient Monitoring Well
- Downgradient Monitoring Well
- Downgradient Monitoring Well (installed 2022)
- Water Level Monitoring Well
- Groundwater Contour (ft MSL, dashed where inferred)
- Groundwater Flow Direction
- Drain
- Pump
- Ash Disposal Area
- Property Boundary

Notes:
 *H12 was not included in contours. Water level was not available because well was installed after Summer 2023 monitoring event.
 ** H8 measurement was not collected due to pumping.

Ponds surveyed in March 2020.


0 1,000 Feet

Imagery: USDA NAIP (2023)

GROUNDWATER ELEVATION CONTOURS - JULY 2023
 Big Stone Plant
 Big Stone City, SD
 Otter Tail Power Company

FIGURE 3





GROUNDWATER ELEVATION CONTOURS - OCTOBER 2023
Big Stone Plant
Big Stone City, SD
Otter Tail Power Company

FIGURE 4



Appendices

Appendix A

2023 Well Boring Logs



Barr Engineering Co.
4300 MarketPointe Drive Suite 200
Minneapolis, MN 55435
Telephone: 952-832-2600

LOG OF WELL H12

SHEET 1 OF 1

Project:	CCR Monitoring Well Network	Surface Elevation:	1124.6 ft	Top of Casing Elev.:	1127.4 ft
Project No.:	41251005	Drilling Method:	Hollow Stem Auger		
Location:	Big Stone Plant	Sampling Method:	Dual tube		
Coordinates:		Completion Depth:	30.0 ft		
Datum:	NAD83				

I:\BARR\COM\PROJECTS\BISMARCK\41 SD\25\41251005 BIG STONE H12.GPJ BARR\LIBRARY\GLOB ENVIRO\LOG_BARR_TEMPLATE.GDT

Depth, feet	Sample Type & Recovery	Sample No.	USCS	Graphic Log	LITHOLOGIC DESCRIPTION	WELL OR PIEZOMETER CONSTRUCTION DETAIL	Elevation, feet
0			ML		SILT WITH SAND (ML): fine to medium sand; trace coarse sand; abundant roots; Very dark grayish brown (10YR 3/2); moist; non-plastic plasticity; 0% gravel, 25% sand, 75% fines, (top soil).		
1		1	CL		SANDY LEAN CLAY (CL): fine to medium sand; trace coarse sand; trace coarse gravel; gray and orange mottling; increasing silt with depth; Light olive brown (2.5Y 5/3); moist; stiff; low plasticity; 0% gravel, 30% sand, 70% fines. 1.5-1.6: Strong brown oxidation; sand increased to 40%.	PRO. CASING Diameter: 6" Type: Steel Interval: 2.75' ags-4.25' bgs	1120
2		2	CL			RISER CASING Diameter: 2" Type: PVC SCH 40 Interval: 2.5' ags-12' bgs	
3		3	SP-SM		POORLY GRADED SAND WITH SILT (SP-SM): fine to medium sand; 10% of sand fraction coarse; trace fine gravel; grain size coarsens downward; trace strong brown oxidation; Yellowish brown (10YR 5/6); moist; non-plastic plasticity; 90% sand, 10% fines.	GROUT Type: Bentonite Interval: 2-10' bgs	1115
4		4	CL		SANDY LEAN CLAY (CL): fine to medium sand; trace fine to coarse gravel; orange mottling; Yellowish brown (10YR 5/4); moist; stiff; low plasticity; 0% gravel, 35% sand, 65% fines. 19: 1 mm organic lamination. 20-23.5: soft; gray and orange mottling; sand decreased to 20%; siltier fines.	SEAL Type: Bentonite chips Interval: 2-20' bgs	
5		5	CL		23: 1" granitic gravel. 23.3-23.5: clayey sand (SC) lens; 60% coarse sand; 5-10% fine to medium sand; 35% clayey fines; red oxidation. 23.5: 0.1' poorly graded sand (SP) lens; very fine sand; trace fines.	SANDPACK Type: Red Flint Sand Interval: #40 10-22' bgs	1110
6		6	SP		POORLY GRADED SAND (SP): medium to coarse sand; fine to coarse gravel; Yellowish brown (10YR 5/6); wet; angular to subangular; 5% gravel, 90% sand, 5% fines.	SCREEN Diameter: 2" Type: PVC SCH 40 Interval: 12-22' bgs	1105
7			CL		LEAN CLAY WITH SAND (CL): fine to coarse sand; fine gravel; strong brown mottling; black organics; Yellowish brown (10YR 5/4); moist; stiff; low plasticity; 5% gravel, 20% sand, 75% fines.		1100
30					End of well 30.0 feet		1095

Date Boring Started:	9/14/23 10:00 am	Remarks: Survey data provided by Otter Tail Power on October 18, 2023.
Date Boring Completed:	9/14/23 12:00 pm	
Logged By:	KJN3	
Drilling Contractor:	Dakota Technologies	
Drill Rig:	7720DT	
		Additional data may have been collected in the field which is not included on this log.

Appendix B

Laboratory Reports and Field Sheets



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvtl.com



Page: 1 of 10

FINAL REPORT COMPLETION DATE: 8 Aug 23 AS

Date Reported: 4 Aug 2023

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Work Order #: 31-0147
Account #: 006106
PO #: 59601

Project Name: BIG STONE PLANT-CCR

[Signature] 07 Aug 23
Field Service Manager/Date Reviewed

[Signature] 04 Aug 23
Chemistry Lab Manager/Date Reviewed

[Signature] 04 Aug 2023
Quality Assurance Director/Date Reviewed

- RL = Reporting Limits
NQ = Not Present, Qualitative Only
PQ = Present, Qualitative Only
ND = Not Determined

All data for this report has been approved by MVT Laboratory Management.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvttl.com



Page: 2 of 10

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Report Date: 4 Aug 2023
Lab Number: 23-A7487
Work Order #: 31-0147
Account #: 006106
Sample Matrix: GROUNDWATER
Date Sampled: 15 May 2023 12:04
Sampled By: MVTL FIELD PERSONNEL
Date Received: 15 May 2023 16:29
PO #: 59601

Project Name: BIG STONE PLANT-CCR

Sample Description: H2OX

Temp at Receipt: 3.9C

Table with 6 columns: As Received Result, Method RL, Method Reference, Date Analyzed, Analyst. Rows include Water Digestions, pH, Field, pH, Sulfate, Chloride, Solids, Total Dissolved, Calcium, Boron, Fluoride.

* Holding Time Exceeded

~ Sample diluted due to result above calibration of linear range.

RL = Reporting Limit
Analytes performed under our Minnesota Department of Health Accreditation conform to the current TNI standards.
The reporting limit was elevated for any analyte requiring a dilution as coded below:
@ = Due to sample matrix # = Due to concentration of other analytes
! = Due to sample quantity + = Due to internal standard response
CERTIFICATION: MN LAB # 027-015-125 ND HW/DW # R-040



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvttl.com



Page: 5 of 10

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Report Date: 4 Aug 2023
Lab Number: 23-A7490
Work Order #: 31-0147
Account #: 006106
Sample Matrix: GROUNDWATER
Date Sampled: 15 May 2023 12:53
Sampled By: MVTL FIELD PERSONNEL
Date Received: 15 May 2023 16:29
PO #: 59601

Project Name: BIG STONE PLANT-CCR

Sample Description: H-6

Temp at Receipt: 3.9C

	As Received Result		Method RL	Method Reference	Date Analyzed	Analyst
Water Digestions					16 May 23	KH
pH, Field	7.54	units	1.00	SM4500-H+-2011	15 May 23 12:53	DGF
pH	* 7.7	units	1.0	SM 4500 H+ B-2000	16 May 23 12:27	KFL
Sulfate	93.0 @	mg/L	5.0	ASTM D516-11	18 May 23 11:33	SS
Chloride	3.2	mg/L	3.0	SM 4500 Cl E	18 May 23 11:34	LS
Solids, Total Dissolved	536	mg/L	10	SM 2540 C-97	17 May 23 9:45	CC
Calcium	36.60	mg/L	0.500	SW6010D	23 May 23 11:41	RMV
Boron	3.260	mg/L	0.100	SW6010D	23 May 23 11:41	RMV
Fluoride	0.500	mg/L	0.020	EPA 300.0	25 May 23 11:33	MDH

* Holding Time Exceeded

RL = Reporting Limit
Analyses performed under our Minnesota Department of Health Accreditation conform to the current TNI standards.
The reporting limit was elevated for any analyte requiring a dilution as coded below:
@ = Due to sample matrix # = Due to concentration of other analytes
! = Due to sample quantity + = Due to internal standard response

CERTIFICATION: MN LAB # 027-015-125 ND NH/DW # R-040

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvtl.com



Page: 6 of 10

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Report Date: 4 Aug 2023
Lab Number: 23-A7491
Work Order #: 31-0147
Account #: 006106
Sample Matrix: GROUNDWATER
Date Sampled: 15 May 2023 13:34
Sampled By: MVTL FIELD PERSONNEL
Date Received: 15 May 2023 16:29
PO #: 59601

Project Name: BIG STONE PLANT-CCR

Sample Description: H-8

Temp at Receipt: 3.9C

	As Received Result		Method RL	Method Reference	Date Analyzed	Analyst
Water Digestions					16 May 23	KH
pH, Field	7.24	units	1.00	SM4500-H+-2011	15 May 23 13:34	DGF
pH	* 7.4	units	1.0	SM 4500 H+ B-2000	16 May 23 12:27	KFL
Sulfate	359 ~	mg/L	5.0	ASTM D516-11	18 May 23 11:33	SS
Chloride	4.3	mg/L	3.0	SM 4500 Cl E	18 May 23 11:34	LS
Solids, Total Dissolved	5270	mg/L	10	SM 2540 C-97	17 May 23 9:45	CC
Calcium	125.0	mg/L	0.500	SW6010D	23 May 23 11:41	RMV
Boron	3.020	mg/L	0.100	SW6010D	23 May 23 11:41	RMV
Fluoride	0.550	mg/L	0.020	EPA 300.0	25 May 23 11:33	MDH

* Holding Time Exceeded

~ Sample diluted due to result above calibration of linear range.

RL = Reporting Limit
Analyses performed under our Minnesota Department of Health Accreditation conform to the current TNI standards.
The reporting limit was elevated for any analyte requiring a dilution as coded below:
= Due to sample matrix # = Due to concentration of other analytes
I = Due to sample quantity + = Due to internal standard response

CERTIFICATION: MN LAD # 027-015-125 ND MN/DN # R-040

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvttl.com



Page: 7 of 10

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Report Date: 4 Aug 2023
Lab Number: 23-A7492
Work Order #: 31-0147
Account #: 006106
Sample Matrix: GROUNDWATER
Date Sampled: 15 May 2023 14:27
Sampled By: MVTL FIELD PERSONNEL
Date Received: 15 May 2023 16:29
PO #: 59601

Project Name: BIG STONE PLANT-CCR

Sample Description: H-9

Temp at Receipt: 3.9C

	As Received Result		Method RL	Method Reference	Date Analyzed	Analyst
Water Digestions					16 May 23	KH
pH, Field	6.71	units	1.00	SM4500-H+-2011	15 May 23 14:27	DGF
pH	* 6.9	units	1.0	SM 4500 H+ B-2000	16 May 23 12:27	KFL
Sulfate	1510 ~	mg/L	5.0	ASTM D516-11	18 May 23 11:33	SS
Chloride	40.9	mg/L	3.0	SM 4500 Cl E	18 May 23 11:34	LS
Solids, Total Dissolved	2580	mg/L	10	SM 2540 C-97	17 May 23 9:45	CC
Calcium	488.0 ~	mg/L	0.500	SW6010D	23 May 23 11:41	RMV
Boron	1.100	mg/L	0.100	SW6010D	23 May 23 11:41	RMV
Fluoride	0.360 @	mg/L	0.020	EPA 300.0	25 May 23 11:33	MDH

* Holding Time Exceeded

~ Sample diluted due to result above calibration of linear range.

RL = Reporting Limit

Analyses performed under our Minnesota Department of Health Accreditation conform to the current TNI standards.

The reporting limit was elevated for any analyte requiring a dilution as coded below:

@ = Due to sample matrix

= Due to concentration of other analytes

! = Due to sample quantity

‡ = Due to internal standard response

CERTIFICATION: MN LAB # 027-015-125 ND RM/DN # R-040

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvtl.com



JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Report Date: 4 Aug 2023
Lab Number: 23-A7493
Work Order #: 31-0147
Account #: 006106
Sample Matrix: GROUNDWATER
Date Sampled: 15 May 2023 13:02
Sampled By: MVTL FIELD PERSONNEL
Date Received: 15 May 2023 16:29
PO #: 59601

Project Name: BIG STONE PLANT-CCR

Sample Description: H-10

Temp at Receipt: 3.9C

Table with columns: As Received Result, Method RL, Method Reference, Date Analyzed, Analyst. Lists various chemical tests and results.

* Holding Time Exceeded

Radium 226 subcontracted to: Pace Analytical Services Inc. 1700 Elm Street Suite 200 Minneapolis, MN 55414 1-612-607-1700

Radium 228 subcontracted to: Pace Analytical Services Inc. 1700 Elm Street Suite 200 Minneapolis, MN 55414 1-612-607-1700

~ Sample diluted due to result above calibration of linear range.

OL = Analysis performed by an Outside Laboratory.

RL = Reporting Limit
Analyses performed under our Minnesota Department of Health Accreditation conform to the current TNI standards.
The reporting limit was elevated for any analyte requiring a dilution as coded below:
@ = Due to sample matrix # = Due to concentration of other analytes
! = Due to sample quantity + = Due to internal standard response

CERTIFICATION: MN LAB # 027-015-125 ND WQ/EH # R-040

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvtl.com



JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Report Date: 4 Aug 2023
Lab Number: 23-A7494
Work Order #: 31-0147
Account #: 006106
Sample Matrix: GROUNDWATER
Date Sampled: 15 May 2023 12:35
Sampled By: MVTL FIELD PERSONNEL
Date Received: 15 May 2023 16:29
PO #: 59601

Project Name: BIG STONE PLANT-CCR

Sample Description: H-11

Temp at Receipt: 3.9C

Table with columns: As Received Result, Method RL, Method Reference, Date Analyzed, Analyst. Rows include MS Water Digestions, Water Digestions, pH, Field, Radium 226, Sulfate, Chloride, Mercury, Solids, Total Dissolved, Calcium, Lithium, Barium, Beryllium, Chromium, Cobalt, Molybdenum, Boron, Antimony, Arsenic, Cadmium, Lead, Selenium, Thallium, Fluoride.

* Holding Time Exceeded

Radium 226 subcontracted to:
Pace Analytical Services Inc.
1700 Elm Street Suite 200
Minneapolis, MN 55414
1-612-607-1700

Radium 228 subcontracted to:
Pace Analytical Services Inc.
1700 Elm Street Suite 200
Minneapolis, MN 55414
1-612-607-1700

~ Sample diluted due to result above calibration of linear range.

OL = Analysis performed by an Outside Laboratory.

RL = Reporting Limit
Analyses performed under our Minnesota Department of Health Accreditation conform to the current TNI standards.
The reporting limit was elevated for any analyte requiring a dilution as coded below:
@ = Due to sample matrix | = Due to concentration of other analytes
! = Due to sample quantity + = Due to internal standard response

CERTIFICATION: MN LAB # 027-015-125 ND HW/DW # R-040



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvtl.com



Page: 10 of 10

Date Reported: 4 Aug 2023

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Work Order #: 202331-0147
Account Number: 006106
PO #: 59601

Project Name: BIG STONE PLANT-CCR

LABORATORY NARRATIVE

INORGANIC & METALS ANALYSES:
No problems were encountered.

AMENDED REPORT 03 AUGUST 2023:

The report was amended to include the following details of re-analysis:

Sample 23-A7491 was re-analyzed in duplicate for total dissolved solids on 14 July 2023 when it was noticed that the result did not align with historical data. The re-analysis results were 951 mg/L and 964 mg/L. It is unknown why the originally reported results were biased.

MVTL

MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 N. Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
 2616 E. Broadway Ave. ~ Bismarck, ND 58502 ~ 800-279-6885 ~ Fax 701-258-9724
 1201 Lincoln Highway ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
 www.mvttl.com

MEMBER
ACIL

Quality Control Report


Lab IDs: 23-A7487 to 23-A7494

Project: BIG STONE PLANT-CCR

Work Order: 202331-0147

Page: 1 of 1

Analyte	LCS Spike Amt	LCS Rec %	LCS % Rec Limits	Matrix Spike Amt	Matrix Spike ID	Matrix Spike Orig Result	Matrix Spike Result	Matrix Spike Rec %	Matrix Spike % Rec Limits	MSD/ Dup Orig Result	MSD/ Dup Result	MSD/ Rec %	MSD/ Dup RPD	MSD/ Dup RPD Limit (<)	Known Rec (%)	Known % Rec Limits	Method Blank
Antimony ug/L	25.0	102	85-115	25.0	23A7465q	<2.5	26.6	106	75-125	26.6	26.9	108	1.1	10	100	90-110	<0.5
Arsenic ug/L	25.0	98	85-115	25.0	23A7465q	21.5	49.3	111	75-125	49.3	49.0	110	0.6	10	98	90-110	<0.5
Barium mg/L	1.000	103	85-115	1.00	23A7491q	0.033	1.050	102	75-125	1.050	1.050	102	0.0	10	100	90-110	<0.005
Beryllium mg/L	1.000	101	85-115	1.00	23A7491q	<0.005	1.010	101	75-125	1.010	1.010	101	0.0	10	101	90-110	<0.005
Boron mg/L	1.000	102	85-115	1.00	23A7491q	3.020	4.130	111	75-125	4.130	4.120	110	0.2	10	98	90-110	<0.1
Cadmium ug/L	5.00	103	85-115	5.00	23A7465q	<0.5	5.06	101	75-125	5.06	5.43	109	7.1	10	102	90-110	<0.1
Calcium mg/L	50.00	103	85-115	50.0	23A7491q	125.0	174.0	98	75-125	174.0	174.0	98	0.0	10	100	90-110	<0.5
Chloride mg/L	-	-	-	60.0	23-A7489	42.8	103	100	80-120	103	103	100	0.0	10	93	90-110	<3
	-	-	-	600	23-A7516	305	906	100	80-120	906	907	100	0.1	10	93	90-110	<3
Chromium mg/L	1.000	96	85-115	1.00	23A7491q	<0.01	0.944	94	75-125	0.944	0.948	95	0.4	10	96	90-110	<0.01
Cobalt mg/L	1.000	102	85-115	1.00	23A7491q	<0.005	0.948	95	75-125	0.948	0.950	95	0.2	10	101	90-110	<0.005
Fluoride mg/L	-	-	-	1.00	23-A7487	0.350	1.49	114	75-125	1.49	1.48	113	0.7	10	102	90-110	<0.02
	-	-	-	1.00	23-A77492qc	0.360	1.42	106	75-125	1.42	1.47	111	3.5	10	103	90-110	<0.02
Lead ug/L	25.0	95	85-115	25.0	23A7465q	<5	26.5	106	75-125	26.5	26.6	106	0.4	10	99	90-110	<0.5
Lithium mg/L	1.000	104	85-115	1.00	23-A7491	0.044	1.080	104	75-125	1.080	1.080	104	0.0	10	103	90-110	<0.02
Mercury ug/L	-	-	-	0.10	23-A7434	<0.005	0.069	69	63-111	0.069	0.069	69	0.0	18	94	76-113	<0.005
Molybdenum mg/L	1.000	100	85-115	1.00	23A7491q	<0.015	1.020	102	75-125	1.020	1.020	102	0.0	10	102	90-110	<0.015
pH units	-	-	-	-	-	-	-	-	-	7.0	7.0	-	0.0	2.5	101	90-110	-
Selenium ug/L	25.0	103	85-115	25.0	23A7465q	8.70	36.1	110	75-125	36.1	39.1	122	8.0	10	102	90-110	<0.5
Solids, Total Dissolved mg/L	-	-	-	-	-	-	-	-	-	4270	4400	-	3.0	7	99	85-115	<10
	-	-	-	-	-	-	-	-	-	951	964	-	1.4	7	100	85-115	<10
Sulfate mg/L	-	-	-	500	23-A7486	509	996	97	80-120	996	985	95	1.1	10	99	80-120	<5
	-	-	-	50.0	23-A7516	6.2	59.0	106	80-120	59.0	59.6	107	1.0	10	99	80-120	<5
Thallium ug/L	5.00	96	85-115	5.00	23A7465q	<1	5.36	107	75-125	5.36	5.29	106	1.3	10	99	90-110	<0.1

Approved by: 



ANALYTICAL REPORT

June 28, 2023

- 1 Cd
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc


Pace Analytical - Minnesota

Sample Delivery Group: L1618172
 Samples Received: 05/19/2023
 Project Number: 10653516
 Description: 31-0147 Ottertall
 Site: 001
 Report To: Piper Gibbs
 1700 Elm Street Suite 200
 Minneapolis, MN 55414

Entire Report Reviewed By:

Donna Eidson
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-HYJL-0067 and ENV-SOP-HYJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.



Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

ACCOUNT:

PROJECT:

SDG:

DATE/TIME:

PAGE:

TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	4
Sr: Sample Results	5
23A7493-H-10 L1618172-01	5
23A7494-H-11 L1618172-02	6
Qc: Quality Control Summary	7
Radiochemistry by Method 904/9320	7
Radiochemistry by Method SM7500Ra B M	8
Gl: Glossary of Terms	9
Al: Accreditations & Locations	10
Sc: Sample Chain of Custody	11

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

SAMPLE SUMMARY

23A7493-H-10 L1618172-01 Non-Potable Water

Collected by: _____ Collected date/time: 05/15/23 13:02 Received date/time: 05/19/23 09:05

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG2077154	1	06/14/23 18:57	06/21/23 21:31	SNR	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG2078608	1	06/22/23 12:18	06/23/23 17:46	RGT	Mt. Juliet, TN

23A7494-H-11 L1618172-02 Non-Potable Water

Collected by: _____ Collected date/time: 05/15/23 12:35 Received date/time: 05/19/23 09:05

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG2077154	1	06/14/23 18:57	06/21/23 21:31	SNR	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG2078608	1	06/22/23 12:18	06/23/23 17:46	RGT	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All radiochemical sample results for solids are reported on a dry weight basis with the exception of tritium, carbon-14 and radon, unless wet weight was requested by the client. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Donna Eidson
Project Manager

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

23A7493-H-10

SAMPLE RESULTS - 01

Collected date/time: 05/15/23 13:02

L1618172

Radiochemistry by Method 904/9320

Analyte	Result pCi/l	Qualifier	Uncertainty +/-	MDA pCi/l	Analysis Date date / time	Batch
RADIUM-228	0.726		0.251	0.442	06/21/2023 21:31	WG2077154
(f) Barium	85.5			30.0-143	06/21/2023 21:31	WG2077154
(f) Yttrium	100			30.0-136	06/21/2023 21:31	WG2077154

1 Cp

2 Tc

3 Ss

Radiochemistry by Method SM7500Ra B M

Analyte	Result pCi/l	Qualifier	Uncertainty +/-	MDA pCi/l	Analysis Date date / time	Batch
RADIUM-226	4.42		0.989	0.432	06/23/2023 17:46	WG2078608
(f) Barium-133	63.4			30.0-143	06/23/2023 17:46	WG2078608

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

23A7494-H-11

SAMPLE RESULTS - 02

Collected date/time: 05/15/23 12:35

L1618172

Radiochemistry by Method 904/9320

Analyte	Result pCi/l	Qualifier	Uncertainty +/-	MDA pCi/l	Analysis Date date / time	Batch
RADIUM-228	0.875		0.201	0.342	06/21/2023 21:31	WG2077154
(f) Barium	111			30.0-143	06/21/2023 21:31	WG2077154
(f) Yttrium	106			30.0-136	06/21/2023 21:31	WG2077154

Radiochemistry by Method SM7500Ra B M

Analyte	Result pCi/l	Qualifier	Uncertainty +/-	MDA pCi/l	Analysis Date date / time	Batch
RADIUM-226	1.27		0.422	0.188	06/23/2023 17:46	WG2078608
(f) Barium-133	87.1			30.0-143	06/23/2023 17:46	WG2078608

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Method Blank (MB)

(MB) R3940781-1 06/21/23 21:31

Analyte	MB Result pCi/l	MB Qualifier	MB Uncertainty +/-	MB MDA pCi/l
Radium-228	0.163	J	0.134	0.245
(T) Barium	111		111	
(T) Yttrium	109		109	

L1620768-42 Original Sample (OS) • Duplicate (DUP)

(OS) L1620768-42 06/21/23 21:31 • (DUP) R3940781-5 06/21/23 21:31

Analyte	Original Result pCi/l	Original Uncertainty +/-	Original MDA pCi/l	DUP Result pCi/l	DUP Uncertainty +/-	DUP MDA pCi/l	Dilution	DUP RPD %	DUP RER	DUP Qualifier	DUP RPD Limits %	DUP RER Limit
Radium-228	0.258	0.326	0.602	1.02	0.329	0.602	1	119	1.64		20	3
(T) Barium	122			108	108							
(T) Yttrium	114			109	109							

Laboratory Control Sample (LCS)

(LCS) R3940781-2 06/21/23 21:31

Analyte	Spike Amount pCi/l	LCS Result pCi/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Radium-228	5.00	4.98	99.7	80.0-120	
(T) Barium			112		
(T) Yttrium			110		

L1618373-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1618373-01 06/21/23 21:31 • (MS) R3940781-3 06/21/23 21:31 • (MSD) R3940781-4 06/21/23 21:31

Analyte	Spike Amount pCi/l	Original Result pCi/l	MS Result pCi/l	MSD Result pCi/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	MS RER	RPD Limits %
Radium-228	10.0	-0.124	9.11	9.19	91.1	91.9	1	70.0-130			0.874		20
(T) Barium		107			115	124							
(T) Yttrium		108			105	106							

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gf
8 Al
9 Sc

WG2078608

QUALITY CONTROL SUMMARY

Radiochemistry by Method: SM7500Ra, B, M

L1618172-01:02

Method Blank (MB)

(MB) R3941782-1 06/23/23 17:46

Analyte	MB Result pCi/l	MB Qualifier	MB Uncertainty +/-	MB MDA pCi/l
Radium-226	0.0104	U	0.0583	0.109
(1) Barium-133	64.8		64.8	

L1620768-20 Original Sample (OS) • Duplicate (DUP)

(OS) L1620768-20 06/23/23 17:46 • (DUP) R3941782-5 06/23/23 17:46

Analyte	Original Result pCi/l	Original Uncertainty +/-	Original MDA pCi/l	DUP Result pCi/l	DUP Uncertainty +/-	DUP MDA pCi/l	Dilution	DUP RPD %	DUP RER	DUP Qualifier	DUP RPD Limits %	DUP RER Limit
Radium-226	0.0818	0.160	0.270	0.0852	0.183	0.270	1	4.12	0.0142	U	20	3
(1) Barium-133	92.4			81.8	81.8							

Laboratory Control Sample (LCS)

(LCS) R3941782-2 06/23/23 17:46

Analyte	Spike Amount pCi/l	LCS Result pCi/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Radium-226	5.01	5.72	114	80.0-120	
(1) Barium-133			69.2		

L1620768-27 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1620768-27 06/23/23 17:46 • (MS) R3941782-3 06/23/23 17:46 • (MSD) R3941782-4 06/23/23 17:46

Analyte	Spike Amount pCi/l	Original Result pCi/l	MS Result pCi/l	MSD Result pCi/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	MS RER	RPD Limits %
Radium-226	20.0	0.133	21.8	19.9	108	98.6	1	75.0-125			9.31		20
(1) Barium-133		99.2			80.1	90.4							

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

ACCOUNT:

PROJECT:

SDG:

DATE/TIME:

PAGE:

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDA	Minimum Detectable Activity.
Rec.	Recovery.
RER	Replicate Error Ratio.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(T)	Tracer - A radioisotope of known concentration added to a solution of chemically equivalent radioisotopes at a known concentration to assist in monitoring the yield of the chemical separation.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
U	Below Detectable Limits: Indicates that the analyte was not detected.

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-05-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	f1742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ²	41
Georgia ³	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,4}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	A130792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA - ISO 17025	1461.01	AIHA-LAP, LLC EMLAP	100789
A2LA - ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp
² Tc
³ Ss
⁴ Cn
⁵ Sr
⁶ Qc
⁷ Gl
⁸ Al
⁹ Sc

Internal Transfer Chain of Custody

F059



Samples Pre-Logged into eCOC.

State Of Origin: MN

Cert. Needed: Yes No

Owner Received Date: 5/17/2023 Results Requested By: 6/16/2023

Workorder: 10653516 Workorder Name: Work Order: 31-0147 Ottertail



Report To: Piper Gibbs Subcontract To: Pace National Requested Analysis: Radium 226/228

Piper Gibbs
Pace Analytical Minnesota
1700 Elm Street
Minneapolis, MN 55414
Phone (612)607-1700

Pace National
12065 Lebanon Rd
Mt. Juliet, TN 37122
Phone (615) 758-5858

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers				Radium 226/228	LAB USE ONLY
						Unpreserved					
1	Z3A7493-H-10	PS	5/15/2023 13:02	10653516001	Water	1				X	
2	Z3A7494-H-11	PS	5/15/2023 12:35	10653516002	Water	1				X	
3											
4											
5											

Comments

Transfers	Released By	Date/Time	Received By	Date/Time
1	<i>Per Pace</i>	5-18-23 17:30	<i>[Signature]</i>	5-19-23 09:08
2				
3				

Cooler Temperature on Receipt 0.9 °C Custody Seal or N Received on Ice or N Samples Intact or N

***In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document. This chain of custody is considered complete as is since this information is available in the owner laboratory.

0.9 °C = 0.9 °C
COUNT = 28

Sample Receipt Checklist

- COC Seal Present/Intact: Y N
- COC Signed/Accurate: Y N
- Bottles Arrive intact: Y N
- Correct bottles used: Y N
- Sufficient volume sent: Y N
- RAD Screen <0.5 mR/hr: Y N
- IF Applicable VOA Zero Headspace: Y N
- Pres. Correct/Check: Y N

PH/AD's 5/19/23 1542

Minnesota Valley Testing Laboratories

1126 North Front Street New Ulm, MN 56003
 Phone: 800 782 3557 Fax: 507 359 2890

Field Service Chain of Custody Record

This is an exact copy of the original document

By AS Date 15 May 23
 pages 1-12

Project Otter Tail Power Company	Project Type: Big Stone Plant CCR	Name of Samplers: MS, DF, DS, BW
Report: Otter Tail Power Company	Carbon Copy: Barr Engineering	Quote Number:
Attn: Paul Vukonich	Attn:	Work Order Number: 31-0147
Address: P.O. Box 496 Fergus Falls, MN 56538-0496	Address:	Lab Numbers:
Phone: 218-739-8349		

Sample Information						Bottle Type										Analysis			
Lab Number	Sample ID	Unique Station ID	Date	Time	Sample Type	Sample Location	1000 HNO3 Inner	500 None	1000 none	500 HNO3	Filler? Y or N	500 H2SO4	Filler? Y or N	1000 Amber none	1000 Amber H2SO4	500 NaOH	Other: 150 H2SO4	Other: 150 None	Analysis Required
A748	H2OX		15 May 23	1204	GW				1	1	N								CCR 3
88	H3OX			1049	GW				1	1	N								CCR 3
89	H4OX			1115	GW				1	1	N								CCR 3
90	H-6			1253	GW				1	1	N								CCR 3
91	H-8			1334	GW				1	1	N								CCR 3
92	H-9			1427	GW				1	1	N								CCR 3
93	H10			1302	GW				1	1	N			1					CCR 3&4
94	H11			1235	GW				1	1	N			1					CCR 3&4

Comments:

Samples Relinquished By: <u>[Signature]</u>			Samples Received By: <u>A. Auer</u>		
Date: <u>15 May 23</u>	Time: <u>1629</u>	Temp: <u>3.97°C</u>	Date: <u>15 May 23</u>	Time: <u>1629</u>	Temp: <u>3.9°C</u>
Samples Relinquished into: <u>Fridge</u>		Log in Cart	Other:		
Samples Relinquished By:			Samples Received By:		
Date:	Time:	Temp:	Date:	Time:	Temp:
Delivery: <u>Samplers</u>		Other:			
Seal Number(s) - If Used			Seals Intact? Yes No		
Transport: <u>Ambient</u>	<u>Ice</u>	Other:			

~~April~~ 2023
MAY

2023 Big Stone Sampling - CCR

Landfill or ADA wells

Site	Parameter List	Well Depth (constructed)	Diameter (Inches)	Well Elevation (TOC)	Sample Equipment	Dedicated?	Pump Rate (ml/minute)	Goes Dry?	Sampling Seasons**
H2OX	CCR 3	32.20	2	1103.86	Bladder	Yes	100	Yes	April & Oct
H3OX	CCR 3	22.55	2	1095.26	Bladder	Yes	100	Yes	April & Oct
H4OX	CCR 3	27.20	2	1108.25	Bladder	Yes	100	No	April & Oct
H6	CCR 3	15.00	2	1097.76	Bladder	Yes	100	Yes	April & Oct
H8	CCR 3	22.05	2	1081.23	Bladder	Yes	100	No	April & Oct
H9	CCR 3	30.20	2	1086.21	Bladder	Yes	100	No	April & Oct
H10	CCR 3 and 4	35.49	2	1090.83	Bladder	Yes	100		See highlighted note below
H11	CCR 3 and 4	42.15	2	1093.24	Bladder	Yes	100		See highlighted note below

Note: Wells H10 and H11 need to be sampled 8 times for CCR this year. Background sampling like 5 years ago. We want to sample in April - November. Each event has to be about 30 days apart. Also, during every sampling event for the CCR, we will need water levels on the CCR wells not sampled.

Note: CCR sampling is for total recoverable metals. They are not filtered in the field.

CCR 3 & 4 parameters see the first two tabs labeled CCR 3 and CCR 4

CCR - Appendix III Detection Monitoring

Field Parameters

pH*

* Field and Laboratory Measurements

Total Concentration Parameters

	Method
Boron	6010
Calcium	6010
Chloride	SM4500 CL E
Fluoride	EPA 300
pH	SM 4500 H+B-96
Sulfate	ASTM D516
Dissolved Solids, Total	SM 2540 C-97

Note: These are non-filtered samples.

CCR - Appendix IV - Assessment Monitoring

Total Concentration Parameters

	Method
Antimony	SW6020A
Arsenic	SW602A
Barium	SW6010C
Beryllium	SW6020A
Cadmium	SW6020A
Chromium, Total	SW6020A
Cobalt	SW6010C
Fluoride	EPA 300
Lead	SW6020A
Lithium	SW6010C
Mercury	EPA 245.7
Molybdenum	SW6020A
Selenium	SW6020A
Thallium	SW6020A
Radium 226 + 228	

Note: These are non-filtered samples.

Minnesota Valley Testing Laboratories, Inc.

New Ulm, MN 56073

507 354 8517

Groundwater Assessment

Site: Otter Tail Power Co./ Big Stone

Sampling Personnel: Bur

Facility ID:

Date: 15 May 23

Unique Station ID:

Sample ID: Well H2OX

Well Condition

Well Locked? Yes No
 Well Labeled? Yes No
 Casing Straight? Yes No

Protective Posts? Yes No
 State ID Tag? Yes No
 Grout Seal Intact? Yes No

Repairs Necessary:

Well Information

Well Depth: 32.83
 Constructed Depth: 32.20
 Casing Diameter: 2"
 Water Level Before Purge: 6.18
 Well Volume: 4.35 Gallons

Well Casing Elevation: 1103.91
 Static Water Elevation: 1097.73
 Previous Static: 1097.82
 Water Level After Sample: Below pump
 Measurement Method: Elec. WL Steel Tape

Sampling Information

Weather Conditions: Temp: 74 Wind: LW Sky: Fair
 Sampling Method: Grundfos Bladder SS/T Disp. Baller Whale Grab Other:
 Dedicated Equipment: Yes No Pumping Rate: .25 gpm
 Well Purged Dry? Yes No Time Pump Began: 1141 am/pm
 Time Purged Dry? 1159 Time of Sampling: 1204 am/pm
 Duplicate Sample? Yes No ID: — Sample EH: 44.6
 Sample Appearance: General: Clear Color: None Phase: None Odor: None

Time	pH	Specific Cond.	Temp °C	D. O. mg/L	Turbidity NTU	Gallons Removed	SEQ #	Comments:
<u>1159</u>	<u>6.65</u>	<u>3990</u>	<u>8.79</u>	<u>NA</u>	<u>NA</u>	<u>4.5</u>	<u>1</u>	
							<u>2</u>	
<u>1204</u>	<u>6.74</u>	<u>3976</u>	<u>8.32</u>	<u>↓</u>	<u>↓</u>	<u>—</u>	<u>3</u>	<u>Recharge</u>
							<u>4</u>	
							<u>5</u>	

Stabilized? Yes No

Amount Water Removed: 4.6 Gallons

Comments:

TCR

Exceptions to Protocol:

Minnesota Valley Testing Laboratories, Inc.

New Ulm, MN 56073

507 354 8517

Groundwater Assessment

Site: Offer Tail Power Co./ Big Stone

Sampling Personnel:

Bir

Facility ID:

Date: 15 May 23

Unique Station ID:

Sample ID: Well H30X

Well Condition

Well Locked? Yes No
 Well Labeled? Yes No
 Casing Straight? Yes No

Protective Posts? Yes No
 State ID Tag? Yes No
 Grout Seal Intact? Yes No

Repairs Necessary:

Well Information

Well Depth: 22.68
 Constructed Depth: 22.55
 Casing Diameter: 2"
 Water Level Before Purge: 6.90
 Well Volume: 2.57 Gallons

Well Casing Elevation: 1095.19
 Static Water Elevation: 1088.29
 Previous Static: 1088.56
 Water Level After Sample: Below pump
 Measurement Method: Elec. W/L Steel Tape

Sampling Information

Weather Conditions: Temp: 69 Wind: LLV Sky: Fair
 Sampling Method: Grundfos Bladder SST Disp. Bailer Whale Grab Other:
 Dedicated Equipment: Yes No
 Well Purged Dry? Yes No
 Time Purged Dry? 1044
 Duplicate Sample? Yes No ID: -
 Pumping Rate: .25 gpm
 Time Pump Began: 1033 (am) 1 pm
 Time of Sampling: 1049 (am) 1 pm
 Sample EH: 206.8
 Sample Appearance: General: Clear Color: None Phase: None Odor: None

Time //	pH	Specific Cond.	Temp °C	D. O. mg/L	Turbidity NTU	Gallons Removed	SEQ #	Comments:
1044	6.57	3813	10.80	N/A	N/A	2.75	1	
							2	
1049	6.62	3761	10.38	↓	↓	-	3	Recharge
							4	
							5	

Stabilized? Yes No

Amount Water Removed: 2.75 Gallons

Comments:

TECR

Exceptions to Protocol:

Minnesota Valley Testing Laboratories, Inc.

New Ulm, MN 56073

507 354 8517

Groundwater Assessment

Sampling Personnel:

BW

Site: Otter Tail Power Co./ Big Stone

Facility ID:

Date: 5 May 23

Unique Station ID:

Sample ID: Well H40X

Well Condition

Well Locked? Yes No
 Well Labeled? Yes No
 Casing Straight? Yes No

Protective Posts? Yes No
 State ID Tag? Yes No
 Grout Seal Intact? Yes No

Repairs Necessary:

Well Information

Well Depth: 27.48

Well Casing Elevation: 1108.22

Constructed Depth: 27.20

Static Water Elevation: 1091.25

Casing Diameter: 2"

Previous Static: 1092.16

Water Level Before Purge: 16.27

Water Level After Sample: Below Pump

Well Volume: 1.83 Gallons

Measurement Method: Elec. WLI Steel Tape

Sampling Information

Weather Conditions: Temp: 72 Wind: LCV Sky: Fair

Sampling Method: Grundfos Bladder SS Disp. Baller Whale Grab Other:

Dedicated Equipment: Yes No

Pumping Rate: 2.5 gpm

Well Purged Dry? Yes No

Time Pump Began: 1102 am

Time Purged Dry? 1110

Time of Sampling: 1115 am

Duplicate Sample? Yes No ID: -

Sample EH: 200.9

Sample Appearance: General: Clear Color: None Phase: None Odor: None

Time	pH	Specific Cond.	Temp °C	D. O. mg/L	Turbidity NTU	Gallons Removed	SEQ #	Comments:
1110	6.56	2758	9.46	NA	NA	2	1	
							2	
1115	6.61	2674	9.11	L	L	-	3	Recharge
							4	
							5	

Stabilized? Yes No

Amount Water Removed: 2 Gallons

Comments:

HCCR

Exceptions to Protocol:

Minnesota Valley Testing Laboratories, Inc.

New Ulm, MN 56073

507 354 8517

Groundwater Assessment

Sampling Personnel:

DF

Site: Otter Tail Power Co./ Big Stone

Facility ID:

Date: 15 May 23

Unique Station ID:

Sample ID:

Well H6

Well Condition

Well Locked? Yes No
 Well Labeled? Yes No
 Casing Straight? Yes No

Protective Posts? Yes No
 State ID Tag? Yes No
 Grout Seal Intact? Yes No

Repairs Necessary:

Well Information

Well Depth: 17.92

Well Casing Elevation: NA

Constructed Depth: 17.70

Static Water Elevation:

Casing Diameter: 2"

Previous Static:

Water Level Before Purge: 7.82

Water Level After Sample: 8.70

Well Volume: 1.65 Gallons

Measurement Method: Rec. WPI Steel Tape

Sampling Information

Weather Conditions: Temp: 65 Wind: L+V Sky: Sunny

Sampling Method: Grundfos Bladder SSR ~~Disp. Meter~~ ~~Wells~~ Grab Other:

Dedicated Equipment: Yes No

Pumping Rate: 0.25 gpm

Well Purged Dry? Yes No

Time Pump Began: 1232 am / PM

Time Purged Dry?

Time of Sampling: 1253 am / PM

Duplicate Sample? Yes No ID:

Sample EH: 83.1

Sample Appearance: General: Clear Color: None Phase: None Odor: None

15 May 23
DF

Time	pH	Specific Cond.	Temp °C	D. O. mg/L	Turbidity NTU	Gallons Removed	SEQ #	Comments:
<u>7</u>								
<u>1239</u>	<u>7.56</u>	<u>1006</u>	<u>6.65</u>	<u>NA</u>	<u>NA</u>	<u>1.75</u>	<u>1</u>	
<u>1246</u>	<u>7.53</u>	<u>1024</u>	<u>6.52</u>	<u> </u>	<u> </u>	<u>3.5</u>	<u>2</u>	
<u>1253</u>	<u>7.54</u>	<u>1015</u>	<u>6.62</u>	<u> </u>	<u> </u>	<u>5.25</u>	<u>3</u>	
							<u>4</u>	
							<u>5</u>	

Stabilized? Yes No

Amount Water Removed: 5.25 Gallons

Comments:

Exceptions to Protocol:

HECR

Minnesota Valley Testing Laboratories, Inc.

New Ulm, MN 56073

507 354 8517

Groundwater Assessment

Sampling Personnel:

DF

Site: Otter Tail Power Co./ Big Stone

Facility ID: _____

Date: 15 May 23

Unique Station ID: _____

Sample ID: Well H8

Well Condition

Well Locked? Yes No
 Well Labeled? Yes No
 Casing Straight? Yes No

Protective Posts? Yes No
 State ID Tag? Yes No
 Grout Seal Intact? Yes No

Repairs Necessary: _____

Well Information

Well Depth: 22.33

Well Casing Elevation: 1081.23

Constructed Depth: 22.05

Static Water Elevation: 1077.03

Casing Diameter: 2"

Previous Static: _____

Water Level Before Purge: 4.20

Water Level After Sample: 4.50

Well Volume: 2.96 Gallons

Measurement Method: Elec. WPL Steel Tape

Sampling Information

Weather Conditions: Temp: 65 Wind: L+V Sky: Sunny

Sampling Method: Grundfos ~~Bladder Soft~~ Disp. Bailer Whale Grab Other: _____

Dedicated Equipment: Yes No

Pumping Rate: 0.25 gpm

Well Purged Dry? Yes No

Time Pump Began: 1258 am /

Time Purged Dry: _____

Time of Sampling: 1334 am /

Duplicate Sample? Yes No ID: _____

Sample EH: 81.2

Sample Appearance: General: Clear Color: None Phase: None Odor: None

Time	pH	Specific Cond.	Temp °C	D. O. mg/L	Turbidity NTU	Gallons Removed	SEQ #	Comments:
1310	7.25	1552	7.68	NA	NA	3	1	
1322	7.24	1553	7.65			6	2	
1334	7.24	1553	7.66			9	3	
							4	
							5	

Stabilized? Yes No

Amount Water Removed: 9 Gallons

Comments: _____

Exceptions to Protocol: _____

HCCR

Minnesota Valley Testing Laboratories, Inc.

New Ulm, MN 56073

507 354 8517

Groundwater Assessment

Sampling Personnel: DF

Site: Otter Tail Power Co./ Big Stone

Facility ID:

Date: 15 May 23

Unique Station ID:

Sample ID: Well H9

Well Condition

Well Locked? Yes No
 Well Labeled? Yes No
 Casing Straight? Yes No

Protective Posts? Yes No
 State ID Tag? Yes No
 Grout Seal Intact? Yes No

Repairs Necessary:

Well Information

Well Depth: 30.71

Well Casing Elevation: 1086.21

Constructed Depth: 30.20

Static Water Elevation: 1079.46

Casing Diameter: 2"

Previous Static:

Water Level Before Purge: 6.75

Water Level After Sample: 7.00

Well Volume: 3.91 Gallons

Measurement Method: Elec. WD Steel Tape

Sampling Information

Weather Conditions: Temp: 65 Wind: LW Sky: Sunny

Sampling Method: Grundfos Bleeder S&T Disp. Baller Whale Grab Other:

Dedicated Equipment: Yes No

Pumping Rate: 0.25 gpm

Well Purged Dry? Yes No

Time Pump Began: 1339 am / pm

Time Purged Dry?

Time of Sampling: 1427 am / pm

Duplicate Sample? Yes No ID:

Sample EH: 107.0

Sample Appearance: General: Clear Color: None Phase: None Odor: None

Time	pH	Specific Cond.	Temp °C	D. O. mg/L	Turbidity NTU	Gallons Removed	SEQ #	Comments:
1355	6.71	3132	9.04	NA	NA	4	1	
1411	6.71	3133	9.03			8	2	
1427	6.71	3134	9.04			12	3	
							4	
							5	
							6	

Stabilized? Yes No

Amount Water Removed: 12 Gallons

Comments:

HCCR

Exceptions to Protocol:

Minnesota Valley Testing Laboratories, Inc.

New Ulm, MN 56073

507 354 8517

Groundwater Assessment

Sampling Personnel:

BW

Site: Otter Tail Power Co./ Big Stone

Facility ID:

Date: 15 May 23

Unique Station ID:

Sample ID: H10

Well Condition

Well Locked? Yes No

Well Labeled? Yes No

Casing Straight? Yes No

Repairs Necessary: Needs lock

Protective Posts? Yes No

State ID Tag? Yes No

Grout Seal Intact? Yes No

Well Information

Well Depth: 35.49

Well Casing Elevation: 1090.83

Constructed Depth: 35.49

Static Water Elevation: 1079.81

Casing Diameter: 2"

Previous Static: —

Water Level Before Purge: 11.02

Water Level After Sample:

Well Volume: 3.99 Gallons

Measurement Method: (Elec. WL) Steel Tape

Sampling Information

Weather Conditions: Temp: 75 Wind: Luv Sky: Fair

Sampling Method: Grundfos Bladder SST Disp. Bailor Whale Grab Other:

Dedicated Equipment: Yes No Pumping Rate: .25 gpm

Well Purged Dry? Yes No Time Pump Began: 1241 am / pm

Time Purged Dry? 1257 Time of Sampling: 1302 am / pm

Duplicate Sample? Yes No ID: — Sample EH: 194.7

Sample Appearance: General: Sl. cloudy Color: Tan Phase: Light Seal. Odor: None

Time	pH	Specific Cond.	Temp °C	D. O. mg/L	Turbidity NTU	Gallons Removed	SEQ #	Comments:
1257	6.36	5087	8.52	NA	NA	4	1	
							2	
1302	6.34	5094	8.34	I	L	—	3	Recharge
							4	
							5	

Stabilized? Yes No

Amount Water Removed: 4 Gallons

Comments:

Exceptions to Protocol:

HCCR

Minnesota Valley Testing Laboratories, Inc.

New Ulm, MN 56073

507 354 8517

Groundwater Assessment

Sampling Personnel:

BW

Site: Offer Tail Power Co./ Big Stone

Facility ID: _____

Date: 15 May 23

Unique Station ID: _____

Sample ID: H11

Well Condition

Well Locked? Yes No

Well Labeled? Yes No

Casing Straight? Yes No

Repairs Necessary: Needle rock

Protective Posts? Yes No

State ID Tag? Yes No

Grout Seal Intact? Yes No

Well Information

Well Depth: 42.15

Well Casing Elevation: 1093.24

Constructed Depth: 42.15

Static Water Elevation: 1082.58

Casing Diameter: 2"

Previous Static: _____

Water Level Before Purge: 10.66

Water Level After Sample: 37.60

Well Volume: 5.14 Gallons

Measurement Method: Elec. W/L Steel Tape

Sampling Information

Weather Conditions: Temp: 75 Wind: LEV Sky: Fair

Sampling Method: Grundfos Bladder SPT Disp. Baller Whale Grab Other: _____

Dedicated Equipment: Yes No Pumping Rate: .25 gpm

Well Purged Dry? Yes No Time Pump Began: 1209 am pm

Time Purged Dry? 1230 Time of Sampling: 1235 am pm

Duplicate Sample? Yes No ID: _____ Sample EH: 165-8

Sample Appearance: General: Clear Color: NOI Phase: NOI Odor: NOI

Time	pH	Specific Cond.	Temp °C	D. O. mg/L	Turbidity NTU	Gallons Removed	SEQ #	Comments:
1230	6.87	4334	9.02	NA	NA	5.25	1	
							2	
1235	6.37	4320	8.90				3	Recharge
							4	
							5	

Stabilized? Yes No

Amount Water Removed: 5.25 Gallons

Comments:

HCCR

Exceptions to Protocol:



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvttl.com



Page: 1 of 4

FINAL REPORT COMPLETION DATE: 10 Aug 23 AK

Date Reported: 10 Aug 2023

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Work Order #: 31-0177
Account #: 006106
PO #: 59601

Project Name: BIG STONE PLANT-CCR

Josh Hollen 10 Aug 23
Field Service Manager/Date Reviewed

[Signature] 10 Aug 23
Chemistry Lab Manager/Date Reviewed

[Signature] 10 AUG 2023
Quality Assurance Director/Date Reviewed

- RL = Reporting Limits
NQ = Not Present, Qualitative Only
PQ = Present, Qualitative Only
ND = Not Determined

All data for this report has been approved by MVTl Laboratory Management.

MVTl guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTl to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTl. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvtl.com



Page: 2 of 4

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Report Date: 10 Aug 2023
Lab Number: 23-A7634
Work Order #: 31-0177
Account #: 006106
Sample Matrix: GROUNDWATER
Date Sampled: 12 Jun 2023 12:38
Sampled By: MVTL FIELD PERSONNEL
Date Received: 12 Jun 2023 15:30
PO #: 59601

Project Name: BIG STONE PLANT-CCR

Sample Description: H10

Temp at Receipt: 1.5C

	As Received Result		Method RL	Method Reference	Date Analyzed	Analyst
MS Water Digestions					13 Jun 23	KAM
Water Digestions					14 Jun 23	KH
pH, Field	7.00	units	1.00	SM4500-H+-2011	12 Jun 23 12:38	DS
pH	* 7.1	units	1.0	SM 4500 H+ B-2000	13 Jun 23 10:43	KFL
Radium 226	0.39	pCi/L	0.60		13 Jul 23 19:58	OL
Radium 228	0.40	pCi/L	3.00	EPA M9320	18 Jul 23 16:53	OL
Sulfate	2650 ~	mg/L	5.0	ASTM D516-11	15 Jun 23 8:35	LS
Chloride	6.6	mg/L	3.0	SM 4500 Cl E	15 Jun 23 8:30	KRM
Mercury	< 0.005	ug/L	0.005	EPA 245.7	16 Jun 23 13:58	RMB
Solids, Total Dissolved	4820	mg/L	10	SM 2540 C-97	14 Jun 23 9:34	CC
Calcium	489.0	mg/L	0.500	SW6010D	15 Jun 23 14:53	TMM
	~See Narrative					
Lithium	0.235	mg/L	0.020	SW6010D	15 Jun 23 14:53	TMM
Barium	0.026	mg/L	0.005	SW6010D	15 Jun 23 14:53	TMM
Beryllium	< 0.005	mg/L	0.005	SW6010D	15 Jun 23 14:53	TMM
Chromium	< 0.01	mg/L	0.01	SW6010D	15 Jun 23 14:53	TMM
Cobalt	< 0.005	mg/L	0.005	SW6010D	15 Jun 23 14:53	TMM
Molybdenum	< 0.015	mg/L	0.015	SW6010D	15 Jun 23 14:53	TMM
Boron	0.284	mg/L	0.100	SW6010D	15 Jun 23 14:53	TMM
Antimony	< 1 @	ug/L	0.5	SW6020B	14 Jun 23 12:11	KAM
Arsenic	< 1 @	ug/L	0.5	SW6020B	14 Jun 23 12:11	KAM
Cadmium	0.25 @	ug/L	0.10	SW6020B	14 Jun 23 12:11	KAM
Lead	< 1 @	ug/L	0.5	SW6020B	14 Jun 23 12:11	KAM
Selenium	4.74	ug/L	0.50	SW6020B	14 Jun 23 12:11	KAM
	@ See Narrative					
Thallium	< 0.2 @	ug/L	0.1	SW6020B	14 Jun 23 12:11	KAM
Fluoride	0.180 @	mg/L	0.020	EPA 300.0	15 Jun 23 16:44	MDH

* Holding Time Exceeded

Radium 226 subcontracted to:
Pace Analytical Services Inc.
1700 Elm Street Suite 200
Minneapolis, MN 55414
1-612-607-1700

Radium 228 subcontracted to:
Pace Analytical Services Inc.
1700 Elm Street Suite 200
Minneapolis, MN 55414
1-612-607-1700

~ Sample diluted due to result above calibration of linear range.

OL = Analysis performed by an Outside Laboratory.

RL - Reporting Limit

Analyses performed under our Minnesota Department of Health Accreditation conform to the current TNI standards. The reporting limit was elevated for any analyte requiring a dilution as coded below:

- @ ~ Due to sample matrix
- ! = Due to sample quantity
- # = Due to concentration of other analytes
- + = Due to internal standard response

CERTIFICATION: MN LAB # 027-015-125 ND MW/DW # R-040



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvtl.com



Page: 3 of 4

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Report Date: 10 Aug 2023
Lab Number: 23-A7635
Work Order #: 31-0177
Account #: 006106
Sample Matrix: GROUNDWATER
Date Sampled: 12 Jun 2023 12:13
Sampled By: MVTL FIELD PERSONNEL
Date Received: 12 Jun 2023 15:30
PO #: 59601

Project Name: BIG STONE PLANT-CCR

Sample Description: H11

Temp at Receipt: 1.5C

	As Received Result		Method RL	Method Reference	Date Analyzed	Analyst
MS Water Digestions					13 Jun 23	KAM
Water Digestions					14 Jun 23	KH
pH, Field	6.80	units	1.00	SM4500-H+-2011	12 Jun 23 12:13	DS
pH	* 7.0	units	1.0	SM 4500 H+ B-2000	13 Jun 23 10:43	KFL
Radium 226	0.17	pCi/L	0.60		13 Jul 23 19:58	OL
Radium 228	0.77	pCi/L	3.00	EPA M9320	18 Jul 23 16:53	OL
Sulfate	2170 ~	mg/L	5.0	ASTM D516-11	15 Jun 23 8:35	LS
Chloride	3.9	mg/L	3.0	SM 4500 Cl E	15 Jun 23 8:30	KRM
Mercury	< 0.005	ug/L	0.005	EPA 245.7	16 Jun 23 13:58	RMB
Solids, Total Dissolved	4230	mg/L	10	SM 2540 C-97	14 Jun 23 9:34	CC
Calcium	547.0	mg/L	0.500	SW6010D	15 Jun 23 14:53	TMM
	~See Narrative					
Lithium	0.251	mg/L	0.020	SW6010D	15 Jun 23 14:53	TMM
Barium	0.035	mg/L	0.005	SW6010D	15 Jun 23 14:53	TMM
Beryllium	< 0.005	mg/L	0.005	SW6010D	15 Jun 23 14:53	TMM
Chromium	< 0.01	mg/L	0.01	SW6010D	15 Jun 23 14:53	TMM
Cobalt	0.009	mg/L	0.005	SW6010D	15 Jun 23 14:53	TMM
Molybdenum	< 0.015	mg/L	0.015	SW6010D	15 Jun 23 14:53	TMM
Boron	0.247	mg/L	0.100	SW6010D	15 Jun 23 14:53	TMM
Antimony	< 0.5	ug/L	0.5	SW6020B	14 Jun 23 12:11	KAM
Arsenic	< 1 @	ug/L	0.5	SW6020B	14 Jun 23 12:11	KAM
Cadmium	0.35	ug/L	0.10	SW6020B	14 Jun 23 12:11	KAM
Lead	< 1 @	ug/L	0.5	SW6020B	14 Jun 23 12:11	KAM
Selenium	1.72	ug/L	0.50	SW6020B	14 Jun 23 12:11	KAM
	@ See Narrative					
Thallium	< 0.2 @	ug/L	0.1	SW6020B	14 Jun 23 12:11	KAM
Fluoride	0.130 @	mg/L	0.020	EPA 300.0	15 Jun 23 16:44	MOH

* Holding Time Exceeded

Radium 226 subcontracted to:
Pace Analytical Services Inc.
1700 Elm Street Suite 200
Minneapolis, MN 55414
1-612-607-1700

Radium 228 subcontracted to:
Pace Analytical Services Inc.
1700 Elm Street Suite 200
Minneapolis, MN 55414
1-612-607-1700

~ Sample diluted due to result above calibration of linear range.

OL = Analysis performed by an Outside Laboratory.

RL = Reporting Limit

Analyses performed under our Minnesota Department of Health Accreditation conform to the current TNI standards.
The reporting limit was elevated for any analyte requiring a dilution as coded below:

@ = Due to sample matrix # = Due to concentration of other analytes
! = Due to sample quantity † = Due to internal standard response

CERTIFICATION: MN LAB # 027-015-125 ND HW/DW # R-040



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvtl.com



Page: 4 of 4

Date Reported: 10 Aug 2023

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Work Order #: 202331-0177
Account Number: 006106
PO #: 59601

Project Name: BIG STONE PLANT-CCR

LABORATORY NARRATIVE

INORGANIC & METALS ANALYSES:

Due to the high concentration of calcium in the spiked sample, the matrix spike recovery was outside of acceptance range for samples 23-A7634 and 23-A7635. Results were reported based on the acceptable recoveries of calcium in the laboratory control spike and the relative percent difference between the matrix spikes.

Due to matrix composition, percent recovery of selenium was outside acceptable range in the matrix spike and matrix spike duplicate for samples 23-A7634 through 23-A7635. Data was reported based on acceptable laboratory control spike recovery and relative percent difference between matrix spikes.

No other problems were encountered.

MVTL**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 N. Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
 2616 E. Broadway Ave. ~ Bismarck, ND 58502 ~ 800-279-6885 ~ Fax 701-258-9724
 1201 Lincoln Highway ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
 www.mvttl.com

MEMBER
ACIL

Page: 1 of 1

Quality Control Report

Lab IDs: 23-A7634 to 23-A7635


Project: BIG STONE PLANT-CCR

Work Order: 202331-0177

Analyte	LCS Spike Amt	LCS Rec %	LCS % Rec Limits	Matrix Spike Amt	Matrix Spike ID	Matrix Spike Orig Result	Matrix Spike Result	Matrix Spike Rec %	Matrix Spike % Rec Limits	MSD/ Dup Orig Result	MSD/ Dup Result	MSD Rec %	MSD/ Dup RPD	MSD/ Dup RPD Limit (<)	Known Rec (%)	Known % Rec Limits	Method Blank
Antimony ug/L	25.0	98	85-115	25.0	23A7635q	<0.5	25.0	100	75-125	25.0	25.4	102	1.6	10	99	90-110	<0.5
Arsenic ug/L	25.0	97	85-115	25.0	23A7635q	<1	26.8	107	75-125	26.8	27.5	110	2.6	10	97	90-110	<0.5
Barium mg/L	1.000	104	85-115	1.00	23A7616qc	0.034	1.070	104	75-125	1.070	1.080	105	0.9	10	101	90-110	<0.005
Beryllium mg/L	1.000	103	85-115	1.00	23A7616qc	<0.005	1.000	100	75-125	1.000	1.010	101	1.0	10	103	90-110	<0.005
Boron mg/L	1.000	101	85-115	1.00	23A7616qc	0.237	1.300	106	75-125	1.300	1.300	106	0.0	10	99	90-110	<0.1
Cadmium ug/L	5.00	102	85-115	5.00	23A7635q	0.35	5.10	95	75-125	5.10	5.34	100	4.6	10	106	90-110	<0.1
Calcium mg/L	50.00	103	85-115	50.0	23A7616qc	533.0	570.0	74	75-125	570.0	577.0	88	1.2	10	103	90-110	<0.5
Chloride mg/L	-	-	-	60.0	23-A7635	3.9	65.8	103	80-120	65.8	67.5	106	2.6	10	95	90-110	<3
Chromium mg/L	1.000	98	85-115	1.00	23A7616qc	<0.01	0.904	90	75-125	0.904	0.911	91	0.8	10	98	90-110	<0.01
Cobalt mg/L	1.000	103	85-115	1.00	23A7616qc	0.009	0.964	96	75-125	0.964	0.967	96	0.3	10	102	90-110	<0.005
Fluoride mg/L				1.00	23-A7635qc	0.130	1.10	97	75-125	1.10	1.12	99	1.8	10	98	90-110	<0.02
Lead ug/L	25.0	97	85-115	25.0	23A7635q	<1	25.2	101	75-125	25.2	24.9	100	1.2	10	100	90-110	<0.5
Lithium mg/L	1.000	105	82-115	1.00	23-A7616qc	0.245	1.330	108	75-125	1.330	1.350	110	1.5	10	102	90-110	<0.02
Mercury ug/L	-	-	-	0.10	23-A7634	<0.005	0.077	77	63-111	0.077	0.079	79	2.6	18	96	76-113	<0.005
Molybdenum mg/L	1.000	98	85-115	1.00	23A7616qc	<0.015	0.995	100	75-125	0.995	1.000	100	0.5	10	101	90-110	<0.015
pH units	-	-	-	-	-	-	-	-	-	7.0	7.0	-	0.0	2.5	101	90-110	-
Selenium ug/L	25.0	105	85-115	25.0	23A7635q	1.72	35.1	134	75-125	35.1	34.9	133	0.6	10	103	90-110	<0.5
Solids, Total Dissolved mg/L	-	-	-	-	-	-	-	-	-	4230	4110	-	2.9	7	99	85-115	<10
Sulfate mg/L	-	-	-	5000	23-A7635	2170	6960	96	80-120	6960	7070	98	1.6	10	99	80-120	<5
Thallium ug/L	5.00	98	85-115	5.00	23A7635q	<0.2	5.17	103	75-125	5.17	5.18	104	0.2	10	99	90-110	<0.1

Calcium matrix spike recovery was outside of acceptance limits, see narrative.

Selenium matrix spike / matrix spike duplicate recoveries were outside of acceptance limits, see narrative.

Approved by: 

This is an exact copy of the original document
 By AS Date 12 June 23
 pages 1-6

Minnesota Valley Testing Laboratories

1126 North Front Street New Ulm, MN 56003
 Phone: 800 782 3557 Fax: 507 359 2890

Field Service Chain of Custody Record

Project: Otter Tail Power Company	Project Type: Big Stone Plant CCR	Name of Samplers: DS MS
Report: Otter Tail Power Company	Carbon Copy: Barr Engineering	Quote Number:
Attn: Paul Vukonich	Attn:	Work Order Number: 31-177
Address: P.O. Box 496 Fergus Falls, MN 56538-0496	Address:	Lab Numbers:
Phone: 218-739-8349		

Sample Information					Bottle Type										Analysis				
Lab Number	Sample ID	Unique Station ID	Date	Time	Sample Type	Sample Location	1000 HNO3 Inner Mountaintop	500 None	1000 none	600 HNO3	Filter? Y or N	500 H2SO4	Filter? Y or N	1000 Amber none	1000 Amber H2SO4	500 NaOH	Other: 150 H2SO4	Other: 160 None	Analysis Required
A7834	H10		12 June 23	1238	GW			1	1	N				1					CCR 3&4
37	H11			1213	GW			1	1	N				1					CCR 3&4

Comments:

Samples Relinquished By:			Samples Received By: <u>A. Audin</u>		
Date:	Time:	Temp:	Date: <u>12 June 23</u>	Time: <u>1530</u>	Temp: <u>1.5C</u>
Samples Relinquished into: Fridge Log in Cart Other:					
Samples Relinquished By:			Samples Received By:		
Date:	Time:	Temp:	Date:	Time:	Temp:
Delivery:	Samplers	Other:	Seal Number(s) - If Used		
Transport:	Ambient	Ice	Other:	Seals Intact?	Yes No

June 2023

2023 Big Stone Sampling - CCR

Landfill or ADA wells

Site	Parameter List	Well Depth (constructed)	Diameter (Inches)	Well Elevation (TOC)	Sample Equipment	Dedicated?	Pump Rate (ml/minute)	Goes Dry?	Sampling Seasons**
H20X	CCR 3	32.20	2	1103.86	Bladder	Yes	100	Yes	April & Oct
H30X	CCR 3	22.55	2	1095.26	Bladder	Yes	100	Yes	April & Oct
H40X	CCR 3	27.20	2	1108.25	Bladder	Yes	100	No	April & Oct
H6	CCR 3	15.00	2	1097.76	Bladder	Yes	100	Yes	April & Oct
H8	CCR 3	22.05	2	1081.23	Bladder	Yes	100	No	April & Oct
H9	CCR 3	30.20	2	1086.21	Bladder	Yes	100	No	April & Oct
H10	CCR 3 and 4	35.49	2	1090.83	Bladder	Yes	100		See highlighted note below
H11	CCR 3 and 4	42.15	2	1093.24	Bladder	Yes	100		See highlighted note below

Note: Wells H10 and H11 need to be sampled 8 times for CCR this year. Background sampling like 5 years ago. We want to sample in April - November. Each event has to be about 30 days apart. Also, during every sampling event for the CCR, we will need water levels on the CCR wells not sampled.

Note: CCR sampling is for total recoverable metals. They are not filtered in the field.

CCR 3 & 4 parameters see the first two tabs labeled CCR 3 and CCR 4

1000 None
500 H₂O₃ Total
1000 Amber None (Pace)

CCR - Appendix III Detection Monitoring

Field Parameters

pH*

* Field and Laboratory Measurements

Total Concentration Parameters

	Method
Boron	6010
Calcium	6010
Chloride	SM4500 CL E
Fluoride	EPA 300
pH	SM 4500 H+B-96
Sulfate	ASTM D516
Dissolved Solids, Total	SM 2540 C-97

Note: These are non-filtered samples.

CCR - Appendix IV - Assessment Monitoring

Total Concentration Parameters	Method
Antimony	SW6020A
Arsenic	SW602A
Barium	SW6010C
Beryllium	SW6020A
Cadmium	SW6020A
Chromium, Total	SW6020A
Cobalt	SW6010C
Fluoride	EPA 300
Lead	SW6020A
Lithium	SW6010C
Mercury	EPA 245.7
Molybdenum	SW6020A
Selenium	SW6020A
Thallium	SW6020A
Radium 226 + 228	

Note: These are non-filtered samples.

Minnesota Valley Testing Laboratories, Inc.

New Ulm, MN 56073

507 354 8517

Groundwater Assessment

Sampling Personnel:

DS
MS

Site: Otter Tail Power Co./ Big Stone

Facility ID:

Date: 16 June 23

Unique Station ID:

Sample ID: H10

Well Condition

Well Locked? Yes No

Well Labeled? Yes No

Casing Straight? Yes No

Repairs Necessary:

Protective Posts? Yes No

State ID Tag? Yes No

Grout Seal Intact? Yes No

Well Information

Well Depth: 35.49

Constructed Depth:

Casing Diameter: 2"

Water Level Before Purge: 12.55

Well Volume: 3.74 Gallons

Well Casing Elevation: 1090.83

Static Water Elevation: 1078.28

Previous Static: 1077.81

Water Level After Sample: 12.27

Measurement Method: Elec. WLI Steel Tape

Sampling Information

Weather Conditions: Temp: 75° Wind: NWE@8 Sky: Partly Cloudy

Sampling Method: Grundfos Bladder SST Disp. Beller Whale Grab Other:

Dedicated Equipment: Yes No

Well Purged Dry? Yes No

Time Purged Dry? 12:33

Duplicate Sample? Yes No ID: —

Sample Appearance: General: Clear Color: None Phase: None Odor: None

Pumping Rate: gpm

Time Pump Began: 12:18 am pm

Time of Sampling: 12:38 am pm

Sample EH: 22.76

Time	pH	Specific Cond.	Temp °C	D. O. mg/L	Turbidity NTU	Gallons Removed	SEQ #	Comments:
12:33	6.97	4923	8.22	NA	ND	3.75	1	
							2	
							3	
							4	
12:38	7.00	4916	8.62				5	check

Stabiliz Yes No Amount Water Removed: 3.75 Gallons

Comments:

Exceptions to Protocol:

Minnesota Valley Testing Laboratories, Inc.

New Ulm, MN 56073

507 354 8517

Groundwater Assessment

Sampling Personnel:

DS
LS

Site: Otter Tail Power C Stone
 Facility ID: _____
 Date: 12 June 23
 Unique Station ID: H11
 Sample ID: _____

Well Condition

Well Locked? Yes No
 Well Labeled? Yes No
 Casing Straight? Yes No
 Repairs Necessary: _____

Protective Posts? Yes No
 State ID Tag? Yes No
 Grout Seal Intact? Yes No

Well Information

Well Depth: 42.15
 Constructed Depth: _____
 Casing Diameter: 2"
 Water Level Before Purge: 11.05
 Well Volume: 5.07 Gallons

Well Casing Elevation: 109
 Static Water Elevation: 108
 Previous Static: 108
 Water Level After Sample: 5.5
 Measurement Method: Elec. WL el Tape

Sampling Information

Weather Conditions: Temp: 75° Wind: NW@8 Sky: Partly C
 Sampling Method: Grundfos Bladder S/S Disp. Baller Whale Grab Other: _____
 Dedicated Equipment: Yes No Pumping Rate: 0.25 gpm
 Well Purged Dry? Yes No Time Pump Began: 1147 7pm
 Time Purged Dry: 1208 Time of Sampling: 1213 1pm
 Duplicate Sample? Yes No ID: _____ Sample EH: 274.6
 Sample Appearance: General: Clear Color: None Phase: None Odor: _____

Time	pH	Specific Cond.	Temp °C	D. O. mg/L	Turbidity NTU	Gallons Removed	SEQ #	Conv.
1208	6.79	4122	8.51	NA	NA	5.25	1	
							2	
							3	
							4	
1213	6.88	4134	8.70				5	

Stabiliz Yes No Amount Water Removed: 5.25 Gallons

Comments:

Exceptions to Protocol:

+CCR



Pace Analytical Services, LLC
1700 Elm Street
Minneapolis, MN 55414
(612)607-1700

July 24, 2023

Todd Rieger
MVTL Laboratories
1126 North Front Street
New Ulm, MN 56073

RE: Project: Work order: 31-177 Otter Tail
Pace Project No.: 10657633

Dear Todd Rieger:

Enclosed are the analytical results for sample(s) received by the laboratory on June 15, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Piper Gibbs
piper.gibbs@pacelabs.com
(612)607-1700
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Pace Analytical Services, LLC
1700 Elm Street
Minneapolis, MN 55414
(612)807-1700

SAMPLE SUMMARY

Project: Work order: 31-177 Otter Tail
Pace Project No.: 10657633

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10657633001	23A7364 - H10	Water	06/12/23 12:38	06/15/23 10:09
10657633002	23A7364 - H11	Water	06/12/23 12:13	06/15/23 10:09

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



NO# 10657633
10657633

CHAIN-OF-CUSTODY / Analytical Request Document
 The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A
 Required Client Information:

Company: MVTL
 Address: 1126 NORTH FRONT BLDG #2
 NEW ULM, MN 56073
 Email To: alieder@mvtl.com
 Phone: 507-233-7134
 Requested Due Date/TAT: standard

Section B
 Report To: Todd Rieger
 Copy To: trieger@mvtl.com
 Purchase Order No.: CL13299
 Project Name: Otter Tail Power
 Project Number: Work order: 31-177

Section C
 Invoice Information:
 Attention: AP
 Company Name: MVTL
 Address: 1126 NORTH FRONT BLDG 2
 Pace Quote Reference:
 Pace Project Manager:
 Pace Profile R:

REGULATORY AGENCY:
 NPDES GROUND WATER DRINKING WATER
 UST RCRA OTHER
 Site Location: MN
 STATE: MN

ITEM #	Section D Required Client Information	Valid Matrix Codes MATRIX CODE	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Requested Analysis Filtered (Y/N)	Residual Chlorine (Y/N)	Pace Project No./ Lab I.D.		
					COMPOSITE START		COMPOSITE END/GRAB				Unpreserved	H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ S ₂ O ₅	Methanol	Other				2,3,7,8 TCDD	Radium 226/228
					DATE	TIME	DATE	TIME															
	SAMPLE ID (A-Z, 0-9 / . -) Sample IDs MUST BE UNIQUE	DRINKING WATER DW WATER WT WASTE WATER WW PRODUCT P SOL/SOLID SL OIL OC VAPE VP AIR AR OTHER OT TISSUE TS																					
	23A7364 - H10		WT	G			06/12/23	12:38	1									X	N	001			
	23A7365 - H11		WT	G			06/12/23	12:13	1									X	N	002			

ADDITIONAL COMMENTS	REINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS				
	Barb Zins / MVTL	6/13/23	06:00am	<i>Barb Zins</i>	6-15-23-2009	10:4	N	Y			

SAMPLER NAME AND SIGNATURE:
 PRINT Name of SAMPLER:
 SIGNATURE of SAMPLER:
 DATE Signed (MM/DD/YYYY):

Temp in °C
 Received on Ice (Y/N)
 Custody Sealed Cooler (Y/N)
 Samples Intact (Y/N)

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

DC#_Title: ENV-FRM-MIN4-0150 v13_Sample Condition Upon Receipt (SCUR)

Effective Date: 4/14/2023

Sample Condition Upon Receipt Client Name: MVT1



Courier: FedEx UPS USPS Client Pace SpeedDee Commercial

Tracking Number: ENV-FRM-MIN4-0142

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Biological Tissue Frozen? Yes No N/A
Packing Material: Bubble Wrap Bubble Bags None Other Temp Blank? Yes No
Thermometer: T1 (0461) T2 (0436) T3 (0459) T4 (0402) T5 (0178) Type of Ice: Wet Blue Dry None
 T6 (0235) T7 (0042) T8 (0775) T9(0727) 01339252/1710 Melted

Did Samples Originate in West Virginia? Yes No Were All Container Temps Taken? Yes No N/A
Temp should be above freezing to 6 °C Cooler temp Read w/Temp Blank: 1.1 °C Average Corrected Temp (no temp blank only): _____ °C
Correction Factor: -0.1 Cooler Temp Corrected w/temp blank: 1.0 °C See Exceptions ENV-FRM-MIN4-0142 1 Container

USDA Regulated Soil: N/A, water sample/other: _____ Date/Initials of Person Examining Contents: Per 6-15-23

Did samples originate in a quarantine zone within the United States: AL, AR, AZ CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check maps)? Yes No
Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MIN4-0154) and include with SCUR/COC paperwork.

Location (Check one): <input type="checkbox"/> Duluth <input checked="" type="checkbox"/> Minneapolis <input type="checkbox"/> Virginia	COMMENTS
Chain of Custody Present and Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	4. If fecal: <input type="checkbox"/> <8 hrs <input type="checkbox"/> >8 hr, <24 <input type="checkbox"/> No
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. <input type="checkbox"/> Fecal Coliform <input type="checkbox"/> HPC <input type="checkbox"/> Total Coliform/E.coli <input type="checkbox"/> BOD/cBOD <input type="checkbox"/> Hex Chrom <input type="checkbox"/> Turbidity <input type="checkbox"/> Nitrate <input type="checkbox"/> Nitrite <input type="checkbox"/> Orthophos <input type="checkbox"/> Other
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Sufficient Sample Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8. <u>AGIU's tea</u>
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10. Is sediment visible in the dissolved container? <input type="checkbox"/> Yes <input type="checkbox"/> No
Field Filtered Volume Received for Dissolved Tests? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. If no, write ID/Date/Time of container below: <input type="checkbox"/> See Exceptions ENV-FRM-MIN4-0142
Is sufficient information available to reconcile the samples to the COC? Matrix: <input checked="" type="checkbox"/> Water <input type="checkbox"/> Soil <input type="checkbox"/> Oil <input type="checkbox"/> Other	12. Sample # <input type="checkbox"/> NaOH <input type="checkbox"/> HNO3 <input type="checkbox"/> H2SO4 <input type="checkbox"/> Zinc Acetate Positive for Residual Chlorine? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> See Exceptions ENV-FRM-MIN4-0142 pH Paper Lot # Residual Chlorine 0-6 Roll 0-6 Strip 0-14 Strip
All containers needing acid/basic preservation have been checked? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation? (HND3, H2SO4, <2pH, NaOH >9 Sulfide, NaOH >10 Cyanide) <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14. <input type="checkbox"/> See Exceptions ENV-FRM-MIN4-0142
Exceptions: VOA, Coliform, TOC/DOC Oil and Grease, DR0/8015 (water) and Dioxins/PFAS (*If adding preservative to a container, it must be added to associated field and equipment blanks--verify with PM first.) <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Headspace in Methyl Mercury Container? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Extra labels present on soil VOA or WIDRO containers? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Headspace in VOA Vials (greater than 6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
3 Trip Blanks Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Pace Trip Blank Lot # (if purchased): _____

CLIENT NOTIFICATION/RESOLUTION Person Contacted: _____ Date/Time: _____ Field Data Required? Yes No

Comments/Resolution: _____ Date: 6/15/23
Project Manager Review: paper gibbs

NOTE: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DELIR Certification Office (i.e., out of hold, incorrect preservative, out of temp, incorrect containers).

Labeled By: RWC Line: 2



ANALYTICAL REPORT

July 24, 2023



²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Pace Analytical - Minnesota

Sample Delivery Group: L1627193
 Samples Received: 06/17/2023
 Project Number: 10657633
 Description: Work Order: 31-177 Otter tail
 Site: 001
 Report To: Piper Gibbs

Entire Report Reviewed By:

Donna Eldson
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

Page 6 of 10

ACCOUNT:
Pace Analytical - Minnesota










PROJECT:
10657633

SDG:
L1627193

DATE/TIME:
07/24/23 09:25

PAGE:
1 of 11

TABLE OF CONTENTS

Cp: Cover Page	1	
Tc: Table of Contents	2	
Ss: Sample Summary	3	
Cn: Case Narrative	4	
Sr: Sample Results	5	
23A7364-H10 L1627193-01	5	
23A7364-H11 L1627193-02	6	
Qc: Quality Control Summary	7	
Radiochemistry by Method 904/9320	7	
Radiochemistry by Method SM7500Ra B M	8	
Gl: Glossary of Terms	9	
Al: Accreditations & Locations	10	
Sc: Sample Chain of Custody	11	
		

SAMPLE SUMMARY

Collected by _____ Collected date/time 06/12/23 12:38 Received date/time 06/17/23 09:10

23A7364-H10 L1627193-01 Non-Potable Water

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG2092493	1	07/11/23 10:27	07/18/23 16:53	SNR	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG2093326	1	07/12/23 16:57	07/13/23 19:58	RGT	Mt. Juliet, TN

Collected by _____ Collected date/time 06/12/23 12:38 Received date/time 06/17/23 09:10

23A7364-H11 L1627193-02 Non-Potable Water

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG2092493	1	07/11/23 10:27	07/18/23 16:53	SNR	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG2093326	1	07/12/23 16:57	07/13/23 19:58	RGT	Mt. Juliet, TN

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All radiochemical sample results for solids are reported on a dry weight basis with the exception of tritium, carbon-14 and radon, unless wet weight was requested by the client. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Donna Eldson
Project Manager

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

23A7364-H10

Collected date/time: 06/12/23 12:38

SAMPLE RESULTS - 01

L1627193

Radiochemistry by Method 904/9320

Analyte	Result	Qualifier	Uncertainty	MDA	Analysis Date	Batch
	pCi/l		+/-	pCi/l	date / time	
RADIUM-228	0.402	J	0.331	0.595	07/18/2023 16:53	WG2092493
(f) Barium	68.1			30.0-143	07/18/2023 16:53	WG2092493
(f) Yttrium	93.5			30.0-136	07/18/2023 16:53	WG2092493

1 Cp

2 Tc

3 Ss

Radiochemistry by Method SM7500Ra B M

Analyte	Result	Qualifier	Uncertainty	MDA	Analysis Date	Batch
	pCi/l		+/-	pCi/l	date / time	
RADIUM-226	0.390		0.250	0.217	07/13/2023 19:58	WG2093326
(f) Barium-133	105			30.0-143	07/13/2023 19:58	WG2093326

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

23A7364-H11

SAMPLE RESULTS - 02

Collected date/time: 06/12/23 12:38

L1627193

Radiochemistry by Method 904/9320

Analyte	Result pCi/l	Qualifier	Uncertainty +/-	MDA pCi/l	Analysis Date date / time	Batch
RADIUM-228	0.772		0.328	0.577	07/18/2023 16:53	WG2092493
(f) Barium	78.2			30.0-143	07/18/2023 16:53	WG2092493
(f) Yttrium	98.8			30.0-136	07/18/2023 16:53	WG2092493

1 Cp

2 Tc

3 Ss

Radiochemistry by Method SM7500Ra B M

Analyte	Result pCi/l	Qualifier	Uncertainty +/-	MDA pCi/l	Analysis Date date / time	Batch
RADIUM-226	0.171	J	0.205	0.282	07/13/2023 19:58	WG2093326
(f) Barium-133	88.7			30.0-143	07/13/2023 19:58	WG2093326

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

WG2092493

QUALITY CONTROL SUMMARY

Radiochemistry by Method 904/9320

L1627193-01.02

Method Blank (MB)

(MB) R3951293-1 07/18/23 16:53

Analyte	MB Result pCi/l	MB Qualifier	MB Uncertainty +/-	MB MDA pCi/l
Radium-228	-0.0198	<u>U</u>	0.191	0.352
(f) Barium	87.4		87.4	
(f) Yttrium	87.3		87.3	

L1627704-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1627704-06 07/18/23 16:53 • (DUP) R3951293-5 07/18/23 16:53

Analyte	Original Result pCi/l	Original Uncertainty +/-	Original MDA pCi/l	DUP Result pCi/l	DUP Uncertainty +/-	DUP MDA pCi/l	Dilution	DUP RPD %	DUP RER	DUP Qualifier	DUP RPD Limits %	DUP RER Limit
Radium-228	0.466	0.421	0.756	0.0978	0.469	0.756	1	131	0.584	<u>U</u>	20	3
(f) Barium	84.6			78.9	78.9							
(f) Yttrium	117			107	107							

Laboratory Control Sample (LCS)

(LCS) R3951293-2 07/18/23 16:53

Analyte	Spike Amount pCi/l	LCS Result pCi/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Radium-228	5.00	5.26	105	80.0-120	
(f) Barium			90.4		
(f) Yttrium			109		

L1627704-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1627704-04 07/18/23 16:53 • (MS) R3951293-3 07/18/23 16:53 • (MSD) R3951293-4 07/18/23 16:53

Analyte	Spike Amount pCi/l	Original Result pCi/l	MS Result pCi/l	MSD Result pCi/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSO Qualifier	RPD %	MS RER	RPD Limits %
Radium-228	33.3	0.461	36.0	18.9	107	110	1	70.0-130			3.35		20
(f) Barium			78.2		90.7	79.3							
(f) Yttrium			101		71.0	99.4							

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gf
- 8 Al
- 9 Sc

WG2093326

QUALITY CONTROL SUMMARY

Radiochemistry by Method SM7500Ra B M

L1627193-01.02

Method Blank (MB)

(MB) R3948871-1 07/13/23 19:58

Analyte	MB Result pCi/l	MB Qualifier	MB Uncertainty +/-	MB MDA pCi/l
Radium-226	0.0202	J	0.0281	0.0410
(T) Barium-133	100		100	

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 GI
- 8 AI
- 9 Sc

L1627718-08 Original Sample (OS) • Duplicate (DUP)

(OS) L1627718-08 07/13/23 19:58 • (DUP) R3948871-5 07/13/23 19:58

Analyte	Original Result pCi/l	Original Uncertainty +/-	Original MDA pCi/l	DUP Result pCi/l	DUP Uncertainty +/-	DUP MDA pCi/l	Dilution	DUP RPD %	DUP RER	DUP Qualifier	DUP RPD Limits %	DUP RER Limit
Radium-226	0.244	0.242	0.309	0.331	0.231	0.309	1	30.2	0.259		20	3
(T) Barium-133	88.6			99.1	99.7							

Laboratory Control Sample (LCS)

(LCS) R3948871-2 07/13/23 19:58

Analyte	Spike Amount pCi/l	LCS Result pCi/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Radium-226	5.01	4.52	90.2	80.0-120	
(T) Barium-133			93.8		

L1627704-05 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1627704-05 07/13/23 19:58 • (MS) R3948871-6 07/14/23 19:10 • (MSD) R3948871-4 07/13/23 19:58

Analyte	Spike Amount pCi/l	Original Result pCi/l	MS Result pCi/l	MSD Result pCi/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	MS RER	RPD Limits %
Radium-226	20.0	0.133	15.4	15.2	76.5	75.3	1	75.0-125			157		20
(T) Barium-133		86.3			91.8	95.0							

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.


Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDA	Minimum Detectable Activity.
Rec.	Recovery.
RER	Replicate Error Ratio.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(T)	Tracer - A radioisotope of known concentration added to a solution of chemically equivalent radioisotopes at a known concentration to assist in monitoring the yield of the chemical separation.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard; or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection; the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (St)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

J	The Identification of the analyte is acceptable; the reported value is an estimate.
U	Below Detectable Limits; indicates that the analyte was not detected.



ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	EB7487	North Carolina ¹	0W21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	B4004002
Kentucky ²	16	South Dakota	n/a
Louisiana	A130792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA - ISO 17025	1461.01	AIHA-LAP, LLC EMLAP	100789
A2LA - ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
AI
9 Sc

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

¹ Not all certifications held by the laboratory are applicable to the results reported in the attached report.

⁵ Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

Internal Transfer Chain of Custody

E150



Samples Pre-Logged into eCOC.

State Of Origin: MN
 Cert. Needed: Yes No
 Owner Received Date: 6/15/2023 Results Requested By: 7/17/2023

Workorder: 10657633 Workorder Name: Work order: 31-177 Otter Tail

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Unpreserved	Preserved Containers			Radium 226/228	Requested Analysis												LAB USE ONLY
1	23A7364 - H10	PS	6/12/2023 12:38	10657633001	Water	1					X												
2	23A7364 - H11	PS	6/12/2023 12:13	10657633002	Water	1				X													01 02
3																							
4																							
5																							

6162703

Transfers	Released By	Date/Time	Received By	Date/Time	Comments
1	[Signature]	6-16-23/1615	[Signature]	6-17-23	0910
2					
3					

Cooler Temperature on Receipt °C Custody Seal Y or N Received on Ice Y or N Samples Intact Y or N

In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document.

This chain of custody is considered complete as is since this information is available in the owner laboratory.

Sample Receipt Checklist

COC Seal Present/Intact:	<input checked="" type="checkbox"/> N	If Applicable	
COC Signed/Accurate:	<input checked="" type="checkbox"/> N	VOA Zero Headspace:	<input checked="" type="checkbox"/> N
Bottles arrive intact:	<input checked="" type="checkbox"/> N	Pres. Correct/Check:	<input checked="" type="checkbox"/> N
Correct bottles used:	<input checked="" type="checkbox"/> N		
Sufficient volume sent:	<input checked="" type="checkbox"/> N		
RAD Screen <0.5 mR/hr:	<input checked="" type="checkbox"/> N		

29 June 2023



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information: Company: MVTL Address: 1126 NORTH FRONT BLDG #2 NEW ULM, MN 56073 Email To: alieder@mvtl.com Phone: 507-233-7134 Fax: Requested Due Date/TAT: standard	Section B Required Project Information: Report To: Todd Rieger Copy To: trieger@mvtl.com Purchase Order No.: CL13299 Project Name: Otter Tail Power Project Number: Work order: 31-177	Section C Invoice Information: Attention: AP Company Name: MVTL Address: 1126 NORTH FRONT BLDG 2 Pace Quote Reference: Pace Project Manager: Pace Profile #:	REGULATORY AGENCY <input type="checkbox"/> NPDES <input checked="" type="checkbox"/> GROUND WATER <input type="checkbox"/> DRINKING WATER <input type="checkbox"/> UST <input type="checkbox"/> RCRA <input type="checkbox"/> OTHER _____ Site Location: _____ STATE: MN
--	---	--	---

ITEM #	Section D Required Client Information SAMPLE ID (A-Z, 0-9 / -) Sample IDs MUST BE UNIQUE	Valid Matrix Codes		MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives									Analysis Test 2,3,7,8 TCDD Radium 226/228	Residual Chlorine (Y/N)	Pace Project No./ Lab I.D.												
		MATRIX	CODE			COMPOSITE START	COMPOSITE END/GRAB	Unpreserved	H ₂ SO ₄			HNO ₃	HCl	NaOH	Na ₂ S ₂ O ₃	Methanol	Other																		
		DRINKING WATER	DW			DATE	TIME	DATE	TIME																										
1	23A7364 - H10	WT	G					06/12/23	12:38		1																								
2	23A7365 - H11	WT	G					06/12/23	12:13		1																								
3																																			
4																																			
5																																			
6																																			
7																																			
8																																			
9																																			
10																																			
11																																			
12																																			

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
	Barb Zins / MVTL	6/13/23	08:00am				

SAMPLER NAME AND SIGNATURE		Temp in °C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
PRINT Name of SAMPLER:					
SIGNATURE of SAMPLER:					

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvtl.com



Page: 1 of 3

FINAL REPORT COMPLETION DATE: 8 Aug 23 AK

Date Reported: 4 Aug 2023

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Work Order #: 31-0220
Account #: 006106
PO #: 59601

Project Name: BIG STONE PLANT CCR

Field Service Manager/Date Reviewed: [Signature] 07 Aug 23
Chemistry Lab Manager/Date Reviewed: [Signature] 04 Aug 23
Quality Assurance Director/Date Reviewed: [Signature] 04 Aug 2023

RL = Reporting Limits
NQ = Not Present, Qualitative Only
PQ = Present, Qualitative Only
ND = Not Determined

All data for this report has been approved by MVT Laboratory Management.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvtl.com



Page: 2 of 3

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Report Date: 4 Aug 2023
Lab Number: 23-A8117
Work Order #: 31-0220
Account #: 006106
Sample Matrix: GROUNDWATER
Date Sampled: 21 Jul 2023 11:27
Sampled By: MVTl FIELD PERSONNEL
Date Received: 21 Jul 2023 14:10
PO #: 59601

Project Name: BIG STONE PLANT CCR

Sample Description: H8

Temp at Receipt: 1.0C

	As Received Result		Method RL	Method Reference	Date Analyzed	Analyst
Solids, Total Dissolved	1050 mg/L See Narrative		10	SM 2540 C-97	25 Jul 23 9:36	CC

RL = Reporting Limit
Analyses performed under our Minnesota Department of Health Accreditation conform to the current TNI standards.
The reporting limit was elevated for any analyte requiring a dilution as coded below:
@ = Due to sample matrix # = Due to concentration of other analytes
! = Due to sample quantity + = Due to internal standard response
CERTIFICATION: MN LAB # 027-015-125 ND WH/DH # R-040

MVTl guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTl to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTl. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvtl.com



Page: 3 of 3

Date Reported: 4 Aug 2023

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Work Order #: 202331-0220
Account Number: 006106
PO #: 59601

Project Name: BIG STONE PLANT CCR

LABORATORY NARRATIVE

INORGANIC & METALS ANALYSES:

In the Total Dissolved Solids analysis batch containing sample 23-A8117, there were 16 samples analyzed before a duplicate rather than 10 samples as required. Data was reported based on all other QC being acceptable.

No other problems were encountered.

MVTL

MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 N. Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 E. Broadway Ave. ~ Bismarck, ND 58502 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Highway ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvttl.com

MEMBER
ACIL

Page: 1 of 1

Quality Control Report

Lab ID: 23-A8117

Project: BIG STONE PLANT CCR

Work Order: 202331-0220

Analyte	LCS Spike Amt.	LCS Rec %	LCS % Rec Limits	Matrix Spike Amt	Matrix Spike ID	Matrix Spike Orig Result	Matrix Spike Result	Matrix Spike Rec %	Matrix Spike % Rec Limits	MSD/ Dup Orig Result	MSD/ Dup Result	MSD Rec %	MSD/ Dup RPD	MSD/ Dup RPD Limit (<)	Known Rec (%)	Known % Rec Limits	Method Blank
Solids, Total Dissolved mg/L	-	-	-	-	-	-	-	-	-	300	303	-	1.0	10	101	85-115	< 10

Approved by:



This is an exact copy of the original document

By DF Date 21 July 23
 pages 1-2

Minnesota Valley Testing Laboratories

1126 North Front Street New Ulm, MN 56003
 Phone: 800 782 3557 Fax: 507 359 2890

Field Service Chain of Custody Record

Project: Otter Tail Power Company	Project Type: Big Stone Plant CCR	Name of Samplers:
Report: Otter Tail Power Company	Carbon Copy: Barr Engineering	<u>DF, BW</u>
Attn: Paul Vukonich	Attn:	Quote Number:
Address: P.O. Box 496	Address:	Work Order Number: <u>31-220</u>
Fergus Falls, MN 56538-0496		Lab Numbers:
Phone: 218-739-8349		

Sample Information					Bottle Type										Analysis					
Lab Number	Sample ID	Unique Station ID	Date	Time	Sample Type	Sample Location	1000 HNO3 Inner	500 None	1000 none	500 HNO3	Filter? Y or N	500 H2SO4	Filter? Y or N	1000 Amber none	1000 Amber H2SO4	500 NaOH	Other: 150 H2SO4	Other: 150 None	Analysis Required	
A8117	H8		21 July 23	1127	GW			1											TDS only	

Comments:

Rush Please!

Samples Relinquished By: <u>DF</u>			Samples Received By: <u>A. Aiden</u>		
Date: <u>21 July 23</u>	Time: <u>1410</u>	Temp: <u>1.0</u>	Date: <u>21 July 23</u>	Time: <u>1410</u>	Temp: <u>1.0C</u>
Samples Relinquished into: Fridge		<u>Log in Cart</u>	Other:		
Samples Relinquished By:			Samples Received By:		
Date:	Time:	Temp:	Date:	Time:	Temp:
Delivery: <u>Samplers</u>		Other:	Seal Number(s) - If Used		
Transport: <u>Ambient</u>	<u>Ice</u>	Other:	Seals Intact?		Yes No

Minnesota Valley Testing Laboratories, Inc.

New Ulm, MN 56073

507 354 8517

Groundwater Assessment

Sampling Personnel:

DF

Site: Otter Tail Power Co./ Big Stone

Facility ID:

Date: 22 July 23

Unique Station ID:

Sample ID: Well H8

Well Condition

Well Locked? Yes No
 Well Labeled? Yes No
 Casing Straight? Yes No

Protective Posts? Yes No
 State ID Tag? Yes No
 Grout Seal Intact? Yes No

Repairs Necessary:

Well Information

Well Depth: 22.33
 Constructed Depth: 22.05
 Casing Diameter: 2"
 Water Level Before Purge: 9.75
 Well Volume: 2.05 Gallons

Well Casing Elevation: 1081.23
 Static Water Elevation: 1071.48
 Previous Static:
 Water Level After Sample: 10.00
 Measurement Method: Elec. WLI Steel Tape

Sampling Information

Weather Conditions: Temp: 77 Wind: W 1 Sky: Sunny
 Sampling Method: Grundfos Bladder SST Disp. Baller Whale Grab Other:
 Dedicated Equipment: Yes No
 Pumping Rate: 0.25 gpm
 Well Purged Dry? Yes No
 Time Pump Began: 1100 am / pm
 Time of Sampling: 1127 am / pm
 Duplicate Sample? Yes No ID:
 Sample EH: 90.0
 Sample Appearance: General: Clear Color: None Phase: None Odor: None

Time	pH	Specific Cond.	Temp °C	D. O. mg/L	Turbidity NTU	Gallons Removed	SEQ #	Comments:
1109	7.15	1526	9.10	NA	NA	2.25	1	
1118	7.15	1527	9.11			4.50	2	
1127	7.14	1526	9.11			6.75	3	
							4	
							5	

Stabilized: Yes No
 Amount Water Remove: 6.75 Gallons

Comments:

Exceptions to Protocol:



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvttl.com



Page: 1 of 6

FINAL REPORT COMPLETION DATE: 24 Oct 23 AX

Date Reported: 23 Oct 2023

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Work Order #: 31-0235
Account #: 006106
PO #: 59601

Project Name: BIG STONE PLANT CCR

Josh Hollen 24 Oct 23
Field Service Manager/Date Reviewed
[Signature] 23 Oct 2023
Chemistry Lab Manager/Date Reviewed
[Signature] 23 Oct 2023
Quality Assurance Director/Date Reviewed

RL = Reporting Limits
NQ = Not Present, Qualitative Only
PQ = Present, Qualitative Only
ND = Not Determined

All data for this report has been approved by MVT Laboratory Management

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvttl.com



Page: 2 of 6

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Report Date: 23 Oct 2023
Lab Number: 23-A8447
Work Order #: 31-0235
Account #: 006106
Sample Matrix: GROUNDWATER
Date Sampled: 21 Aug 2023 10:35
Sampled By: MVTL FIELD PERSONNEL
Date Received: 21 Aug 2023 15:17
PO #: 59601

Project Name: BIG STONE PLANT CCR

Sample Description: H10

Temp at Receipt: 2.6C

	As Received Result		Method RL	Method Reference	Date Analyzed	Analyst
MS Water Digestions					23 Aug 23	JN
Water Digestions					23 Aug 23	JN
pH, Field	6.88	units	1.00	SM4500-H+-2011	21 Aug 23 10:35	MS
pH	* 7.0	units	1.0	SM 4500 H+ B-2000	22 Aug 23 13:00	HO
Radium 226	0.29	pCi/L	0.60		22 Sep 23 13:29	OL
Radium 228	0.46	pCi/L	3.00	EPA M9320	10 Oct 23 21:14	OL
Sulfate	2270 ~	mg/L	5.0	ASTM D516-11	24 Aug 23 9:04	LS
Chloride	6.3	mg/L	3.0	SM 4500 Cl E	24 Aug 23 8:54	KRM
Mercury	< 0.005	ug/L	0.005	EPA 245.7	25 Aug 23 14:07	RMB
Solids, Total Dissolved	4840	mg/L	10	SM 2540 C-97	23 Aug 23 9:15	CC
Calcium	492.0	mg/L	0.500	SW6010D	25 Aug 23 10:06	SS
	~ See Narrative					
Lithium	0.271	mg/L	0.020	SW6010D	25 Aug 23 10:06	SS
Barium	0.023	mg/L	0.005	SW6010D	25 Aug 23 10:06	SS
Cobalt	< 0.005	mg/L	0.005	SW6010D	25 Aug 23 10:06	SS
Boron	0.298	mg/L	0.100	SW6010D	25 Aug 23 10:06	SS
Antimony	< 1 @	ug/L	0.5	SW6020B	24 Aug 23 13:44	KAM
Arsenic	< 1 @	ug/L	0.5	SW6020B	24 Aug 23 13:44	KAM
Beryllium	< 0.05	ug/L	0.05	SW6020B	24 Aug 23 13:44	KAM
Cadmium	< 0.2 @	ug/L	0.1	SW6020B	24 Aug 23 13:44	KAM
Chromium	< 0.5	ug/L	0.5	SW6020B	24 Aug 23 13:44	KAM
Lead	< 2.5 @	ug/L	0.5	SW6020B	24 Aug 23 13:44	KAM
Molybdenum	8.65 @	ug/L	0.50	SW6020B	24 Aug 23 13:44	KAM
Selenium	4.54 @^	ug/L	0.50	SW6020B	24 Aug 23 13:44	KAM
Thallium	< 0.5 @	ug/L	0.1	SW6020B	24 Aug 23 13:44	KAM
Fluoride	0.180 @	mg/L	0.020	EPA 300.0	25 Aug 23 11:09	MDH

RL = Reporting Limit

Analyses performed under our Minnesota Department of Health Accreditation conform to the current TNI standards.

The reporting limit was elevated for any analyte requiring a dilution as coded below:

@ = Due to sample matrix

= Due to concentration of other analytes

i = Due to sample quantity

+ = Due to internal standard response

CERTIFICATION: MN LAB # 027-015-125 ND RW/DW # R-040

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvtl.com



JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Report Date: 23 Oct 2023
Lab Number: 23-A8447
Work Order #: 31-0235
Account #: 006106
Sample Matrix: GROUNDWATER
Date Sampled: 21 Aug 2023 10:35
Sampled By: MVTL FIELD PERSONNEL
Date Received: 21 Aug 2023 15:17
PO #: 59601

Project Name: BIG STONE PLANT CCR

Sample Description: H10

Temp at Receipt: 2.6C

As Received Method Method Date
Result RL Reference Analyzed Analyst

* Holding Time Exceeded

Radium 226 subcontracted to:
Pace Analytical Services Inc.
1700 Elm Street Suite 200
Minneapolis, MN 55414
1-612-607-1700

Radium 228 subcontracted to:
Pace Analytical Services Inc.
1700 Elm Street Suite 200
Minneapolis, MN 55414
1-612-607-1700

~ Sample diluted due to result above calibration of linear range.

^ The reporting limit (RL) was elevated due to instrument performance at the lower
limit of quantitation (LLOQ). This will only impact results that are found to be
below the elevated RL. Results above the elevated RL are unaffected.

OL = Analysis performed by an Outside Laboratory.

RL = Reporting Limit
Analyses performed under our Minnesota Department of Health Accreditation conform to the current TNI standards.
The reporting limit was elevated for any analyte requiring a dilution as coded below:
& = Due to sample matrix # = Due to concentration of other analytes
! = Due to sample quantity + = Due to internal standard response
CERTIFICATION: MN LAB # 027-015-125 ND NW/DH # R-040



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvtl.com



JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Report Date: 23 Oct 2023
Lab Number: 23-A8448
Work Order #: 31-0235
Account #: 006106
Sample Matrix: GROUNDWATER
Date Sampled: 21 Aug 2023 10:45
Sampled By: MVTL FIELD PERSONNEL
Date Received: 21 Aug 2023 15:17
PO #: 59601

Project Name: BIG STONE PLANT CCR

Sample Description: H11

Temp at Receipt: 2.6C

As Received Method Method Date
Result RL Reference Analyzed Analyst

* Holding Time Exceeded

Radium 226 subcontracted to:
Pace Analytical Services Inc.
1700 Elm Street Suite 200
Minneapolis, MN 55414
1-612-607-1700

Radium 228 subcontracted to:
Pace Analytical Services Inc.
1700 Elm Street Suite 200
Minneapolis, MN 55414
1-612-607-1700

~ Sample diluted due to result above calibration of linear range.

^ The reporting limit (RL) was elevated due to instrument performance at the lower
limit of quantitation (LLOQ). This will only impact results that are found to be
below the elevated RL. Results above the elevated RL are unaffected.

OL = Analysis performed by an Outside Laboratory.

RL = Reporting Limit
Analyses performed under our Minnesota Department of Health Accreditation conform to the current THI standards.
The reporting limit was elevated for any analyte requiring a dilution as coded below:
e = Due to sample matrix f = Due to concentration of other analytes
i = Due to sample quantity t = Due to internal standard response
CERTIFICATION: MN LAB # 027-015-125 ND WH/DM # R-040



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvdl.com



Page: 6 of 6

Date Reported: 23 Oct 2023

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Work Order #: 202331-0235
Account Number: 006106
PO #: 59601

Project Name: BIG STONE PLANT CCR

LABORATORY NARRATIVE

INORGANIC ANALYSES:

Due to the high concentration of calcium in the spiked sample associated with samples 23-A8447 through 23-A8448, the matrix spike recovery was outside of acceptable limits. Calcium was reported based on acceptable laboratory control spike recovery and acceptable duplication of the matrix spikes.

No other problems were encountered.

MVTL**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 N. Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
 2616 E. Broadway Ave. ~ Bismarck, ND 58502 ~ 800-279-6885 ~ Fax 701-258-9724
 1201 Lincoln Highway ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
 www.mvvl.com

MEMBER
ACIL

Page: 1 of 1

Quality Control Report

Lab IDs: 23-A8447 to 23-A8448

Project: BIG STONE PLANT CCR

Work Order: 202331-0235

Analyte	LCS Spike Amt	LCS Rec %	LCS % Rec Limits	Matrix Spike Amt	Matrix Spike ID	Matrix Spike Orig Result	Matrix Spike Result	Matrix Spike Rec %	Matrix Spike % Rec Limits	MSD/ Dup Orig Result	MSD/ Dup Result	MSD Rec %	MSD/ Dup RPD	MSD/ Dup RPD Limit (<)	Known Rec (%)	Known % Rec Limits	Method Blank
Antimony ug/L	25.0	106	85-115	25.0	25251003qc	<0.5	27.5	110	75-125	27.5	26.4	106	4.1	10	103	90-110	<0.5
Arsenic ug/L	25.0	103	85-115	25.0	25251003qc	<0.5	26.8	107	75-125	26.8	26.9	108	0.4	10	103	90-110	<0.5
Barium mg/L	1.000	106	85-115	1.00	23A8450qc	0.030	1.040	101	75-125	1.040	1.030	100	1.0	10	100	90-110	<0.005
Beryllium ug/L	2.50	102	85-115	2.50	25251003qc	<0.05	2.66	106	75-125	2.66	2.61	104	1.9	10	106	90-110	<0.05
Boron mg/L	1.000	104	85-115	1.00	23A8450qc	0.219	1.210	99	75-125	1.210	1.200	98	0.8	10	98	90-110	<0.1
Cadmium ug/L	5.00	105	85-115	5.00	25251003qc	<0.1	5.05	101	75-125	5.05	4.89	98	3.2	10	102	90-110	<0.1
Calcium mg/L	50.00	106	85-115	50.0	23A8450qc	542.0	608.0	132	75-125	608.0	594.0	104	2.3	10	102	90-110	<0.5
Chloride mg/L	-	-	-	60.0	23-A8450	3.6	64.0	101	86-117	64.0	63.0	99	1.6	5	98	90-110	<0.5
Chromium ug/L	25.0	102	85-115	25.0	25251003qc	1.03	26.7	103	75-125	26.7	26.0	100	2.7	10	104	90-110	<0.5
Cobalt mg/L	1.000	105	85-115	1.00	23A8450qc	0.010	0.995	98	75-125	0.995	0.994	98	0.1	10	100	90-110	<0.005
Fluoride mg/L	-	-	-	1.00	23-A8447	0.180	1.09	91	75-125	1.09	1.10	92	0.9	10	94	90-110	<0.02
Lead ug/L	25.0	101	85-115	25.0	25251003qc	<0.5	26.8	107	75-125	26.8	26.8	107	0.0	10	102	90-110	<0.5
Lithium mg/L	1.000	108	85-115	1.00	23-A8450qc	0.278	1.320	104	75-125	1.320	1.310	103	0.8	10	103	90-110	<0.02
Mercury ug/L	-	-	-	0.10	23-A8481	<0.005	0.073	73	63-111	0.073	0.073	73	0.0	18	98	76-113	<0.005 <0.005
Molybdenum ug/L	25.0	101	85-115	25.0	25251003qc	0.76	24.8	96	75-125	24.8	26.2	102	5.5	10	102	90-110	<0.5
pH units	-	-	-	-	-	-	-	-	-	6.9	6.9	-	0.0	2.5	101	90-110	-
Selenium ug/L	25.0	106	85-115	25.0	25251003qc	<1	30.4	122	75-125	30.4	28.0	112	8.2	10	106	90-110	<0.5
Solids, Total Dissolved mg/L	-	-	-	-	-	-	-	-	-	4220	4190	-	0.7	7	100	85-115	<10
Sulfate mg/L	-	-	-	500	23-A8450	2320	2900	116	68-132	2900	2850	106	1.7	5	100	80-120	<5
Thallium ug/L	5.00	101	85-115	5.00	25251003qc	<0.1	5.38	108	75-125	5.38	5.43	109	0.9	10	102	90-110	<0.1

Approved by: 

The calcium matrix spike recovery was above the acceptance limits, see narrative.

This is an exact copy of the original document
 By AS Date 21 Aug 23
 pages 1-6

Minnesota Valley Testing Laboratories

1126 North Front Street New Ulm, MN 56003
 Phone: 800 782 3557 Fax: 507 359 2890

Field Service Chain of Custody Record

Project Otter Tail Power Company	Project Type: Big Stone Plant CCR	Name of Samplers: MS DS
Report Otter Tail Power Company	Carbon Copy: Barr Engineering	Quote Number:
Attn: Paul Vukonich	Attn:	Work Order Number: 31-235
Address P.O. Box 496	Address:	Lab Numbers:
Fergus Falls, MN 56538-0496		
Phone: 218-739-8349		

Sample Information					Bottle Type										Analysis					
Lab Number	Sample ID	Unique Station ID	Date	Time	Sample Type	Sample Location	1000 HNO3 Inner	500 None	1000 none	500 HNO3	Filter? Y or N	500 H2SO4	Filter? Y or N	1000 Amber none	1000 Amber H2SO4	500 NaOH	Other: 150 H2SO4	Other: 150 None	Analysis Required	
ASV17	H10		21 Aug 23	1035	GW				1	1	N			1						CCR 3&4
48	H11		21 Aug 23	1045	GW				1	1	N			1						CCR 3&4

Comments:

Samples Relinquished By: <u>[Signature]</u>			Samples Received By: <u>A. Lueder</u>		
Date: <u>21 Aug 23</u>	Time: <u>1517</u>	Temp: <u>26.0C</u>	Date: <u>21 Aug 23</u>	Time: <u>1517</u>	Temp: <u>26.0C</u>
Samples Relinquished into: <u>Fridge</u> Log in Cart Other.					
Samples Relinquished By:			Samples Received By:		
Date:	Time:	Temp:	Date:	Time:	Temp:
Delivery: Samplers Other.			Seal Number(s) - If Used		
Transport: Ambient <u>Ice</u> Other.			Seals Intact?		Yes No

Minnesota Valley Testing Laboratories, Inc.

New Ulm, MN 56073

507 354 8517

Groundwater Assessment

Sampling Personnel: MS

Site: Otter Tail Power Co./ Big Stone

Facility ID: _____

Date: 21 Aug 23

Unique Station ID: _____

Sample ID: H10

Well Condition

Well Locked? Yes No

Well Labeled? Yes No

Casing Straight? Yes No

Repairs Necessary: _____

Protective Posts? Yes No

State ID Tag? Yes No

Grout Seal Intact? Yes No

Well Information

Well Depth: 35.49

Constructed Depth: _____

Casing Diameter: 2"

Water Level Before Purge: 15.47

Well Volume: 3.26 Gallons

Well Casing Elevation: 1090.83

Static Water Elevation: 1075.36

Previous Static: _____

Water Level After Sample: 27.28

Measurement Method: Elec. WLI Steel Tape

Sampling Information

Weather Conditions: Temp: SE 10 Wind: 69 Sky: Fair

Sampling Method: Grundfos Bladder SST Disp. Baller Whale Grab Other:

Dedicated Equipment: Yes No

Pumping Rate: 1.25 gpm

Well Purged Dry? Yes No

Time Pump Began: 1017 am / pm

Time Purged Dry? 1030

Time of Sampling: 1035 am / pm

Duplicate Sample? Yes No ID: _____

Sample EH: 166.5

Sample Appearance: General: clear Color: none Phase: none Odor: none

(3) Time	pH	Specific Cond.	Temp °C	D. O. mg/L	Turbidity NTU	Gallons Removed	SEQ #	Comments:
1030	6.83	4552	8.73	NA	NA	3.25	1	
1035	6.88	4693	8.93	NA	NA	-	2	recharge
							3	
							4	
							5	

Stabiliz Yes No Amount Water Removed: _____ Gallons

Comments:

-OK recharge

Exceptions to Protocol: _____

W.L. @ 1130 am = 23.99

start purge @ 1132 am @ 0.25 gpm until dry @ 1150 am W.L. below Pump

Minnesota Valley Testing Laboratories, Inc.

New Ulm, MN 56073

507 354 8517

Groundwater Assessment

Sampling Personnel: DS

Site: Otter Tail Power Co./Big Stone
 Facility ID: _____
 Date: 21 Aug 23
 Unique Station ID: _____
 Sample ID: H11

Well Condition

Well Locked? Yes No
 Well Labeled? Yes No
 Casing Straight? Yes No
 Repairs Necessary: _____

Protective Posts? Yes No
 State ID Tag? Yes No
 Grout Seal Intact? Yes No

Well Information

Well Depth: 42.15
 Constructed Depth: —
 Casing Diameter: 2"
 Water Level Before Purge: 13.95
 Well Volume: 4.66 Gallons

Well Casing Elevation: 1093.24
 Static Water Elevation: 1079.25
 Previous Static: 1082.58
 Water Level After Sample: 33.68
 Measurement Method: Elec. WL Steel Tape

Sampling Information

Weather Conditions: Temp: 68° Wind: W@10 Sky: Clear
 Sampling Method: Grundfos ~~Bladder SBT~~ Disp. Bailer Whale Grab Other: _____
 Dedicated Equipment: Yes No Pumping Rate: 0.25 gpm
 Well Purged Dry? Yes No Time Pump Began: 1022 (am) / pm
 Time Purged Dry? 1041 Time of Sampling: 1048 (am) / pm
 Duplicate Sample? Yes No ID: _____ Sample EH: -13.3
 Sample Appearance: General: Clear Color: None Phase: None Odor: None

Time	pH	Specific Cond.	Temp °C	D. O. mg/L	Turbidity NTU	Gallons Removed	SEQ #	Comments:
1044	6.66	4219	9.61	1.32	5.2	4.75	1	
							2	
							3	
							4	
1046	6.70	4298	9.68	3.15	0.2	—	5	recheck

Stabiliz Yes No Amount Water Removed: 4.5 Gallons
 Comments: _____

Exceptions to Protocol:

State + CCR

W.L. @ 1135: 32.44

Started purge @ 1137 @ 0.25 g/min.

went dry @ 1157

August 2023

2023 Big Stone Sampling - CCR

Landfill or ADA wells

Site	Parameter List	Well Depth (constructed)	Diameter (Inches)	Well Elevation (TOC)	Sample Equipment	Dedicated?	Pump Rate (ml/minute)	Goes Dry?	Sampling Seasons**
H2OX	CCR 3 W.L. only	32.20	2	1103.86	Bladder	Yes	100	Yes	April & Oct
H3OX	CCR 3	22.55	2	1095.26	Bladder	Yes	100	Yes	April & Oct
H4OX	CCR 3	27.20	2	1108.25	Bladder	Yes	100	No	April & Oct
H6	CCR 3	15.00	2	1097.76	Bladder	Yes	100	Yes	April & Oct
H8	CCR 3	22.05	2	1081.23	Bladder	Yes	100	No	April & Oct
H9	CCR 3	30.20	2	1086.21	Bladder	Yes	100	No	April & Oct
H10	CCR 3 and 4	35.49	2	1090.83	Bladder	Yes	100		See highlighted note below
H11	CCR 3 and 4	42.15	2	1093.24	Bladder	Yes	100		See highlighted note below

Note: Wells H10 and H11 need to be sampled 8 times for CCR this year. Background sampling like 5 years ago. We want to sample in April - November. Each event has to be about 30 days apart. Also, during every sampling event for the CCR, we will need water levels on the CCR wells not sampled.

Note: CCR sampling is for total recoverable metals. They are not filtered in the field.

CCR 3 & 4 parameters see the first two tabs labeled CCR 3 and CCR 4

CCR - Appendix III Detection Monitoring

Field Parameters

pH*

* Field and Laboratory Measurements

Total Concentration Parameters

	Method
Boron	6010
Calcium	6010
Chloride	SM4500 CL E
Fluoride	EPA 300
pH	SM 4500 H+B-96
Sulfate	ASTM D516
Dissolved Solids, Total	SM 2540 C-97

Note: These are non-filtered samples.

CCR - Appendix IV - Assessment Monitoring

Total Concentration Parameters	Method
Antimony	SW6020A
Arsenic	SW602A
Barium	SW6010C
Beryllium	SW6020A
Cadmium	SW6020A
Chromium, Total	SW6020A
Cobalt	SW6010C
Fluoride	EPA 300
Lead	SW6020A
Lithium	SW6010C
Mercury	EPA 245.7
Molybdenum	SW6020A
Selenium	SW6020A
Thallium	SW6020A
Radium 226 + 228	

Note: These are non-filtered samples.



Pace Analytical Services, LLC
1700 Elm Street
Minneapolis, MN 55414
(612)807-1700

October 16, 2023

Todd Rieger
MVTL Laboratories
1126 North Front Street
New Ulm, MN 56073

RE: Project: 31-0235 Otter Tail Power
Pace Project No.: 10666268

Dear Todd Rieger:

Enclosed are the analytical results for sample(s) received by the laboratory on August 23, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Piper Gibbs
piper.gibbs@pacelabs.com
(612)607-1700
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Pace Analytical Services, LLC
1700 Elm Street
Minneapolis, MN 55414
(612)607-1700

SAMPLE SUMMARY

Project: 31-0235 Otter Tail Power
Pace Project No.: 10666288

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10666288001	23A8447-H10	Water	08/21/23 10:35	08/23/23 09:54
10666288002	23A8448-H11	Water	08/21/23 10:45	08/23/23 09:54

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CHAIN-OF-CUSTODY / Analytical Request

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be filled out.

WO#: 10666268



Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company: MVTL		Report To: Todd Rieger		Attention: AP	
Address: 1126 NORTH FRONT BLDG #2 NEW ULM, MN 56073		Copy To: trieger@mvtl.com		Company Name: MVTL	
Email To: alfelder@mvtl.com		Purchase Order No.: CL13299		Address: 1126 NORTH FRONT BLDG 2	
Phone: 507-233-7134 Fax:		Project Name: Otter Tail Power		Price Quote Reference:	
Requested Due Date/TAT: standard		Project Number: Work order: 31-0235		Pace Project Manager:	
				Pace Profile #:	
				REGULATORY AGENCY:	
				<input type="checkbox"/> NPDES <input checked="" type="checkbox"/> GROUND WATER <input type="checkbox"/> DRINKING WATER <input checked="" type="checkbox"/> UST <input type="checkbox"/> RCRA <input type="checkbox"/> OTHER	
				State Location: MN	
				STATE: MN	

ITEM #	Section D Required Client Information	Valid Matrix Codes MATRIX CODE	COLLECTED	PRESERVATIVES	ANALYSIS	Requested Analysis Filtered (Y/N)																	
						MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G-GRAB C-COMP)	COMPOSITE		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Unpreserved	H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ S ₂ O ₃	Methanol	Other	2,3,7,8 TCDD method 16	Radium 226/228	PFAs State Pricing	Residual Chlorine (Y/N)
								DATE	TIME														
	SAMPLE ID (A-Z, 0-9 / -) Sample IDs MUST BE UNIQUE	DRINKING WATER DW WATER WT WASTE WATER WW PRODUCT P SOL/SOLID S GIL WPE AIR AR OTHER OT TISSUE TI	DATE TIME DATE TIME	Unpreserved H ₂ SO ₄ HNO ₃ HCl NaOH Na ₂ S ₂ O ₃ Methanol Other	DATE TIME																		
	23A8447 - H10	WT																					
	23A8448 - H11	WT																					

ADDITIONAL COMMENTS	REUNQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
				<i>[Signature]</i>	8/23/23	9:54	29	Y	N	Y

SAMPLER NAME AND SIGNATURE							Temp in °C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
PRINT Name of SAMPLER:										
SIGNATURE of SAMPLER:							DATE Signed (MM/DD/YY):			

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

DC# Title: ENV-FRM-MIN4-0150 v13_Sample Condition Upon Receipt (SCUR)

Effective Date: 4/14/2023

Sample Condition Upon Receipt Client Name: MVTL

Project #: **WO#: 10666268**
PM: PG Due Date: 09/22/23
CLIENT: MVTL

Courier: FedEx UPS USPS Client
 Pace Speedee Commercial

Tracking Number: See Exceptions ENV-FRM-MIN4-0142

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No
Biological Tissue Frozen? Yes No N/A
Packing Material: Bubble Wrap Bubble Bags None Other Temp Blank? Yes No
Thermometer: T1 (0461) T2 (0436) T3 (0459) T4 (0402) T5 (0178)
Type of Ice: Wet Blue Dry None
 T6 (0235) T7 (0042) T8 (0775) T9 (0727) 01339252/1710 Melted

Did Samples Originate in West Virginia? Yes No Were All Container Temps Taken? Yes No N/A
Temp should be above freezing to 6 °C Cooler temp Read w/Temp Blank: 3.4 °C Average Corrected Temp (no temp blank only): _____ °C
Correction Factor: -0.15 Cooler Temp Corrected w/temp blank: 2.9 °C See Exceptions ENV-FRM-MIN4-0142 1 Container

USDA Regulated Soil: N/A (water) sample/other: _____

Date/Initials of Person Examining Contents: ELG-23-23

Did samples originate in a quarantine zone within the United States: AL, AR, AZ, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check maps)? Yes No

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MIN4-0154) and include with SCUR/COC paperwork.

Location (Check one): <input type="checkbox"/> Duluth <input checked="" type="checkbox"/> Minneapolis <input type="checkbox"/> Virginia	COMMENTS
Chain of Custody Present and Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No 1.
Chain of Custody Relinquished?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No 2.
Sampler Name and/or Signature on COC?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A 3.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No 4. If fecal: <input type="checkbox"/> <8 hrs <input type="checkbox"/> >8 hr, <24 <input type="checkbox"/> No
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No 5. <input type="checkbox"/> Fecal Coliform <input type="checkbox"/> HPC <input type="checkbox"/> Total Coliform/Ecoli <input type="checkbox"/> BOD/cBOD <input type="checkbox"/> Hex Chrom <input type="checkbox"/> Turbidity <input type="checkbox"/> Nitrate <input type="checkbox"/> Nitrite <input type="checkbox"/> Orthophos <input type="checkbox"/> Other
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No 6.
Sufficient Sample Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No 7.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A 8.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No 9.
Field Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A 10. Is sediment visible in the dissolved container? <input type="checkbox"/> Yes <input type="checkbox"/> No
Is sufficient information available to reconcile the samples to the COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No 11. If no, write ID/Date/Time of container below: <input type="checkbox"/> See Exceptions ENV-FRM-MIN4-0142
Matrix: <input checked="" type="checkbox"/> Water <input type="checkbox"/> Soil <input type="checkbox"/> Oil <input type="checkbox"/> Other	
All containers needing acid/base preservation have been checked?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A 12. Sample # <input type="checkbox"/> NaOH <input type="checkbox"/> HNO3 <input type="checkbox"/> H2SO4 <input type="checkbox"/> Zinc Acetate
All containers needing preservation are found to be in compliance with EPA recommendation (HNO3, H2SO4, <2pH, NaOH >9 Sulfide, NaOH >10 Cyanide)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Exceptions: VOA, Coliform, TOC/DOC Oil and Grease, DRO/B015 (water) and Dioxins/PFAS (*If adding preservative to a container, it must be added to associated field and equipment blanks--verify with PM first.)	Positive for Residual Chlorine? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> See Exceptions ENV-FRM-MIN4-0142 pH Paper Lot # Residual Chlorine D-6 Roll O-6 Strip O-14 Strip
Headspace in Methyl Mercury Container?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A 13.
Extra labels present on soil VOA or WIDRO containers?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A 14. <input type="checkbox"/> See Exceptions ENV-FRM-MIN4-0142
Headspace in VOA Vials (greater than 6mm)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
3 Trip Blanks Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A 15.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Pace Trip Blank Lot # (if purchased): _____

CLIENT NOTIFICATION/RESOLUTION

Person Contacted: _____ Date/Time: _____

Comments/Resolution: Paper J. Wilkes

Project Manager Review: _____ Date: 8/23/23

Field Data Required? Yes No

NOTE: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DENR Certification Office (i.e., out of hold, incorrect preservative, out of temp, incorrect containers).

Labeled By: EL

Line: 2
Page 1 of 1



ANALYTICAL REPORT

October 16, 2023

- ¹³⁷Cs
- ²Tc
- ³Ss
- ⁴Cn
- ⁵Sr
- ⁶Qc
- ⁷Gl
- ⁸Al
- ⁹Sc


Pace Analytical - Minnesota

Sample Delivery Group: L1654185
 Samples Received: 09/08/2023
 Project Number: 10666268
 Description: 31-0235 Otter Tail Power
 Site: 001
 Report To: Piper Gibbs

Entire Report Reviewed By:

Donna Eldson
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.



Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

ACCOUNT:
Pace Analytical - Minnesota

PROJECT:
10666268

SDG:
L1654185

DATE/TIME:
10/16/23 16:40

PAGE:
1 of 11

TABLE OF CONTENTS

Cp: Cover Page	1	¹ Cp
Tc: Table of Contents	2	
Ss: Sample Summary	3	³ Ss
Cn: Case Narrative	4	⁴ Cn
Sr: Sample Results	5	⁵ Sr
23A8447-H10 L1654185-01	5	
23A8447-H11 L1654185-02	6	
Qc: Quality Control Summary	7	⁶ Qc
Radiochemistry by Method 904/9320	7	
Radiochemistry by Method SM7500Ra B M	8	
Gl: Glossary of Terms	9	⁷ Gl
At: Accreditations & Locations	10	⁸ At
Sc: Sample Chain of Custody	11	⁹ Sc

SAMPLE SUMMARY

23A8447-H10 L1654185-01 Non-Potable Water

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 9049320	WG2141139	1	09/28/23 12:39	10/10/23 21:14	DDD	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG2135792	1	09/20/23 16:26	09/22/23 13:29	RGT	Mt. Juliet, TN

23A8447-H11 L1654185-02 Non-Potable Water

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 9049320	WG2141139	1	09/28/23 12:39	10/10/23 21:14	DDD	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG2135792	1	09/20/23 16:26	09/22/23 13:29	RGT	Mt. Juliet, TN

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gf
- 8 Al
- 9 Sc

Collected by: _____ Collected date/time: 08/21/23 10:35 Received date/time: 09/08/23 09:00

Collected by: _____ Collected date/time: 08/21/23 10:45 Received date/time: 09/08/23 09:00

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All radiochemical sample results for solids are reported on a dry weight basis with the exception of tritium, carbon-14 and radon, unless wet weight was requested by the client. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Donna Eidson
Project Manager

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

23A8447-H10

SAMPLE RESULTS - 01

Collected date/time: 08/21/23 10:35

L1654185

Radiochemistry by Method 904/9320

Analyte	Result	Qualifier	Uncertainty	MDA	Analysis Date	Batch
	pCi/l		+/-	pCi/l	date / time	
RADIUM-228	0.465	J	0.265	0.476	10/10/2023 21:14	WG2141139
(f) Bismuth	94.8			30.0-143	10/10/2023 21:14	WG2141139
(f) Yttrium	108			30.0-136	10/10/2023 21:14	WG2141139

1 Cp

2 Tc

3 Ss

Radiochemistry by Method SM7500Ra B M

Analyte	Result	Qualifier	Uncertainty	MDA	Analysis Date	Batch
	pCi/l		+/-	pCi/l	date / time	
RADIUM-226	0.290		0.217	0.220	09/22/2023 13:29	WG2135792
(f) Barium-133	103			30.0-143	09/22/2023 13:29	WG2135792

4 Cn

5 Sr

6 Qc

7 GI

8 Al

9 Sc

23A8447-H11

SAMPLE RESULTS - 02

Collected date/time: 08/21/23 10:45

L1654185

Radiochemistry by Method 904/9320

Analyte	Result pCi/l	Qualifier	Uncertainty +/-	MDA pCi/l	Analysis Date date / time	Batch
RADIUM-228	0.798		0.293	0.518	10/10/2023 21:14	WG2141139
(f) Barium	75.1			30.0-143	10/10/2023 21:14	WG2141139
(f) Yttrium	109			30.0-136	10/10/2023 21:14	WG2141139

1 Cp

2 Tc

3 Ss

Radiochemistry by Method SM7500Ra B M

Analyte	Result pCi/l	Qualifier	Uncertainty +/-	MDA pCi/l	Analysis Date date / time	Batch
RADIUM-226	1.83		0.496	0.198	09/22/2023 13:29	WG2135792
(f) Barium-133	91.4			30.0-143	09/22/2023 13:29	WG2135792

4 Cn

5 Sr

6 Qc

7 Gf

8 Al

9 Sc

WG2141139

QUALITY CONTROL SUMMARY

Radiochemistry by Method 904/9320

L1654185-01.02

Method Blank (MB)

(MB) R3986066-2 10/10/23 21:14

Analyte	MB Result pCi/l	MB Qualifier	MB Uncertainty +/-	MB MDA pCi/l
Radium-228	0.552		0.250	0.216
(T) Barium	90.6		90.6	
(T) Yttrium	97.8		97.8	

L1654164-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1654164-06 10/10/23 21:14 • (DUP) R3986066-5 10/10/23 21:14

Analyte	Original Result pCi/l	Original Uncertainty +/-	Original MDA pCi/l	DUP Result pCi/l	DUP Uncertainty +/-	DUP MDA pCi/l	Dilution	DUP RPD %	DUP RER	DUP Qualifier	DUP RPD Limits %	DUP RER Limit
Radium-228	3.28	0.527	0.888	4.84	0.426	0.642	1	38.6	2.31		20	3
(T) Barium	85.5			89.8	89.8							
(T) Yttrium	110			102	102							

Laboratory Control Sample (LCS)

(LCS) R3986066-1 10/09/23 21:19

Analyte	Spike Amount pCi/l	LCS Result pCi/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Radium-228	5.00	5.75	115	80.0-120	
(T) Barium			88.2		
(T) Yttrium			96.6		

L1654164-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1654164-02 10/10/23 21:14 • (MS) R3986066-3 10/10/23 21:14 • (MSD) R3986066-4 10/10/23 21:14

Analyte	Spike Amount pCi/l	Original Result pCi/l	MS Result pCi/l	MSD Result pCi/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	MS RER	RPD Limits %
Radium-228	16.7	4.01	19.8	20.5	94.7	98.6	1	70.0-130			3.18		20
(T) Barium		107			84.9	75.5							
(T) Yttrium		106			110	100							

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

WG2135792

QUALITY CONTROL SUMMARY

Radiochemistry by Method SM7500Ra-B M

L1654185-01,02

Method Blank (MB)

(MB) R3977554-1 09/22/23 13:29

Analyte	MB Result pCi/l	MB Qualifier	MB Uncertainty +/-	MB MDA pCi/l
Radium-226	0.107	J	0.0977	0.123
(T) Barium-133	62.4		62.4	

L1654251-06 Original Sample (OS) - Duplicate (DUP)

(OS) L1654251-06 09/22/23 13:29 • (DUP) R3977554-5 09/22/23 13:29

Analyte	Original Result pCi/l	Original Uncertainty +/-	Original MDA pCi/l	DUP Result pCi/l	DUP Uncertainty +/-	DUP MDA pCi/l	Dilution	DUP RPD %	DUP RER	DUP Qualifier	DUP RPD Limits %	DUP RER Limit
Radium-226	0.177	0.231	0.331	0.0924	0.222	0.374	1	63.0	0.265	U	20	3
(T) Barium-133	90.1			69.8	69.8							

Laboratory Control Sample (LCS)

(LCS) R3977554-2 09/22/23 13:29

Analyte	Spike Amount pCi/l	LCS Result pCi/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Radium-226	5.01	4.85	96.9	80.0-120	
(T) Barium-133			73.3		

L1654251-01 Original Sample (OS) - Matrix Spike (MS) - Matrix Spike Duplicate (MSD)

(OS) L1654251-01 09/22/23 13:29 • (MS) R3977554-3 09/22/23 13:29 • (MSD) R3977554-4 09/22/23 13:29

Analyte	Spike Amount pCi/l	Original Result pCi/l	MS Result pCi/l	MSD Result pCi/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	MS RER	RPD Limits %
Radium-226	20.0	1.09	20.0	19.6	94.3	92.5	1	75.0-125			1.77		20
(T) Barium-133		85.8			83.7	60.8							

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gf
- 8 Al
- 9 Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.


Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDA	Minimum Detectable Activity.
Rec.	Recovery.
RER	Replicate Error Ratio.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(T)	Tracer - A radioisotope of known concentration added to a solution of chemically equivalent radioisotopes at a known concentration to assist in monitoring the yield of the chemical separation.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
U	Below Detectable Limits: Indicates that the analyte was not detected.



ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey - NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ²	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio - VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	1A000356
Kentucky ^{1,4}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	A130792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	AZLA
A2LA - ISO 17025	1461.01	AIHA-LAP, LLC EMLAP	100789
A2LA - ISO 17025 ⁵	1461.02	DDD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA - Crypto	TN00003		

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 GI
- 8 AI
- 9 Sc

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable
^{*} Not all certifications held by the laboratory are applicable to the results reported in the attached report.
^{*} Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:			
Company: MVTL		Report To: Todd Rieger		Attention: AP			
Address: 1126 NORTH FRONT BLDG #2 NEW ULM, MN 56073		Copy To: trieger@mvtl.com		Company Name: MVTL		REGULATORY AGENCY:	
Email To: alieder@mvtl.com		Purchase Order No.: CL13299		Address: 1126 NORTH FRONT BLDG 2		<input type="checkbox"/> NPDES <input checked="" type="checkbox"/> GROUND WATER <input type="checkbox"/> DRINKING WATER <input type="checkbox"/> UST <input type="checkbox"/> RCRA <input type="checkbox"/> OTHER _____	
Phone: 507-233-7134 Fax:		Project Name: Otter Tail Power		Pace Quote Reference:		Site Location:	
Requested Due Date/TAT: standard		Project Number: Work order: 31-0235		Pace Project Manager:		STATE: MN	
				Pace Profile #:			

ITEM #	Section D Required Client Information	Valid Matrix Codes MATRIX CODE	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives						Analysis Test (Y/N)	Requested Analysis Filtered (Y/N)	Residual Chlorine (Y/N)	Pace Project No./ Lab I.D.					
					COMPOSITE START		COMPOSITE END/GRAB				Unpreserved	H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ S ₂ O ₃					Methanol	Other	2,3,7,8 TCDD method 16	Radium 226/228	PFAs State Pricing
					DATE	TIME	DATE	TIME																	
1	23A8447 - H10	WT					08/21/23	10:35	1																
2	23A8448 - H11	WT					08/21/23	10:45	1																
3																									
4																									
5																									
6																									
7																									
8																									
9																									
10																									
11																									
12																									

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS

SAMPLER NAME AND SIGNATURE		Temp in °C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
PRINT Name of SAMPLER:					
SIGNATURE of SAMPLER:					



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvtl.com



Page: 1 of 11

FINAL REPORT COMPLETION DATE: 27 Nov 23

Date Reported: 22 Nov 2023

JOSH HOLLEN
OTTER TAIL POWER CO
PC BOX 496
FERGUS FALLS MN 56538-0496

Work Order #: 31-0271
Account #: 006106
PO #: 59601

Project Name: BIG STONE PLANT CCR

[Signature] 22 Nov 23
Field Service Manager/Date Reviewed

[Signature] 22 Nov 23
Chemistry Lab Manager/Date Reviewed

[Signature] 22 Nov 2023
Quality Assurance Director/Date Reviewed

- RL = Reporting Limits
- NQ = Not Present, Qualitative Only
- PQ = Present, Qualitative Only
- ND = Not Determined

All data for this report has been approved by MVTL Laboratory Management.

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvtl.com



Page: 2 of 11

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Report Date: 22 Nov 2023
Lab Number: 23-A9310
Work Order #: 31-0271
Account #: 006106
Sample Matrix: GROUNDWATER
Date Sampled: 17 Oct 2023 12:10
Sampled By: MVTL FIELD PERSONNEL
Date Received: 17 Oct 2023 16:30
PO #: 59601

Project Name: BIG STONE PLANT CCR

Sample Description: H20X

Temp at Receipt: 0.5C

	As Received Result		Method RL	Method Reference	Date Analyzed	Analyst
Water Digestions					19 Oct 23	JN
pH, Field	6.52	units	1.00	SM4500-H+-2011	17 Oct 23 12:10	BMW
pH	* 7.2	units	1.0	SM 4500 H+ B-2000	18 Oct 23 10:53	HO
Sulfate	1720 ~	mg/L	5.0	ASTM D516-11	19 Oct 23 11:10	SS
Chloride	3.5	mg/L	3.0	SM 4500 Cl E	19 Oct 23 10:05	KRM
Solids, Total Dissolved	3610	mg/L	10	SM 2540 C-97	19 Oct 23 9:20	CC
Calcium	521.0	mg/L	0.500	SW6010D	23 Oct 23 12:34	RMV
	~See Narrative					
Boron	0.258	mg/L	0.100	SW6010D	23 Oct 23 12:34	RMV
Fluoride	0.320	mg/L	0.020	EPA 300.0	28 Oct 23 0:59	RMV

* Holding Time Exceeded

~ Sample diluted due to result above calibration of linear range.

RL = Reporting Limit

Analyses performed under our Minnesota Department of Health Accreditation conform to the current TNI standards.

The reporting limit was elevated for any analyte requiring a dilution as coded below:

0 = Due to sample matrix

= Due to concentration of other analytes

1 = Due to sample quantity

+ = Due to internal standard response

CERTIFICATION: MN LAD # 027-015-125 ND NH/DH # R-040



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvtl.com



Page: 3 of 11

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Report Date: 22 Nov 2023
Lab Number: 23-A9311
Work Order #: 31-0271
Account #: 006106
Sample Matrix: GROUNDWATER
Date Sampled: 17 Oct 2023 10:22
Sampled By: MVTL FIELD PERSONNEL
Date Received: 17 Oct 2023 16:30
PO #: 59601

Project Name: BIG STONE PLANT CCR

Sample Description: H30X

Temp at Receipt: 0.5C

	As Received Result		Method RL	Method Reference	Date Analyzed	Analyst
Water Digestions					19 Oct 23	JN
pH, Field	6.43	units	1.00	SM4500-H+-2011	17 Oct 23 10:22	BMW
pH	* 7.2	units	1.0	SM 4500 H+ B-2000	18 Oct 23 10:53	HO
Sulfate	1340 ~	mg/L	5.0	ASTM D516-11	19 Oct 23 11:10	SS
Chloride	65.3	mg/L	3.0	SM 4500 Cl E	19 Oct 23 10:22	KRM
Solids, Total Dissolved	2880	mg/L	10	SM 2540 C-97	19 Oct 23 9:20	CC
Calcium	405.0	mg/L	0.500	SW6010D	23 Oct 23 12:34	RMV
	~See Narrative					
Boron	7.310 ~	mg/L	0.100	SH6010D	23 Oct 23 12:34	RMV
Fluoride	0.370 ~	mg/L	0.020	EPA 300.0	28 Oct 23 8:59	RMV

* Holding Time Exceeded

~ Sample diluted due to result above calibration of linear range.

RL = Reporting Limit

Analyses performed under our Minnesota Department of Health Accreditation conform to the current TNI standards.
The reporting limit was elevated for any analyte requiring a dilution as coded below:

@ = Due to sample matrix

= Due to concentration of other analytes

! = Due to sample quantity

+ = Due to internal standard response

CERTIFICATION: MN LAB # 027-015-125 ND NW/DW # R-040

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvtl.com



Page: 4 of 11

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Report Date: 22 Nov 2023
Lab Number: 23-A9312
Work Order #: 31-0271
Account #: 006106
Sample Matrix: GROUNDWATER
Date Sampled: 17 Oct 2023 11:04
Sampled By: MVTL FIELD PERSONNEL
Date Received: 17 Oct 2023 16:30
PO #: 59601

Project Name: BIG STONE PLANT CCR

Sample Description: H40X

Temp at Receipt: 0.5C

	As Received Result		Method RL	Method Reference	Date Analyzed	Analyst
Water Digestions					19 Oct 23	JN
pH, Field	6.52	units	1.00	SM4500-H+-2011	17 Oct 23 11:04	BMV
pH	* 7.2	units	1.0	SM 4500 H+ B-2000	18 Oct 23 10:53	HO
Sulfate	987 ~	mg/L	5.0	ASTM D516-11	19 Oct 23 11:10	SS
Chloride	41.7	mg/L	3.0	SM 4500 Cl E	19 Oct 23 10:22	KRM
Solids, Total Dissolved	2160	mg/L	10	SM 2540 C-97	19 Oct 23 9:20	CC
Calcium	321.0	mg/L	0.500	SW6010D	23 Oct 23 13:13	RMV
Boron	0.564	mg/L	0.100	SW6010D	23 Oct 23 13:13	RMV
Fluoride	0.480	mg/L	0.020	EPA 300.0	28 Oct 23 0:59	RMV

* Holding Time Exceeded

~ Sample diluted due to result above calibration of linear range.

RL = Reporting Limit

Analyses performed under our Minnesota Department of Health Accreditation conform to the current TNI standards.
The reporting limit was elevated for any analyte requiring a dilution as coded below:

@ = Due to sample matrix

= Due to concentration of other analytes

! = Due to sample quantity

+ = Due to internal standard response

CERTIFICATION: MN LAB # 027-015-125 ND WH/DW # R-040



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvtl.com



Page: 5 of 11

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Report Date: 22 Nov 2023
Lab Number: 23-A9313
Work Order #: 31-0271
Account #: 006106
Sample Matrix: GROUNDWATER
Date Sampled: 17 Oct 2023 11:57
Sampled By: MVT L FIELD PERSONNEL
Date Received: 17 Oct 2023 16:30
PO #: 59601

Project Name: BIG STONE PLANT CCR

Sample Description: H6

Temp at Receipt: 0.5C

	As Received Result		Method RL	Method Reference	Date Analyzed	Analyst
Water Digestions					19 Oct 23	JN
pH, Field	7.56	units	1.00	SM4500-H+-2011	17 Oct 23 11:04	DGF
pH	* 7.6	units	1.0	SM 4500 H+ B-2000	18 Oct 23 10:53	HO
Sulfate	80.6	mg/L	5.0	ASTM D516-11	19 Oct 23 11:10	SS
Chloride	< 3	mg/L	3	SM 4500 Cl E	19 Oct 23 10:22	KRM
Solids, Total Dissolved	558	mg/L	10	SM 2540 C-97	19 Oct 23 9:20	CC
Calcium	64.70 @	mg/L	0.500	SW6010D	23 Oct 23 13:13	RMV
Boron	2.350 @	mg/L	0.100	SW6010D	23 Oct 23 13:13	RMV
Fluoride	0.430	mg/L	0.020	EPA 300.0	28 Oct 23 0:59	RMV

* Holding Time Exceeded

RL = Reporting Limit
Analyses performed under our Minnesota Department of Health Accreditation conform to the current TNI standards.
The reporting limit was elevated for any analyte requiring a dilution as coded below:
@ = Due to sample matrix # = Due to concentration of other analytes
! = Due to sample quantity + = Due to internal standard response

CERTIFICATION: MN LAB # 027-015-125 ND NM/DM # R-040

MVT L guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVT L to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVT L. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvttl.com



Page: 6 of 11

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Report Date: 22 Nov 2023
Lab Number: 23-A9314
Work Order #: 31-0271
Account #: 006106
Sample Matrix: GROUNDWATER
Date Sampled: 17 Oct 2023 12:35
Sampled By: MVTL FIELD PERSONNEL
Date Received: 17 Oct 2023 16:30
PO #: 59601

Project Name: BIG STONE PLANT CCR

Sample Description: H8

Temp at Receipt: 0.5C

	As Received Result		Method RL	Method Reference	Date Analyzed	Analyst
Water Digestions					19 Oct 23	JN
pH, Field	7.22	units	1.00	SM4500-H+-2011	17 Oct 23 12:35	DGF
pH	* 7.5	units	1.0	SM 4500 H+ B-2000	18 Oct 23 10:53	HO
Sulfate	321	mg/L	5.0	ASTM D516-11	19 Oct 23 11:49	SS
Chloride	3.4	mg/L	3.0	SM 4500 Cl E	19 Oct 23 10:22	KRM
Solids, Total Dissolved	973	mg/L	10	SM 2540 C-97	19 Oct 23 9:20	CC
Calcium	128.0	mg/L	0.500	SW6010D	23 Oct 23 13:13	RMV
Boron	3.360	mg/L	0.100	SW6010D	23 Oct 23 13:13	RMV
Fluoride	0.510	mg/L	0.020	EPA 300.0	28 Oct 23 0:59	RMV

* Holding Time Exceeded

~ Sample diluted due to result above calibration of linear range.

RL = Reporting Limit

Analyses performed under our Minnesota Department of Health Accreditation conform to the current TNI standards. The reporting limit was elevated for any analyte requiring a dilution as coded below:

! = Due to sample matrix

= Due to concentration of other analytes

l = Due to sample quantity

+ = Due to internal standard response

CERTIFICATION: MN LAB # 027-015-125 ND MW/DM # R-040



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvttl.com



Page: 7 of 11

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Report Date: 22 Nov 2023
Lab Number: 23-A9315
Work Order #: 31-0271
Account #: 006106
Sample Matrix: GROUNDWATER
Date Sampled: 17 Oct 2023 13:19
Sampled By: MVTL FIELD PERSONNEL
Date Received: 17 Oct 2023 16:30
PO #: 59601

Project Name: BIG STONE PLANT CCR

Sample Description: H9

Temp at Receipt: 0.5C

	As Received Result		Method RL	Method Reference	Date Analyzed	Analyst
Water Digestions					19 Oct 23	JN
pH, Field	6.62	units	1.00	SM4500-H+-2011	17 Oct 23 13:19	DGF
pH	* 7.0	units	1.0	SM 4500 H+ E-2000	18 Oct 23 10:53	HO
Sulfate	1620 ~	mg/L	5.0	ASTM D516-11	19 Oct 23 11:49	SS
Chloride	81.6	mg/L	3.0	SM 4500 Cl E	19 Oct 23 10:22	KRM
Solids, Total Dissolved	2900	mg/L	10	SM 2540 C-97	19 Oct 23 9:20	CC
Calcium	640.0 ~	mg/L	0.500	SW6010D	23 Oct 23 13:13	RMV
Boron	1.230	mg/L	0.100	SW6010D	23 Oct 23 13:13	RMV
Fluoride	0.310	mg/L	0.020	EPA 300.0	28 Oct 23 0:59	RMV

* Holding Time Exceeded

~ Sample diluted due to result above calibration of linear range.

RL = Reporting Limit

Analyses performed under our Minnesota Department of Health Accreditation conform to the current TRI standards. The reporting limit was elevated for any analyte requiring a dilution as coded below:

⊘ = Due to sample matrix

⊘ = Due to concentration of other analytes

! = Due to sample quantity

+ = Due to internal standard response

CERTIFICATION: MN LAB # 027-015-125 ND NH/DW # R-040



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvtl.com



Page: 8 of 11

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Report Date: 22 Nov 2023
Lab Number: 23-A9316
Work Order #: 31-0271
Account #: 006106
Sample Matrix: GROUNDWATER
Date Sampled: 17 Oct 2023 12:34
Sampled By: MVTL FIELD PERSONNEL
Date Received: 17 Oct 2023 16:30
PO #: 59601

Project Name: BIG STONE PLANT CCR

Sample Description: H10

Temp at Receipt: 0.5C

	As Received Result		Method RL	Method Reference	Date Analyzed	Analyst
MS Water Digestions					24 Oct 23	JN
Water Digestions					19 Oct 23	JN
pH, Field	6.51	units	1.00	SM4500-H+-2011	17 Oct 23 12:34	BMW
pH	* 7.2	units	1.0	SM 4500 H+ B-2000	18 Oct 23 10:53	HO
Radium 226	0.07	pCi/L	0.60		27 Oct 23 18:42	OL
Radium 228	0.24	pCi/L	3.00	EPA M9320	27 Oct 23 15:46	OL
Sulfate	2590 ~	mg/L	5.0	ASTM D516-11	19 Oct 23 11:49	SS
Chloride	6.3	mg/L	3.0	SM 4500 Cl E	19 Oct 23 10:22	KRM
Mercury	< 0.005	ug/L	0.005	EPA 245.7	24 Oct 23 14:54	RMB
Solids, Total Dissolved	4840	mg/L	10	SM 2540 C-97	19 Oct 23 9:20	CC
Calcium	509.0 ~	mg/L	0.500	SW6010D	23 Oct 23 13:13	RMV
Lithium	0.290	mg/L	0.020	SW6010D	23 Oct 23 13:13	RMV
Barium	0.027	mg/L	0.005	SW6010D	23 Oct 23 13:13	RMV
Beryllium	< 0.005	mg/L	0.005	SW6010D	23 Oct 23 13:13	RMV
Cobalt	< 0.005	mg/L	0.005	SW6010D	23 Oct 23 13:13	RMV
Boron	0.358	mg/L	0.100	SW6010D	23 Oct 23 13:13	RMV
Antimony	< 2.5 @	ug/L	0.5	SW6020B	25 Oct 23 17:15	KAM
Arsenic	< 2.5 @	ug/L	0.5	SW6020B	25 Oct 23 17:15	KAM
Cadmium	< 0.5 @	ug/L	0.1	SW6020B	25 Oct 23 17:15	KAM
Chromium	< 2.5 @	ug/L	0.5	SW6020B	25 Oct 23 17:15	KAM
Lead	< 2.5 @	ug/L	0.5	SW6020B	25 Oct 23 17:15	KAM
Molybdenum	12.3 @	ug/L	0.50	SW6020B	25 Oct 23 17:15	KAM
Selenium	3.79	ug/L	0.50	SW6020B	25 Oct 23 17:15	KAM
	@ See Narrative					
Thallium	< 0.5 @	ug/L	0.1	SW6020B	25 Oct 23 17:15	KAM
Fluoride	0.190	mg/L	0.020	EPA 300.0	20 Oct 23 0:59	RMV

* Holding Time Exceeded

Radium 226 subcontracted to:
Pace Analytical Services Inc.
1700 Elm Street Suite 200
Minneapolis, MN 55414
1-612-607-1700

Radium 228 subcontracted to:
Pace Analytical Services Inc.
1700 Elm Street Suite 200
Minneapolis, MN 55414
1-612-607-1700

** Sample diluted due to result above calibration of linear range.

OL = Analysis performed by an Outside Laboratory.

RL = Reporting Limit

Analyses performed under our Minnesota Department of Health Accreditation conform to the current TNI standards. The reporting limit was elevated for any analyte requiring a dilution as coded below:

- @ = Due to sample matrix
- # = Due to concentration of other analytes
- ! = Due to sample quantity
- * = Due to internal standard response

CERTIFICATION: MN LAB # 027-015-125 ND (M/D) # B-040



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvtl.com



Page: 9 of 11

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Report Date: 22 Nov 2023
Lab Number: 23-A9317
Work Order #: 31-0271
Account #: 006106
Sample Matrix: GROUNDWATER
Date Sampled: 17 Oct 2023 13:49
Sampled By: MVTL FIELD PERSONNEL
Date Received: 17 Oct 2023 16:30
PO #: 59601

Project Name: BIG STONE PLANT CCR

Sample Description: H11

Temp at Receipt: 0.5C

	As Received Result		Method RL	Method Reference	Date Analyzed	Analyst
MS Water Digestions					24 Oct 23	JN
Water Digestions					19 Oct 23	JN
pH, Field	6.59	units	1.00	SM4500-H+-2011	17 Oct 23 13:49	DS
pH	* 6.9	units	1.0	SM 4500 H+ B-2000	18 Oct 23 10:53	HO
Radium 226	0.04	pCi/L	0.60		27 Oct 23 18:42	OL
Radium 228	0.54	pCi/L	3.00	EPA M9320	27 Oct 23 15:46	OL
Sulfate	2580 ~	mg/L	5.0	ASTM D516-11	19 Oct 23 11:49	SS
Chloride	3.6	mg/L	3.0	SM 4500 Cl. E	19 Oct 23 10:22	KRN
Mercury	< 0.005	ug/L	0.005	EPA 245.7	24 Oct 23 14:54	RMB
Solids, Total Dissolved	4220	mg/L	10	SM 2540 C-97	19 Oct 23 9:20	CC
Calcium	573.0 ~	mg/L	0.500	SW6010D	23 Oct 23 13:13	RMV
Lithium	0.332	mg/L	0.020	SW6010D	23 Oct 23 13:13	RMV
Barium	0.030	mg/L	0.005	SW6010D	23 Oct 23 13:13	RMV
Beryllium	< 0.005	mg/L	0.005	SW6010D	23 Oct 23 13:13	RMV
Cobalt	< 0.005	mg/L	0.005	SW6010D	23 Oct 23 13:13	RMV
Boron	0.271	mg/L	0.100	SW6010D	23 Oct 23 13:13	RMV
Antimony	< 2.5 @	ug/L	0.5	SW6020B	25 Oct 23 17:15	KAM
Arsenic	< 2.5 @	ug/L	0.5	SW6020B	25 Oct 23 17:15	KAM
Cadmium	< 0.5 @	ug/L	0.1	SW6020B	25 Oct 23 17:15	KAM
Chromium	< 2.5 @	ug/L	0.5	SW6020B	25 Oct 23 17:15	KAM
Lead	< 2.5 @	ug/L	0.5	SW6020B	25 Oct 23 17:15	KAM
Molybdenum	3.03 @	ug/L	0.50	SW6020B	25 Oct 23 17:15	KAM
Selenium	< 2.5 @	ug/L	0.5	SW6020B	25 Oct 23 17:15	KAM
	@ See Narrative					
Thallium	< 0.5 @	ug/L	0.1	SW6020B	25 Oct 23 17:15	KAM
Fluoride	0.140	mg/L	0.020	EPA 300.0	28 Oct 23 0:59	RMV

* Holding Time Exceeded

Radium 226 subcontracted to:
Pace Analytical Services Inc.
1700 Elm Street Suite 200
Minneapolis, MN 55414
1-612-607-1700

Radium 228 subcontracted to:
Pace Analytical Services Inc.
1700 Elm Street Suite 200
Minneapolis, MN 55414
1-612-607-1700

~ Sample diluted due to result above calibration of linear range.

OL = Analysis performed by an Outside Laboratory.

RL = Reporting Limit

Analyses performed under our Minnesota Department of Health Accreditation conform to the current TNI standards. The reporting limit was elevated for any analyte requiring a dilution as coded below:

@ = Due to sample matrix

= Due to concentration of other analytes

! = Due to sample quantity

+ = Due to internal standard response

CERTIFICATION: MN LAB # 027-015-125 HD HW/DW # R-040

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvtl.com



Page: 10 of 11

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Report Date: 22 Nov 2023
Lab Number: 23-A9318
Work Order #: 31-0271
Account #: 006106
Sample Matrix: GROUNDWATER
Date Sampled: 17 Oct 2023 13:19
Sampled By: MVTL FIELD PERSONNEL
Date Received: 17 Oct 2023 16:30
PO #: 59601

Project Name: BIG STONE PLANT CCR

Sample Description: H12

Temp at Receipt: 0.5C

	As Received Result		Method RL	Method Reference	Date Analyzed	Analyst
MS Water Digestions					24 Oct 23	JN
Water Digestions					20 Oct 23	JN
pH, Field	7.99	units	1.00	SM4500-H+-2011	17 Oct 23 13:19	DS
pH	* 8.2	units	1.0	SM 4500 H+ B-2000	18 Oct 23 11:13	HO
Radium 226	0.18	pCi/L	0.60		27 Oct 23 18:42	OL
Radium 228	0.46	pCi/L	3.00	EPA M9320	7 Oct 23 15:46	OL
Sulfate	20.8	mg/L	5.0	ASTM D516-11	19 Oct 23 11:49	SS
Chloride	< 3	mg/L	3	SM 4500 Cl E	19 Oct 23 10:22	KRM
Mercury	0.012	ug/L	0.005	EPA 245.7	24 Oct 23 14:54	RMB
Solids, Total Dissolved	197	mg/L	10	SM 2540 C-97	19 Oct 23 9:20	CC
Calcium	25.60	mg/L	0.500	SW6010D	24 Oct 23 12:27	RMV
	See Narrative					
Lithium	< 0.02	mg/L	0.02	SW6010D	23 Oct 23 14:25	RMV
Barium	0.058	mg/L	0.005	SW6010D	23 Oct 23 14:25	RMV
Beryllium	< 0.005	mg/L	0.005	SW6010D	23 Oct 23 14:25	RMV
Cobalt	< 0.005	mg/L	0.005	SW6010D	23 Oct 23 14:25	RMV
Boron	0.402	mg/L	0.100	SW6010D	23 Oct 23 14:25	RMV
Antimony	< 0.5	ug/L	0.5	SW6020B	25 Oct 23 17:15	KAM
Arsenic	2.74	ug/L	0.50	SW6020B	25 Oct 23 17:15	KAM
Cadmium	< 0.1	ug/L	0.1	SW6020B	25 Oct 23 17:15	KAM
Chromium	3.71	ug/L	0.50	SW6020B	25 Oct 23 17:15	KAM
Lead	1.53	ug/L	0.50	SW6020B	25 Oct 23 17:15	KAM
Molybdenum	34.2	ug/L	0.50	SW6020B	25 Oct 23 17:15	KAM
Selenium	< 0.5	ug/L	0.5	SW6020B	25 Oct 23 17:15	KAM
	See Narrative					
Thallium	< 0.1	ug/L	0.1	SW6020B	25 Oct 23 17:15	KAM
Fluoride	0.290	mg/L	0.020	EPA 300.0	28 Oct 23 0:59	RMV

* Holding Time Exceeded

Radium 226 subcontracted to:
Pace Analytical Services Inc.
1700 Elm Street Suite 200
Minneapolis, MN 55414
1-612-607-1700

Radium 228 subcontracted to:
Pace Analytical Services Inc.
1700 Elm Street Suite 200
Minneapolis, MN 55414
1-612-607-1700

OL = Analysis performed by an Outside Laboratory.

RL = Reporting Limit
Analyses performed under our Minnesota Department of Health accreditation conform to the current TNI standards.
The reporting limit was elevated for any analyte requiring a dilution as coded below:
§ = Due to sample matrix § = Due to concentration of other analytes
! = Due to sample quantity + = Due to internal standard response
CERTIFICATION: MN LAB # 027-015-125 ND HH/DM # R-040



MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvtl.com



Page: 11 of 11

Date Reported: 22 Nov 2023

JOSH HOLLEN
OTTER TAIL POWER CO
PO BOX 496
FERGUS FALLS MN 56538-0496

Work Order #: 202331-0271
Account Number: 006106
PO #: 59601

Project Name: BIG STONE PLANT CCR

LABORATORY NARRATIVE

INORGANIC & METALS ANALYSES:

Due to the matrix of the spiked sample the recovery for calcium was outside of acceptance range in the matrix spike for samples 23-A9310 and 23-A9311. Data was reported based on the acceptable recovery of calcium in the laboratory control spike and the relative percent difference between matrix spikes.

Due to the high concentration of calcium in the spiked sample the recovery for calcium was outside of acceptance range in the matrix spike duplicate for samples 23-A9318. Data was reported based on the acceptable recovery of calcium in the laboratory control spike and the relative percent difference between matrix spikes.

Due to matrix composition, percent recoveries of selenium in the matrix spike and duplicate associated with samples 23-A9316 through 23-A9318 were outside acceptable range. Data reported based on acceptable laboratory control spike recovery and relative percent difference between matrix spike recoveries.

No other problems were encountered.

MVTL**MINNESOTA VALLEY TESTING LABORATORIES, INC.**

1126 N. Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
 2616 E. Broadway Ave. ~ Bismarck, ND 58502 ~ 800-279-6885 ~ Fax 701-258-9724
 1201 Lincoln Highway ~ Nevada, LA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
 www.mvttl.com

MEMBER
 ACIL

Page: 1 of 2

Quality Control Report

Lab IDs: 23-A9310 to 23-A9318

Project: BIG STONE PLANT CCR

Work Order: 202331-0271

Analyte	LCS Spike Amt	LCS Rec %	LCS % Rec Limits	Matrix Spike Amt	Matrix Spike ID	Matrix Spike Orig Result	Matrix Spike Result	Matrix Spike Rec %	Matrix Spike % Rec Limits	MSD/ Dup Orig Result	MSD/ Dup Result	MSD Rec %	MSD/ Dup RPD	MSD/ Dup RPD Limit (<)	Known Rec (%)	Known % Rec Limits	Method Blank
Antimony ug/L	25.0	110	85-115	25.0	23A9316q	<2.5	27.6	110	75-125	27.6	27.5	110	0.4	10	107	90-110	<0.5
Arsenic ug/L	25.0	101	85-115	25.0	23A9316q	<2.5	28.3	113	75-125	28.3	28.5	114	0.7	10	101	90-110	<0.5
Barium mg/L	1.000 1.000	101 100	85-115 85-115	1.00 1.00	23A9317q 23A9290fq	0.030 0.011	1.060 0.984	103 97	75-125 75-125	1.060 0.984	1.040 1.040	101 103	1.9 5.5	10 10	96 97	90-110 90-110	<0.005 <0.005
Beryllium mg/L	1.000 1.000	100 100	85-115 85-115	1.00 1.00	23A9317q 23A9290fq	<0.005 <0.005	1.010 1.010	101 101	75-125 75-125	1.010 1.010	0.9900 1.010	99 101	2.0 0.0	10 10	101 101	90-110 90-110	<0.005 <0.005
Boron mg/L	1.000 1.000 1.000	107 104 104	85-115 85-115 85-115	1.00 1.00 1.00	23A9299q 23A9317q 23A9290fq	<0.5 0.271 1.190	1.210 1.390 2.370	121 112 118	75-125 75-125 75-125	1.210 1.390 2.370	1.170 1.360 2.370	117 109 118	3.4 2.2 0.0	10 10 10	98 99 100	90-110 90-110 90-110	<0.1 <0.1 <0.1
Cadmium ug/L	5.00	99	85-115	5.00	23A9316q	<0.5	5.07	101	75-125	5.07	4.96	99	2.2	10	96	90-110	<0.1
Calcium mg/L	50.00 50.00 50.00	105 104 102	85-115 85-115 85-115	50.0 50.0 50.0	23A9299q 23A9317q 23A9290fq	568.0 573.0 567.0	638.0 614.0 621.0	140 82 108	75-125 75-125 75-125	638.0 614.0 621.0	611.0 612.0 644.0	86 78 154	4.3 0.3 3.6	10 10 10	102 102 102	90-110 90-110 90-110	<0.5 <0.5 <0.5
Chloride mg/L	- -	- -	- -	60.0 60.0	23-A9299 23-A9322	3.6 46.0	65.1 107	102 102	80-120 80-120	65.1 107	63.6 105	100 98	2.3 1.9	10 10	98 97	90-110 90-110	<3 <3
Chromium ug/L	25.0	101	85-115	25.0	23A9316q	<2.5	24.9	100	75-125	24.9	25.5	102	2.4	10	103	90-110	<0.5
Cobalt mg/L	1.000 1.000	103 102	85-115 85-115	1.00 1.00	23A9317q 23A9290fq	<0.005 <0.005	0.990 0.968	99 97	75-125 75-125	0.990 0.968	0.960 0.966	96 97	3.1 0.2	10 10	100 101	90-110 90-110	<0.005 <0.005
Fluoride mg/L	-	-	-	0.20	a9311qc	0.370	0.560	95	80-120	0.560	0.570	100	1.8	10	102	90-110	<0.02
Lead ug/L	25.0	100	85-115	25.0	23A9316q	<2.5	26.7	107	75-125	26.7	26.6	106	0.4	10	101	90-110	<0.5
Lithium mg/L	1.000 1.000	104 102	85-115 85-115	1.00 1.00	23-A9317 23-A9290qc	0.332 0.145	1.440 1.160	111 102	75-125 75-125	1.440 1.160	1.400 1.230	107 108	2.8 5.9	10 10	101 101	90-110 90-110	<0.02 <0.02
Mercury ug/L	-	-	-	0.10	23-A9318	0.012	0.120	108	63-111	0.120	0.120	108	0.0	18	100	76-113	<0.005
Molybdenum ug/L	25.0	91	85-115	25.0	23A9316q	12.3	36.3	96	75-125	36.3	36.9	98	1.6	10	91	90-110	<0.5
pH units	- -	- -	- -	- -	- -	- -	- -	- -	- -	6.9 8.2	6.9 8.2	- -	0.0 0.0	2.5 2.5	101 101	90-110 90-110	- -

MVTL

MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 N. Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890
2616 E. Broadway Ave. ~ Bismarck, ND 58502 ~ 800-279-6885 ~ Fax 701-258-9724
1201 Lincoln Highway ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885
www.mvtl.com

MEMBER
ACIL

Quality Control Report

Lab IDs: 23-A9310 to 23-A9318

Project: BIG STONE PLANT CCR

Work Order: 202331-0271

Table with 18 columns: Analyte, LCS Spike Amt, LCS Rec %, LCS % Rec Limits, Matrix Spike Amt, Matrix Spike ID, Matrix Spike Orig Result, Matrix Spike Result, Matrix Spike Rec %, Matrix Spike % Rec Limits, MSD/ Dup Orig Result, MSD/ Dup Result, MSD Rec %, MSD/ Dup RPD, MSD/ Dup Limit (<=), Known Rec (%), Known % Rec Limits, Method Blank. Rows include Selenium ug/L, Solids, Total Dissolved mg/L, Sulfate mg/L, and Thallium ug/L.

One matrix spike and one matrix spike duplicate failed to recover acceptably for Calcium, see narrative.
Selenium matrix spike / matrix spike duplicate failed to recover acceptably, see narrative.

Approved by: [Signature]



Pace Analytical Services, LLC
1700 Elm Street
Minneapolis, MN 55414
(812)607-1700

November 07, 2023

Todd Rieger
MVTL Laboratories
1126 North Front Street
New Ulm, MN 56073

RE: Project: 31-0271 Ottertail Power
Pace Project No.: 10673317

Dear Todd Rieger:

Enclosed are the analytical results for sample(s) received by the laboratory on October 20, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Piper Gibbs
piper.gibbs@pacelabs.com
(612)607-1700
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Pace Analytical Services, LLC
1700 Elm Street
Minneapolis, MN 55414
(612)607-1700

SAMPLE SUMMARY

Project: 31-0271 Ottertail Power
Pace Project No.: 10673317

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10673317001	23A9316 - H10	Water	10/17/23 12:34	10/20/23 09:46
10673317002	23A9317 - H11	Water	10/17/23 13:49	10/20/23 09:46
10673317003	23A9318 - H12	Water	10/17/23 13:19	10/20/23 09:46

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: 1 of 1

Section A Required Client Information: Company: MVTL Address: 1126 NORTH FRONT BLDG #2 NEW ULM, MN 56073 Email To: alieder@mvtl.com Phone: 507-233-7134 Fax: _____ Requested Due Date/TAT: standard		Section B Required Project Information: Report To: Todd Rieger Copy To: trieger@mvtl.com Purchase Order No.: CL13299 Project Name: Ottertail Power Project Number: Work order: 31-0271		Section C Invoice Information: Attention: AP Company Name: MVTL Address: 1126 NORTH FRONT BLDG 2 Pace Quote Reference: Pace Project Manager: Pace Profile #: REGULATORY AGENCY: <input type="checkbox"/> NPDES <input checked="" type="checkbox"/> GROUND WATER <input type="checkbox"/> DRINKING WATER <input checked="" type="checkbox"/> UST <input type="checkbox"/> RCRA <input type="checkbox"/> OTHER _____ State: MN	
---	--	--	--	--	--

ITEM #	Section D Required Client Information SAMPLE ID (A-Z, 0-9 / , -) Sample IDs MUST BE UNIQUE	Valid Matrix Codes MATRIX CODE DRINKING WATER DW WATER WT WASTE WATER WW PRODUCT P SOIL/SOLID SL GEL GL WIPE WP AIR AR OTHER OR TISSUE TT	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives										Requested Analysis: Filtered (Y/N)	Residual Chlorine (Y/N)	Pace Project No./ Lab I.D.				
					COMPOSITE START		COMPOSITE END/GRAB				Unpreserved	H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ S ₂ O ₃	Methanol	Other	2,3,7,8 TCDD method 161	Radium 226/228				PFAs State Pricing			
					DATE	TIME	DATE	TIME																			
1	23A9316 - H10		WW				10/17/23	12:34	1																X	N	001
2	23A9317 - H11		WW				10/17/23	13:48	1																X	N	002
3	23A9318 - H12		WW				10/17/23	13:19	1																X	N	003
4																											
5																											
6																											
7																											
8																											
9																											
10																											
11																											
12																											

WO#: 10673317

 10673317

ADDITIONAL COMMENTS	REUNQUISHED BY (NAME)	DATE	TIME	ACCEPTED BY (NAME)	DATE	TIME	SAMPLE CONDITIONS			
				<i>[Signature]</i>	10-20-23	0946	2.5	Y	N	Y

SAMPLER NAME AND SIGNATURE PRINT Name of SAMPLER: SIGNATURE of SAMPLER:		DATE Signed (MM/DD/YYYY):	Temp in °C	Received on top (Y/N)	Custom Sealed Cooler (Y/N)	Samples Intact (Y/N)
--	--	------------------------------	------------	-----------------------	----------------------------	----------------------

Page 3 of 20

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

DC# Title: ENV-FRM-MIN4-0150 v13_Sample Condition Upon Receipt (SCUR)
 Effective Date: 4/14/2023

Sample Condition Upon Receipt Client Name: Minnesota Valley Testing Project #: **WO#: 10673317**

PH: PG Due Date: 11/20/23
 CLIENT: MVTL

Courier: FedEx UPS USPS Client
 Pace Speedee Commercial

See Exceptions

Tracking Number: _____ ENV-FRM-MIN4-0142

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Biological Tissue Frozen? Yes No N/A

Packing Material: Bubble Wrap Bubble Bags None Other Temp Blank? Yes No

Thermometer: T1 (0461) T2 (0436) T3 (0459) T4 (0402) T5 (0178) Type of Ice: Wet Blue Dry None
 T6 (0235) T7 (0042) T8 (0775) T9(0727) 01339252/1710 Melted

Did Samples Originate in West Virginia? Yes No Were All Container Temps Taken? Yes No N/A

Temp should be above freezing to 6°C Cooler temp Read w/Temp Blank: 4.5 °C Average Corrected Temp (no temp blank only): _____ °C

Correction Factor: 10.1 Cooler Temp Corrected w/temp blank: 44 °C See Exceptions ENV-FRM-MIN4-0142 1 Container

USDA Regulated Soil: N/A water sample/other: _____ Date/Initials of Person Examining Contents: DOB/10/23/23

Did samples originate in a quarantine zone within the United States: AL, AR, AZ CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check maps)? Yes No

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MIN4-0154) and include with SCUR/COC paperwork.

Location (Check one): <input type="checkbox"/> Duluth <input checked="" type="checkbox"/> Minneapolis <input type="checkbox"/> Virginia	COMMENTS
Chain of Custody Present and Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	4. If fecal: <input type="checkbox"/> <8 hrs <input type="checkbox"/> >8 hr, <24 <input type="checkbox"/> No
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. <input type="checkbox"/> Fecal Coliform <input type="checkbox"/> HPC <input type="checkbox"/> Total Coliform/E.coli <input type="checkbox"/> BOD/cBOD <input type="checkbox"/> Hex Chrom <input type="checkbox"/> Turbidity <input type="checkbox"/> Nitrate <input type="checkbox"/> Nitrite <input type="checkbox"/> Orthophos <input type="checkbox"/> Other
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Sufficient Sample Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Field Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	10. Is sediment visible in the dissolved container? <input type="checkbox"/> Yes <input type="checkbox"/> No
Is sufficient information available to reconcile the samples to the COC? Matrix: <input checked="" type="checkbox"/> Water <input type="checkbox"/> Soil <input type="checkbox"/> Oil <input type="checkbox"/> Other	11. If no, write ID/Date/Time of container below: <input type="checkbox"/> See Exceptions ENV-FRM-MIN4-0142
All containers needing acid/base preservation have been checked? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12. Sample # <u>HV-412</u> <input type="checkbox"/> NaOH <input checked="" type="checkbox"/> HNO3 <input type="checkbox"/> H2SO4 <input type="checkbox"/> Zinc Acetate
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO3, H2SO4, <2pH, NaOH >9 Sulfide, NaOH >10 Cyanide) Exceptions: VOA, Coliform, TOC/DOC Oil and Grease, DRO/8015 (water) and Dioxins/PEAS (*If adding preservative to a container, it must be added to associated field and equipment blanks--verify with PM first.)	Positive for Residual Chlorine? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> See Exceptions ENV-FRM-MIN4-0142 pH Paper Lot # Residual Chlorine <u>750422</u> 0-6 Roll 0-6 Strip 0-14 Strip
Headspace in Methyl Mercury Container? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Extra labels present on soil VOA or WIDRO containers? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14. <input type="checkbox"/> See Exceptions ENV-FRM-MIN4-0142
Headspace in VOA Vials (greater than 6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
3 Trip Blanks Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Pace Trip Blank Lot # (if purchased): _____

CLIENT NOTIFICATION/RESOLUTION Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: paper J. Shickas Date: 10/23/23

Project Manager Review: _____

NOTE: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DENR Certification Office (i.e., out of hold, incorrect preservative, out of temp, incorrect containers).



Ship To:
 Pace National
 12085 Lebanon Rd.
 Mt. Juliet, TN 37122
 Phone (615) 758-5858

INTER LABORATORY WORK ORDER # 10673317
 (To be completed by sending lab)

Sending Project No:	10673317
Receiving Project No:	
Check Box for Consolidated Invoice:	<input type="checkbox"/>
Date Prepared:	10/23/23
REQUESTED COMPLETION DATE:	11/28/2023

Page 7 of 20

Sending Region	IR10-Minnesota	Sending Project Mgr.	Piper Gibbs
Receiving Region	IR850-Pace National	External Client	MVTL Laboratories
State of Sample Origin	MN	QC Deliverable	STD REPORT

All questions should be addressed to sending project manager.

Requested Reportable Units _____ Report Wet or Dry Weight? Dry Weight IRWO Lab Need to run? _____ Cert. Needed _____

WORK REQUESTED						
Method Description	Container Type	Quantity of Containers	Preservative	Quantity of Samples	Ac Code	Ac Code Desc
radium 226/228	BP1N	6	HNO3	3	SI-36RAD	SUB PASI RAD

Special Requirements: Report C, QC Limits (C), FR Only no EDD (0)

FOR ANALYTICAL WORK COMPLETED THIS SECTION ALSO

Return Samples to Sending Region: Yes No

DISPOSITION OF FORM

Original sent to the receiving lab - Copy kept at the sending lab.

When work completed; Original sent to the ABM at the receiving laboratory. Copies are made to corporate as needed.



ANALYTICAL REPORT

November 07, 2023



²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Pace Analytical - Minnesota

Sample Delivery Group: L1669578
 Samples Received: 10/24/2023
 Project Number: 10673317
 Description: 31-0271 Ottertail Power

Report To: Piper Gibbs

Entire Report Reviewed By:

Donna Eldson
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

Page 6 of 20

ACCOUNT:

PROJECT:

SDG:










DATE/TIME:

PAGE:

11/07/23 08:45

1 of 13

TABLE OF CONTENTS

Cp: Cover Page	1	
Tc: Table of Contents	2	
Ss: Sample Summary	3	
Cn: Case Narrative	4	
Sr: Sample Results	5	
23A9316 - H10 L1669578-01	5	
23A9317 - H11 L1669578-02	6	
23A9318 - H12 L1669578-03	7	
Qc: Quality Control Summary	8	
Radiochemistry by Method 904/9320	8	
Radiochemistry by Method SM7500Ra B M	9	
Gl: Glossary of Terms	10	
Al: Accreditations & Locations	11	
Sc: Sample Chain of Custody	12	

SAMPLE SUMMARY

23A9316 - H10 L1669578-01 Non-Potable Water

Collected by
10/17/23 12:34 Received date/time
10/24/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG2157309	1	10/24/23 21:37	10/27/23 15:46	DDD	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG2158333	1	10/26/23 11:44	10/27/23 18:42	RGT	Mt. Juliet, TN

23A9317 - H11 L1669578-02 Non-Potable Water

Collected by
10/17/23 13:49 Received date/time
10/24/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG2157309	1	10/24/23 21:37	10/27/23 15:46	DDD	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG2158333	1	10/26/23 11:44	10/27/23 18:42	RGT	Mt. Juliet, TN

23A9318 - H12 L1669578-03 Non-Potable Water

Collected by
10/17/23 13:19 Received date/time
10/24/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG2157309	1	10/24/23 21:37	10/27/23 15:46	DDD	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG2158333	1	10/26/23 11:44	10/27/23 18:42	RGT	Mt. Juliet, TN

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or noted within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All radiochemical sample results for solids are reported on a dry weight basis with the exception of tritium, carbon-14 and radon, unless wet weight was requested by the client. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Donna Eldson
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc

23A9316 - H10

SAMPLE RESULTS - 01

Collected date/time: 10/17/23 12:34

L1669578

Radiochemistry by Method 904/9320

Analyte	Result pCi/l	Qualifier	2 sigma CE +/-	TPU +/-	MDA pCi/l	Lc pCi/l	Analysis Date date / time	Batch
RADIUM-228	0.238	J	0.287		0.506		10/27/2023 15:46	WG2157309
(f) Barium	94.4					30.0-143	10/27/2023 15:46	WG2157309
(f) Yttrium	111					30.0-136	10/27/2023 15:46	WG2157309

Radiochemistry by Method SM7500Ra B M

Analyte	Result pCi/l	Qualifier	2 sigma CE +/-	TPU +/-	MDA pCi/l	Lc pCi/l	Analysis Date date / time	Batch
RADIUM-226	0.0723	U	0.186		0.328		10/27/2023 18:42	WG2158333
(f) Barium-133	72.0					30.0-143	10/27/2023 18:42	WG2158333

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

23A9317 - H11

Collected date/time: 10/17/23 13:49

SAMPLE RESULTS - 02

L1669578

Radiochemistry by Method 904/9320

Analyte	Result	Qualifier	2 sigma CE	TPU	MDA	Lc	Analysis Date	Batch
	pCi/l		+/-	+/-	pCi/l	pCi/l	date / time	
RADIUM-228	0.538		0.242		0.418		10/27/2023 15:46	WG2157309
(f) Bismuth	116					30.0-143	10/27/2023 15:46	WG2157309
(f) Yttrium	103					30.0-136	10/27/2023 15:46	WG2157309

Radiochemistry by Method SM7500Ra B M

Analyte	Result	Qualifier	2 sigma CE	TPU	MDA	Lc	Analysis Date	Batch
	pCi/l		+/-	+/-	pCi/l	pCi/l	date / time	
RADIUM-226	0.0392	U	0.107		0.203		10/27/2023 18:42	WG2158333
(f) Bismuth-213	88.5					30.0-143	10/27/2023 18:42	WG2158333

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

23A9318 - H12

SAMPLE RESULTS - 03

Collected date/time: 10/17/23 13:19

L1669578

Radiochemistry by Method 904/9320

Analyte	Result pCi/l	Qualifier	2 sigma CE +/-	TPU +/-	MDA pCi/l	Lc pCi/l	Analysis Date date / time	Batch
RADIUM-228	0.465		0.228		0.395		10/27/2023 15:46	WG2157309
(f) Barium	120					30.0-143	10/27/2023 15:46	WG2157309
(f) Yttrium	84.7					30.0-136	10/27/2023 15:46	WG2157309

Radiochemistry by Method SM7500Ra B M

Analyte	Result pCi/l	Qualifier	2 sigma CE +/-	TPU +/-	MDA pCi/l	Lc pCi/l	Analysis Date date / time	Batch
RADIUM-226	0.182	J	0.170		0.186		10/27/2023 18:42	WG2158333
(f) Barium-133	95.3					30.0-143	10/27/2023 18:42	WG2158333

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 GI
- 8 Al
- 9 Sc

WG2157309

Radiochemistry by Method 904/9320

QUALITY CONTROL SUMMARY

L1669578-01.02.03

Method Blank (MB)

(MB) R3993619-1 10/27/23 15:46

Analyte	MB Result pCi/l	MB Qualifier	MB 2 sigma CE +/-	MB MDA pCi/l	MB Lc pCi/l
Radium-228	-0.113	<u>U</u>	0.152	0.278	
(T) Barium	112		112		
(T) Yttrium	130		130		

L1662857-12 Original Sample (OS) - Duplicate (DUP)

(OS) L1662857-12 10/27/23 15:46 - (DUP) R3993619-5 10/27/23 15:46

Analyte	Original Result pCi/l	Original 2 sigma CE +/-	Original MDA pCi/l	Original Lc pCi/l	DUP Result pCi/l	DUP 2 sigma CE +/-	DUP MDA pCi/l	DUP Lc pCi/l	DUP RPD %	DUP RER %	DUP Qualifier	DUP RPD Limits %	DUP RER Limit
Radium-228	0.565	0.302	0.525		0.195	0.303	0.541		97.4	0.864	<u>U</u>	20	3
(T) Barium	115				132	132							
(T) Yttrium	119				130	130							

Laboratory Control Sample (LCS)

(LCS) R3993619-2 10/27/23 15:46

Analyte	Spike Amount pCi/l	LCS Result pCi/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Radium-228	5.00	5.13	103	80.0-120	
(T) Barium			140		
(T) Yttrium			135		

L1663046-03 Original Sample (OS) - Matrix Spike (MS) - Matrix Spike Duplicate (MSD)

(OS) L1663046-03 10/27/23 15:46 - (MS) R3993619-3 10/27/23 15:46 - (MSD) R3993619-4 10/27/23 15:46

Analyte	Spike Amount pCi/l	Original Result pCi/l	MS Result pCi/l	MSD Result pCi/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	MS RER	RPD Limits %
Radium-228	16.7	0.215	18.9	18.0	112	106	1	70.0-130			5.14		20
(T) Barium		130			140	137							
(T) Yttrium		62.1			94.0	99.9							

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6
- 7 Gf
- 8 Al
- 9 Sc

WG2158333

QUALITY CONTROL SUMMARY

Radiochemistry by Method SM7500Ra B M

L1669578-01,02,03

Method Blank (MB)

(MB) R3996031-1 10/27/23 17:17

Analyte	MB Result pCi/l	MB Qualifier	MB 2 sigma CE +/-	MB MDA pCi/l	MB Lc pCi/l
Radium-226	-0.00314	<u>U</u>	0.00869	0.0357	
(T) Barium-133	58.0		58.0		

L1662857-11 Original Sample (OS) • Duplicate (DUP)

(OS) L1662857-11 10/27/23 18:42 • (DUP) R3996031-5 10/27/23 18:42

Analyte	Original Result pCi/l	Original 2 sigma CE +/-	Original MDA pCi/l	Original Lc pCi/l	DUP Result pCi/l	DUP 2 sigma CE +/-	DUP MDA pCi/l	DUP Lc pCi/l	DUP RPD %	DUP RER	DUP Qualifier	DUP RPD Limits %	DUP RER Limit
Radium-226	0.250	0.220	0.235		0.0920	0.255	0.425		95.5	0.499	<u>U</u>	20	3
(T) Barium-133	91.5				73.3	73.3							

Laboratory Control Sample (LCS)

(LCS) R3996031-2 10/27/23 18:42

Analyte	Spike Amount pCi/l	LCS Result pCi/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Radium-226	5.00	5.68	114	80.0-120	
(T) Barium-133			64.9		

L1662857-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1662857-01 10/27/23 18:42 • (MS) R3996031-3 10/27/23 18:42 • (MSD) R3996031-4 10/27/23 18:42

Analyte	Spike Amount pCi/l	Original Result pCi/l	MS Result pCi/l	MSD Result pCi/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	MS RER	RPD Limits %
Radium-226	20.0	0.249	21.4	21.8	106	108	1	75.0-125			199		20
(T) Barium-133		76.2			83.3	83.2							

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Cs
- 7 Gd
- 8 Al
- 9 Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDA	Minimum Detectable Activity.
Rec	Recovery.
RER	Replicate Error Ratio.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(T)	Tracer - A radioisotope of known concentration added to a solution of chemically equivalent radioisotopes at a known concentration to assist in monitoring the yield of the chemical separation.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
U	Below Detectable Limits; indicates that the analyte was not detected.

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 GI
- 8 AI
- 9 Sc

ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-HELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ²	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,4}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	A130792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-899-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998033910
Montana	CERT0086	Wyoming	A2LA
A2LA - ISO 17025	1461.01	ABA-LAP, LLC EMLAP	100789
A2LA - ISO 17025 ⁶	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- A
- 9 Sc

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Mikrobiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable
⁷ Not all certifications held by the laboratory are applicable to the results reported in the attached report.
⁸ Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

Internal Transfer Chain of Custody

C150 **ICE**



Rush Multiplier X
 Samples Pre-Logged into eCOC

State Of Origin: MN
 Cert. Needed: Yes No

Workorder: 10673317 Workorder Name: 31-0271 Ottertail Power

Owner Received Date: 10/20/2023 Results Requested By: 11/28/2023

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	TIME	Preserved Containers	LAB USE ONLY
1	23A9316 - H10	PS	10/17/2023 12:34	10673317001	Water	2	X	2
2	23A9317 - H11	PS	10/17/2023 13:49	10673317002	Water	2	X	2
3	23A9318 - H12	PS	10/17/2023 13:19	10673317003	Water	2	X	2
4								
5								

Transfers	Released By	Date/Time	Received By	Date/Time	Comments
1	Bin COB/PACE	10/23/23 16:30	Taylor McCard	10-24-23 14:00	
2					
3					

Cooler Temperature on Receipt 4.9 °C Custody Seal or N Received on Ice or N Samples Intact or N

***In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document. This chain of custody is considered complete as is since this information is available in the owner laboratory.

PH-10BDH4321 INC-257/257
 CR6-20221V
 PH-10BDH4321 TRC-2352367
 CR6-20221V

Sample Receipt Checklist
 COC Seal Present/Intact: Y N
 COC Signed/Accurate: Y N IF Applicable
 Bottles secure Intact: Y N VOR Seal Headspace: Y N
 Correct bottles used: Y N Pres. Correct/Check: Y N
 Sufficient volume sent: Y N
 RA Screen <0.5 m/hr: Y N
 647656401160



Ship To:
 Pace National
 12085 Lebanon Rd.
 Mt. Juliet, TN 37122
 Phone (615) 758-5858

INTER LABORATORY WORK ORDER # 10673317
 (To be completed by sending lab)

Sending Project No:	10673317
Receiving Project No:	
Check Box for Consolidated Invoice:	<input type="checkbox"/>
Date Prepared:	10/23/23
REQUESTED COMPLETION DATE:	11/28/2023

Page 20 of 20

Sending Region	IR10-Minnesota	Sending Project Mgr.	Piper Gibbs
Receiving Region	IR850-Pace National	External Client	MVTL Laboratories
State of Sample Origin	MN	QC Deliverable	STD REPORT

All questions should be addressed to sending project manager.

Requested Reportable Units _____ Report Wet or Dry Weight? Dry Weight IRWO Lab Need to run? _____ Cert. Needed _____

WORK REQUESTED						
Method Description	Container Type	Quantity of Containers	Preservative	Quantity of Samples	Acids	Acids Desc
raldum 226/226	BP1N	6	HNO3	3	SI-38RAD	SUB PASI RAD

Special Requirements: Report C, QC Limits (C),FR Only no EDD (0)

FOR ANALYTICAL WORK COMPLETED THIS SECTION ALSO

Return Samples to Sending Region: Yes No

DISPOSITION of FORM

Original sent to the receiving lab - Copy kept at the sending lab.

When work completed: Original sent to the ABM at the receiving laboratory. Copies are made to corporate as needed.

This is an exact copy of the original document

By AD Date 17 Oct 23
Pages 1-13

Minnesota Valley Testing Laboratories

1126 North Front Street New Ulm, MN 56003
Phone: 800 782 3557 Fax: 507 359 2890

Field Service Chain of Custody Record

Project Otter Tail Power Company	Project Type: Big Stone Plant CCR	Name of Samplers: JH, DF, BW, DS
Report Otter Tail Power Company	Carbon Copy: Barr Engineering	Quote Number:
Attn: Paul Vukonich	Attn:	Work Order Number: 31-271
Address P.O. Box 496 Fergus Falls, MN 56538-0496	Address:	Lab Numbers:
Phone: 218-739-8349		

Sample Information					Bottle Type										Analysis				
Lab Number	Sample ID	Unique Station ID	Date	Time	Sample Type	Sample Location	1000 HNO3 Inner	500 None	1000 None	500 HNO3	Filter? Y or N	500 H2SO4	Filter? Y or N	1000 HNO3 Pace	1000 Amber H2SO4	500 NaOH	Other: 150 H2SO4	Other: 150 None	Analysis Required
A0310	H20X		17 Oct 23	140	GW				1	1	N								CCR 3
11	H30X			1027	GW				1	1	N								CCR 3
12	H40X			1104	GW				1	1	N								CCR 3
13	H6			1157	GW				1	1	N								CCR 3
14	H8			1235	GW				1	1	N								CCR 3
15	H9			1319	GW				1	1	N								CCR 3
16	H10			1324	GW				1	1	N			2					CCR 3&4
17	H11			1349	GW				1	1	N			2					CCR 3&4
18	H12			1319	GW				1	1	N			2					CCR 3&4

Comments:

Samples Relinquished By: <u>DF</u>			Samples Received By: <u>A. Allen</u>		
Date: <u>17 Oct 23</u>	Time: <u>1630</u>	Temp: <u>0.5°C</u>	Date: <u>17 Oct 23</u>	Time: <u>1630</u>	Temp: <u>0.5°C</u>
Samples Relinquished into: <u>Fridge</u> Log in Cart Other:					
Samples Relinquished By:			Samples Received By:		
Date:	Time:	Temp:	Date:	Time:	Temp:
Delivery: <u>Samplers</u> Other:			Seal Number(s) - If Used		
Transport: <u>Ambient</u> Other:			Seals Intact? Yes No		

October 2023

2023 Big Stone Sampling - CCR

Landfill or ADA wells

Site	Parameter List	Well Depth (constructed)	Diameter (Inches)	Well Elevation (TOC)	Sample Equipment	Dedicated?	Pump Rate (ml/minute)	Goes Dry?	Sampling Seasons**
H2OX	CCR 3	32.20	2	1103.86	Bladder	Yes	100	Yes	April & Oct
H3OX	CCR 3	22.55	2	1095.26	Bladder	Yes	100	Yes	April & Oct
H4OX	CCR 3	27.20	2	1108.25	Bladder	Yes	100	No	April & Oct
H6	CCR 3	15.00	2	1097.76	Bladder	Yes	100	Yes	April & Oct
H8	CCR 3	22.05	2	1081.23	Bladder	Yes	100	No	April & Oct
H9	CCR 3	30.20	2	1086.21	Bladder	Yes	100	No	April & Oct
H10	CCR 3 and 4	35.49	2	1090.83	Bladder	Yes	100		See highlighted note below
H11	CCR 3 and 4	42.15	2	1093.24	Bladder	Yes	100		See highlighted note below

Note: Wells H10 and H11 need to be sampled 8 times for CCR this year. Background sampling like 5 years ago. We want to sample in April - November. Each event has to be about 30 days apart. Also, during every sampling event for the CCR, we will need water levels on the CCR wells not sampled.

Note: CCR sampling is for total recoverable metals. They are not filtered in the field.

CCR 3 & 4 parameters see the first two tabs labeled CCR 3 and CCR 4

CCR - Appendix III Detection Monitoring

Field Parameters

pH*

* Field and Laboratory Measurements

Total Concentration Parameters

	Method
Boron	6010
Calcium	6010
Chloride	SM4500 CL E
Fluoride	EPA 300
pH	SM 4500 H+B-96
Sulfate	ASTM D516
Dissolved Solids, Total	SM 2540 C-97

Note: These are non-filtered samples.

CCR - Appendix IV - Assessment Monitoring

Total Concentration Parameters

	Method
Antimony	SW6020A
Arsenic	SW602A
Barium	SW6010C
Beryllium	SW6020A
Cadmium	SW6020A
Chromium, Total	SW6020A
Cobalt	SW6010C
Fluoride	EPA 300
Lead	SW6020A
Lithium	SW6010C
Mercury	EPA 245.7
Molybdenum	SW6020A
Selenium	SW6020A
Thallium	SW6020A
Radium 226 + 228	

Note: These are non-filtered samples.

Minnesota Valley Testing Laboratories, Inc.

New Ulm, MN 56073

507 354 8517

Groundwater Assessment

Site: Otter Tail Power Co./ Big Stone

Sampling Personnel:

BW

Facility ID:

Date: 17 Oct 23

Unique Station ID:

Sample ID: Well H2OX

Well Condition

Well Locked? Yes No
 Well Labeled? Yes No
 Casing Straight? Yes No

Protective Posts? Yes No
 State ID Tag? Yes No
 Grout Seal Intact? Yes No

Repairs Necessary:

Well Information

Well Depth: 32-83
 Constructed Depth: 32.20
 Casing Diameter: 2"
 Water Level Before Purge: 7.22
 Well Volume: 4.17 Gallons

Well Casing Elevation: 1103.91
 Static Water Elevation: 1096.109
 Previous Static: 1096.58
 Water Level After Sample: Below plume
 Measurement Method: Elec. WL Steel Tape

Sampling Information

Weather Conditions: Temp: 51 Wind: LLV Sky: Fair
 Sampling Method: Grundfos Bladder SSA Disp. Baller Whale Grab Other:
 Dedicated Equipment: Yes No Pumping Rate: .25 gpm
 Well Purged Dry? Yes No Time Pump Began: 1148 (am) 1 pm
 Time Purged Dry? 1205 Time of Sampling: 1210 (am) 1 pm
 Duplicate Sample? Yes No ID: Sample EH: 152.2
 Sample Appearance: General: Clear Color: None Phase: None Odor: None

Time	pH	Specific Cond.	Temp °C	D. O. mg/L	Turbidity NTU	Gallons Removed	SEQ #	Comments:
1205	6.52	3850	9.57	NA	NA	4.25	1	
							2	
1210	6.52	3849	9.59				3	Recharge
							4	
							5	

Stabilized? Yes No

Amount Water Removed: 4.25 Gallons

Comments:

Exceptions to Protocol:

Minnesota Valley Testing Laboratories, Inc.

New Ulm, MN 56073

507 354 8517

Groundwater Assessment

Sampling Personnel:

BW

Site: Otter Tail Power Co./ Big Stone

Facility ID: _____

Date: 17 Oct 23

Unique Station ID: _____

Sample ID: Well H3OX

Well Condition

Well Locked? Yes No
 Well Labeled? Yes No
 Casing Straight? Yes No

Protective Posts? Yes No
 State ID Tag? Yes No
 Grout Seal Intact? Yes No

Repairs Necessary: _____

Well Information

Well Depth: 22-68

Well Casing Elevation: 1095.19

Constructed Depth: 22.55

Static Water Elevation: 1087.19

Casing Diameter: 2"

Previous Static: 1087.28

Water Level Before Purge: 8-00

Water Level After Sample: Below pump

Well Volume: 2.39 Gallons

Measurement Method: Elec. W/L Steel Tape

Sampling Information

Weather Conditions: Temp: 47 Wind: LVV Sky: Fair

Sampling Method: Grundfos Bladder SSM Disp. Baller Whale Grab Other: _____

Dedicated Equipment: Yes No Pumping Rate: 2.5 gpm

Well Purged Dry? Yes No Bladder SSM Time Pump Began: 1007 am pm

Time Purged Dry? 1017 Time of Sampling: 1022 am pm

Duplicate Sample? Yes No ID: _____ Sample EH: 325.2

Sample Appearance: General: Clear Color: None Phase: None Odor: None

Time	pH	Specific Cond.	Temp °C	D. O. mg/L	Turbidity NTU	Gallons Removed	SEQ #	Comments:
1017	6.40	3465	12.97	NA	NA	2.5	1	
							2	
1022	6.43	3479	13.36	↓	↓	—	3	Recharge
							4	
							5	

Stabilized? Yes No

Amount Water Removed: 2.5 Gallons

Comments: _____

Exceptions to Protocol: _____

Minnesota Valley Testing Laboratories, Inc.

New Ulm, MN 56073

507 354 8517

Groundwater Assessment

Sampling Personnel:

BW

Site: Otter Tail Power Co./ Big Stone

Facility ID:

Date: 17 Oct 23

Unique Station ID:

Sample ID: Well H4OX

Well Condition

Well Locked? Yes No
 Well Labeled? Yes No
 Casing Straight? Yes No

Protective Posts? Yes No
 State ID Tag? Yes No
 Grout Seal Intact? Yes No

Repairs Necessary:

Well Information

Well Depth: 27.48

Well Casing Elevation: 1108.22

Constructed Depth: 27.20

Static Water Elevation: 1091.14

Casing Diameter: 2"

Previous Static: 1091.11

Water Level Before Purge: 17.08

Water Level After Sample: Below pump

Well Volume: 1.70 Gallons

Measurement Method: (Ec. WL) Steel Tape

Sampling Information

Weather Conditions: Temp: 50 Wind: LVV Sky: Fair

Sampling Method: Grundfos Bladder SST Disp. Bailer Whale Grab Other:

Dedicated Equipment: Yes No

Pumping Rate: .25 gpm

Well Purged Dry? Yes No

Time Pump Began: 1052 (am) pm

Time Purged Dry? 1059

Time of Sampling: 1104 (am) pm

Duplicate Sample? Yes No ID: -

Sample EH: 261.7

Sample Appearance: General: Clear Color: None Phase: None Odor: None

Time	pH	Specific Cond.	Temp °C	D. O. mg/L	Turbidity NTU	Gallons Removed	SEQ #	Comments:
<u>7</u>								
<u>1059</u>	<u>6.51</u>	<u>2580</u>	<u>9.14</u>	<u>NA</u>	<u>NA</u>	<u>1.75</u>	<u>1</u>	
							<u>2</u>	
<u>1104</u>	<u>6.52</u>	<u>2571</u>	<u>9.10</u>	<u>I</u>	<u>I</u>	<u>-</u>	<u>3</u>	<u>Recharge</u>
							<u>4</u>	
							<u>5</u>	

Stabilized? Yes No

Amount Water Removed: 1.75 Gallons

Comments:

Exceptions to Protocol:

Minnesota Valley Testing Laboratories, Inc.

New Ulm, MN 56073

507 354 8517

Groundwater Assessment

Sampling Personnel:

DF

Site: Otter Tail Power Co./ Big Stone

Facility ID: —

Date: 17 Oct 23

Unique Station ID: —

Sample ID:

Well H6

Well Condition

Well Locked? Yes No

Well Labeled? Yes No

Casing Straight? Yes No

Protective Posts? Yes No

State ID Tag? Yes No

Grout Seal Intact? Yes No

Repairs Necessary:

Well Information

Well Depth: 17.92

Well Casing Elevation: NA

Constructed Depth: 17.70

Static Water Elevation: ↓

Casing Diameter: 2"

Previous Static: ↓

Water Level Before Purge: 15.76

Water Level After Sample: below Pump

Well Volume: 0.35 Gallons

Measurement Method: Elec. Wire Steel Tape

Sampling Information

Weather Conditions: Temp: 55 Wind: SE 7 Sky: Sunny

Sampling Method: Grundfos ~~Bladder SSP~~ Disp. Bailor Whale Grab Other:

Dedicated Equipment: Yes No

Pumping Rate: 0.25 gpm

Well Purged Dry? Yes No

Time Pump Began: 1150 am/pm

Time Purged Dry: 1152

Time of Sampling: 1157 am/pm

Duplicate Sample? Yes No ID: —

Sample EH: 101.3

Sample Appearance: General: Sh. Cloudy Color: Tan Phase: None Odor: None

Time	pH	Specific Cond.	Temp °C	D. O. mg/L	Turbidity NTU	Gallons Removed	SEQ #	Comments:
2 1152	7.56	977	13.26	NA	NA	0.35	1	
							2	
							3	
							4	
1157							5	Recharge

Stabilized? Yes No

Amount Water Removed: 0.35 Gallons

Comments:

— Insufficient volume for recharge reading

Exceptions to Protocol:

17 Oct 23
DF

Minnesota Valley Testing Laboratories, Inc.

New Ulm, MN 56073

507 354 8517

Groundwater Assessment

Sampling Personnel:

DF

Site: Otter Tail Power Co./ Big Stone

Facility ID: —

Date: 1/7/02

Unique Station ID: —

Sample ID: Well H8

Well Condition

Well Locked? Yes No
 Well Labeled? Yes No
 Casing Straight? Yes No

Protective Posts? Yes No
 State ID Tag? Yes No
 Grout Seal Intact? Yes No

Repairs Necessary: —

Well Information

Well Depth: 22.33

Well Casing Elevation: 1081.23

Constructed Depth: 22.05

Static Water Elevation: 1074.63

Casing Diameter: 2"

Previous Static: —

Water Level Before Purge: 1060

Water Level After Sample: 9.25

Well Volume: 257 Gallons

Measurement Method: Elec. W/L Steel Tape

Sampling Information

Weather Conditions: Temp: 55 Wind: SE 7 Sky: Sunny

Sampling Method: Grundfos Bladder SBT Disp. Baller Whale Grab Other: —

Dedicated Equipment: Yes No

Pumping Rate: 0.25 gpm

Well Purged Dry? Yes No

Time Pump Began: 1202 am / pm

Time Purged Dry? —

Time of Sampling: 1235 am / pm

Duplicate Sample? Yes No ID: —

Sample EH: 1061.2

Sample Appearance: General: Clear Color: None Phase: None Odor: None

Time	pH	Specific Cond.	Temp °C	D. O. mg/L	Turbidity NTU	Gallons Removed	SEQ #	Comments:
1213	7.24	1474	11.01	N/A	N/A	2.75	1	
1224	7.23	1475	11.02			5.5	2	
1235	7.22	1475	11.02			8.25	3	
							4	
							5	

Stabilized? Yes No

Amount Water Removed: 8.25 Gallons

Comments:

Exceptions to Protocol:

Minnesota Valley Testing Laboratories, Inc.

New Ulm, MN 56073

507 354 8517

Groundwater Assessment

Sampling Personnel:

DF

Site: Otter Tail Power Co./ Big Stone

Facility ID: —

Date:

17 Oct 23

Unique Station ID: —

Sample ID:

Well H9

Well Condition

Well Locked? Yes No
 Well Labeled? Yes No
 Casing Straight? Yes No

Protective Posts? Yes No
 State ID Tag? Yes No
 Grout Seal Intact? Yes No

Repairs Necessary:

Well Information

Well Depth: 30.71

Well Casing Elevation: 1086.21

Constructed Depth: 30.20

Static Water Elevation: 1074.64

Casing Diameter: 2"

Previous Static: —

Water Level Before Purge: 11.57

Water Level After Sample: 15.60

Well Volume: 3.12 Gallons

Measurement Method: ~~Elec. Well~~ Steel Tape

Sampling Information

Weather Conditions: Temp: 55 Wind: SE 7 Sky: Sunny

Sampling Method: Grundfos ~~Bladder SBT~~ Disp. Baller Whale Grab Other:

Dedicated Equipment: Yes No

Pumping Rate: 0.25 gpm

Well Purged Dry? Yes No

Time Pump Began: 1240 am /

Time Purged Dry? —

Time of Sampling: 1319 am /

Duplicate Sample? Yes No ID: —

Sample EH: 121.7

Sample Appearance: General: Clear Color: None Phase: None Odor: None

Time	pH	Specific Cond.	Temp °C	D. O. mg/L	Turbidity NTU	Gallons Removed	SEQ #	Comments:
1253	6.62	3340	9.97	NA	NA	3.25	1	
1306	6.62	3340	9.97			6.50	2	
1319	6.62	3343	9.96			9.75	3	
							4	
							5	

Stabilized? Yes No

Amount Water Removed: 9.75 Gallons

Comments:

Exceptions to Protocol:

Minnesota Valley Testing Laboratories, Inc.

New Ulm, MN 56073

507 354 8517

Groundwater Assessment

Site: Otter Tail Power Co./ Big Stone

Sampling Personnel:

BW

Facility ID:

Date: 17 Oct 23

Unique Station ID:

Sample ID: H10

Well Condition

Well Locked? Yes No
 Well Labeled? Yes No
 Casing Straight? Yes No

Protective Posts? Yes No
 State ID Tag? Yes No
 Grout Seal Intact? Yes No

Repairs Necessary:

Well Information

Well Depth: 38-53

Well Casing Elevation: 1090.83

Constructed Depth: 35.49

Static Water Elevation: 1073.73

Casing Diameter: 2"

Previous Static:

Water Level Before Purge: 17.10

Water Level After Sample: Below pump

Well Volume: 3-50 Gallons

Measurement Method: Elec. WLD Steel Tape

Sampling Information

Weather Conditions: Temp: 52 Wind: LCV Sky: Fair

Sampling Method: Grundfos Bladder SST Disp. Baller Whale Grab Other:

Dedicated Equipment: Yes No

Pumping Rate: .25 gpm

Well Purged Dry? Yes No

Time Pump Began: 1215 am pm

Time Purged Dry: 1229

Time of Sampling: 1234 am pm

Duplicate Sample? Yes No ID: -

Sample EH: 217-9

Sample Appearance: General: Clear Color: NOR Phase: NOR Odor: None

Time	pH	Specific Cond.	Temp °C	D. O. mg/L	Turbidity NTU	Gallons Removed	SEQ #	Comments:
14 1229	6.47	4989	9.37	NA	NA	3-5	1	
							2	
1234	6.51	4986	9.38			-	3	Recharge
							4	
							5	

Stabilized? Yes No

Amount Water Removed: 3.5 Gallons

Comments:

Exceptions to Protocol:

Minnesota Valley Testing Laboratories, Inc.

New Ulm, MN 56073

507 354 8517

Groundwater Assessment

Sampling Personnel:

DS

Site: Otter Tail Power Co./ Big Stone

Facility ID:

Date:

17 Oct 23

Unique Station ID:

Sample ID:

H11

Well Condition

Well Locked? Yes No

Well Labeled? Yes No

Casing Straight? Yes No

Protective Posts? Yes No

State ID Tag? Yes No

Grout Seal Intact? Yes No

Repairs Necessary:

Well Information

Well Depth:

44.32

Well Casing Elevation:

1093.24

Constructed Depth:

42.15

Static Water Elevation:

1078.42

Casing Diameter:

2"

Previous Static:

NA

Water Level Before Purge:

14.81

Water Level After Sample:

38.42

Well Volume:

4.81

Gallons

Measurement Method:

Elec. WLI

Steel Tape

Sampling Information

Weather Conditions: Temp:

57°

Wind:

SE 7

Sky:

Clear

Sampling Method:

Grundfos

Bladder SS/P

Disp. Baller

Whale

Grab

Other:

Dedicated Equipment:

Yes

No

Pumping Rate:

0.25

gpm

Well Purged Dry?

Yes

No

Time Pump Began:

1324

am

pm

Time Purged Dry?

1344

Time of Sampling:

1349

am

pm

Duplicate Sample?

Yes No

ID:

Sample EH:

95.0

Sample Appearance: General:

Clear

Color:

None

Phase:

None

Time	pH	Specific Cond.	Temp °C	D. O. mg/L	Turbidity NTU	Gallons Removed	SEQ #	Comments:
<u>1344</u>	<u>6.50</u>	<u>4485</u>	<u>9.12</u>	<u>NA</u>	<u>NA</u>	<u>5</u>	1	
							2	
							3	
							4	
<u>1349</u>	<u>6.59</u>	<u>4477</u>	<u>9.89</u>	<u>NA</u>	<u>NA</u>	<u>-</u>	5	<u>Recheck</u>

Stabilized? Yes No

Amount Water Removed:

5

Gallons

Comments:

Exceptions to Protocol:

Minnesota Valley Testing Laboratories, Inc.

New Ulm, MN 56073

507 354 8517

Groundwater Assessment

Sampling Personnel:

DS

Site: Otter Tail Power Co./ Big Stone

Facility ID: _____

Date: 7/20/23

Unique Station ID: _____

Sample ID: H12

Well Condition

Well Locked? Yes No
 Well Labeled? Yes No
 Casing Straight? Yes No

Protective Posts? Yes No
 State ID Tag? Yes No
 Grout Seal Intact? Yes No

Repairs Necessary: _____

Well Information

Well Depth: 22.63

Well Casing Elevation: NA

Constructed Depth: 24.00

Static Water Elevation: _____

Casing Diameter: 2"

Previous Static: I

Water Level Before Purge: 18.14

Water Level After Sample: 18.97

Well Volume: 0.73 Gallons

Measurement Method: Elec. WLI Steel Tape

Sampling Information

Weather Conditions: Temp: 57° Wind: SE7 Sky: Clear

Sampling Method: Grundfos Bladder SS/T Disp. Baller Whale Grab Other: _____

Dedicated Equipment: Yes No

Pumping Rate: _____ gpm

Well Purged Dry? Yes No

Time Pump Began: 1310 am pm

Time Purged Dry? _____

Time of Sampling: 1319 am pm

Duplicate Sample? Yes No ID: _____

Sample EH: 18.3

Sample Appearance: General: S/Cloudy Color: S/Tan Phase: Norm Odor: None


Time	pH	Specific Cond.	Temp °C	D. O. mg/L	Turbidity NTU	Gallons Removed	SEQ #	Comments:
<u>1313</u>	<u>8.00</u>	<u>319</u>	<u>11.33</u>	<u>NA</u>	<u>NA</u>	<u>0.75</u>	1	
<u>1316</u>	<u>8.00</u>	<u>315</u>	<u>11.30</u>	<u>I</u>	<u>I</u>	<u>1.5</u>	2	
<u>1319</u>	<u>7.99</u>	<u>312</u>	<u>11.29</u>	<u>I</u>	<u>I</u>	<u>2.25</u>	3	
							4	
							5	

Stabilized? Yes No

Amount Water Removed: 2.25 Gallons

Comments: _____

Exceptions to Protocol: _____



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A
 Requires Client Information:
 Company: MVTL
 Address: 1126 NORTH FRONT BLDG #2
 Email To: alleder@mvtl.com
 Phone: 607-233-7134
 Requested Due Date/TAT: standard

Section B
 Requires Project Information:
 Report To: Todd Rieger
 Copy To: tieger@mvtl.com
 Purchase Order No.: C13299
 Project Name: Oriental Power
 Project Number: Work order: 31-0271

Section C
 Invoice Information:
 Attention: AP
 Company Name: MVTL
 Address: 1126 NORTH FRONT BLDG 2
 PACE QUOTE REFERENCE: Pace Project Manager
 PACE PROFILE #:
 REGULATORY AGENCY: NPDES GROUND WATER DRINKING WATER
 UST RCRA
 Site Location STATE: MN

Page: 1 of 1

ITEM #	Section D Required Client Information	Valid Matrix Codes MATRIX CODES DRINKING WATER DW WATER WT WASTE WATER WW PRODUCT P SOLUBLE SL OIL OI WIRE WP AIR AR OTHER OT	SCORE	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives							Analysis Test	Requested Analysis Filtered (Y/N)	Residual Chlorine (Y/N)	Pace Project No./ Lab I.D.
						DATE	TIME			DATE	TIME	Unpreserved	H ₂ SO ₄	HNO ₃	HCl	NaOH				
1	23A9316 - H10			WW		10/7/23	12:34		1											
2	23A9317 - H11			WW		10/7/23	13:49		1											
3	23A9318 - H12			WW		10/7/23	13:19		1											
4																				
5																				
6																				
7																				
8	EQUIS LabMN EDD is needed																			
9																				
10																				
11																				
12																				

ADDITIONAL COMMENTS: REINQUAISED BY AFFILIATION DATE: TIME: ACCEPTED BY AFFILIATION DATE: TIME: SAMPLE CONDITIONS

SAMPLER NAME AND SIGNATURE: _____
 PRINT Name of SAMPLER: _____
 SIGNATURE of SAMPLER: _____
 DATE Signed (MM/DD/YYYY): _____

Temp in °C _____
 Received on Ice (Y/N) _____
 Custody Sealed Cooler (Y/N) _____
 Samples Intact (Y/N) _____

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.
 F-ALL-Q-020Rev.08, 12-Oct-2007

Appendix C

Groundwater Flow Calculations

Big Stone Ash Disposal Area Groundwater Velocity Calculation

Date 5/15/2023

Kh	2.10E-04	cm/s	Groundwater Monitoring System Report (Barr, 2016)
	5.95E-01	ft/day	
n	0.25		Groundwater Monitoring System Report (Barr, 2016)

	Top of Casing Elevation (1)	Depth to Water	Water Level Elevation
	ft amsl	ft below TOC	ft amsl
H3OX	1095.26	6.90	1088.36
H9	1086.21	6.75	1079.46

(1) Groundwater Monitoring System Report (Barr, 2016)

horizontal distance, ft

	H3OX
H9	2272.3

difference in WL elevation, ft

	H3OX
H9	8.90

horizontal gradient, ft/ft

	H3OX
H9	0.00392

V, ft/d

	H3OX
H9	0.00933

V, ft/yr

	H3OX
H9	3.4

V avg, ft/y

3.4

Big Stone Ash Disposal Area Groundwater Velocity Calculation

Date 6/12/2023

Kh	2.10E-04	cm/s	<i>Groundwater Monitoring System Report (Barr, 2016)</i>
	5.95E-01	ft/day	
n	0.25		<i>Groundwater Monitoring System Report (Barr, 2016)</i>

	Top of Casing Elevation (1)	Depth to Water	Water Level Elevation
	ft amsl	ft below TOC	ft amsl
H3OX	1095.26	7.76	1087.50
H9	1086.21	10.29	1075.92

(1) *Groundwater Monitoring System Report (Barr, 2016)*

horizontal distance, ft

	H3OX
H9	2272.3

difference in WL elevation, ft

	H3OX
H9	11.58

horizontal gradient, ft/ft

	H3OX
H9	0.00510

V, ft/d

	H3OX
H9	0.01213

V, ft/yr

	H3OX
H9	4.4

V avg, ft/y

4.4

Big Stone Ash Disposal Area Groundwater Velocity Calculation

Date 7/21/2023

Kh	2.10E-04	cm/s	<i>Groundwater Monitoring System Report (Barr, 2016)</i>
	5.95E-01	ft/day	
n	0.25		<i>Groundwater Monitoring System Report (Barr, 2016)</i>

	Top of Casing Elevation (1)	Depth to Water	Water Level Elevation
	ft amsl	ft below TOC	ft amsl
H3OX	1095.26	8.05	1087.21
H9	1086.21	11.97	1074.24

(1) *Groundwater Monitoring System Report (Barr, 2016)*

horizontal distance, ft

	H3OX
H9	2272.3

difference in WL elevation, ft

	H3OX
H9	12.97

horizontal gradient, ft/ft

	H3OX
H9	0.00571

V, ft/d

	H3OX
H9	0.01359

V, ft/yr

	H3OX
H9	5.0

V avg, ft/y

5.0

Big Stone Ash Disposal Area Groundwater Velocity Calculation

Date 10/17/2023

Kh	2.10E-04	cm/s	Groundwater Monitoring System Report (Barr, 2016)
	5.95E-01	ft/day	
n	0.25		Groundwater Monitoring System Report (Barr, 2016)

	Top of Casing Elevation (1)	Depth to Water	Water Level Elevation
	ft amsl	ft below TOC	ft amsl
H3OX	1095.26	8.00	1087.26
H9	1086.21	11.57	1074.64

(1) Groundwater Monitoring System Report (Barr, 2016)

horizontal distance, ft

	H3OX
H9	2272.3

difference in WL elevation, ft

	H3OX
H9	12.62

horizontal gradient, ft/ft

	H3OX
H9	0.00555

V, ft/d

	H3OX
H9	0.01322

V, ft/yr

	H3OX
H9	4.8

V avg, ft/y

	4.8
--	-----

Appendix D

Additional Groundwater Elevations

**Appendix D
Additional 2023 Water Elevations
Big Stone Plant
Offer Tail Power Company**

Location	Well Casing Elevation ft AMSL	6/12/2023 ft AMSL	7/21/2023 ft AMSL	8/21/2023 ft AMSL
H10	1090.83	1078.28	1076.58	1075.36
H11	1093.24	1082.19	1080.23	1079.29
H1INT	1115.81	1092.11	1089.7	1088.9
H1OX	1115.89	1092.93	1090.43	1089.52
H2I	1103.91	1042.41	1042.34	1042.35
H2OX	1103.86	1096.46	1094.34	1093.26
H3I	1095.17	1067.25	1067.05	1067.06
H3OX	1095.26	1087.5	1087.21	1087.98
H4I	1108.61	1091.51	1089.63	1090.78
H4OX	1108.25	1091.12	1089.79	1089.68
H5	1122.8	1111.42	1110.49	1110.34
H6	1097.76	1087.07	1084.49	1084.09
H7	1106.06	1086.8	1084.12	1082.39
H8	1081.23	1072.52	1071.48	1074.93
H9	1086.21	1075.92	1074.24	1075.58
WELL 1	1090.71	1025.41	1025.33	1024.68
WELL 10	1098.7	1081.69	--	1080.52
WELL 11	1104	1009.45	1009.21	1005.83
WELL 12	1071.89	1005.05	1005.59	1005.77

Notes:

-- Not Measured